

Document Title	Requirements on Execution Management
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	720

Document Status	published
Part of AUTOSAR Standard	Adaptive Platform
Part of Standard Release	R24-11

Document Change History			
Date	Release	Changed by	Description
2024-11-27	R24-11	AUTOSAR Release Management	 Requirements for deterministic execution are removed Minor changes, document clean up
2023-11-23	R23-11	AUTOSAR Release Management	 Requirements for deterministic execution are set to obsolete The right to create child processes can be configured by integrator Added support for standardized trace points
2022-11-24	R22-11	AUTOSAR Release Management	 Added: RS_EM_00151 Changed uptraces to RS_SAF requirements
2021-11-25	R21-11	AUTOSAR Release Management	Added: RS_EM_00015
2020-11-30	R20-11	AUTOSAR Release Management	• Added: RS_EM_00150
2019-11-28	R19-11	AUTOSAR Release Management	 Updated: RS_EM_00009 and RS_EM_00103 Changed Document Status from Final to published



		\land	
2019-03-29	19-03	AUTOSAR Release Management	Updated: RS_EM_00008 and RS_EM_00010
2018-10-31	18-10	AUTOSAR Release Management	 Removed: RS_EM_00003, RS_EM_00004, RS_EM_00110 and RS_EM_00111. Added: [RS_EM_00014].
2018-03-29	18-03	AUTOSAR Release Management	 Removed: RS_EM_00006, RS_EM_00007 and RS_EM_00012 Minor changes and document clean up
2017-10-27	17-10	AUTOSAR Release Management	 Minor changes, document clean up
2017-03-31	17-03	AUTOSAR Release Management	 Initial release



Disclaimer

This work (specification and/or software implementation) and the material contained in it, as released by AUTOSAR, is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the work.

The material contained in this work is protected by copyright and other types of intellectual property rights. The commercial exploitation of the material contained in this work requires a license to such intellectual property rights.

This work may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only. For any other purpose, no part of the work may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The work has been developed for automotive applications only. It has neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.



Requirements on Execution Management AUTOSAR AP R24-11

Contents

1	Scope of Document 6				
2	Conventions to be used	7			
	 2.1 Document Conventions	7			
3	Acronyms and abbreviations	8			
4	Requirements Specification	10			
	 4.1 Functional Overview 4.2 Functional Requirements 4.2.1 Startup and Shutdown of applications 4.2.2 Execution 4.2.3 State Management 4.2.4 Error Handling 4.2.5 Support for Diagnostics 4.3 Non-Functional Requirements 	11 11 15 16 18 18			
5	Requirements Tracing	20			
	5.1 Not applicable requirements	21			
6	References	22			
Α	Change history of AUTOSAR traceable items	23			
	 A.1 Traceable item history of this document according to AUTOSAR Release R24-11 A.1.1 Added Requirements in R24-11 A.1.2 Changed Requirements in R24-11 A.1.3 Deleted Requirements in R24-11 A.2 Traceable item history of this document according to AUTOSAR Re- 	23 23			
	A.2.1 Added Requirements in R23-11 A.2.2 Changed Requirements in R23-11 A.2.3	24 24			
	 A.3 Traceable item history of this document according to AUTOSAR Release R22-11 A.3.1 Added Requirements in R22-11 A.3.2 Changed Requirements in R22-11 A.3.3 Deleted Requirements in R22-11 A.4 Traceable item history of this document according to AUTOSAR Release R21 11 	25 25 25			
	lease R21-11A.4.1Added Requirements in R21-11A.4.2Changed Requirements in R21-11A.4.3Deleted Requirements in R21-11	26 26			



A.5	Traceable	e item history of this document according to AUTOSAR Re-	
	lease R20	D-11	. 26
	A.5.1	Added Requirements in R20-11	. 26
	A.5.2	Changed Requirements in R20-11	. 26
	A.5.3	Deleted Requirements in R20-11	. 27
A.6	Traceable	e item history of this document according to AUTOSAR Re-	
	lease R19		
	A.6.1	Added Requirements in 19-11	. 27
	A.6.2	Changed Requirements in 19-11	. 27
	A.6.3	Deleted Requirements in 19-11	
A.7	Traceable	e item history of this document according to AUTOSAR Re-	
	lease 19-	03	. 27
	A.7.1	Added Requirements in 19-03	. 27
	A.7.2	Changed Requirements in 19-03	. 28
	A.7.3	Deleted Requirements in 19-03	. 28
A.8	Traceable	e item history of this document according to AUTOSAR Re-	
	lease 18-		
	A.8.1	Added Requirements in 18-10	. 28
	A.8.2	Changed Requirements in 18-10	
	A.8.3	Deleted Requirements in 18-10	. 29
A.9	Traceable	e item history of this document according to AUTOSAR Re-	
		03	
	A.9.1	Added Requirements in 18-03	. 29
	A.9.2	Changed Requirements in 18-03	
	A.9.3	Deleted Requirements in 18-03	. 29
A.10	Traceable	e item history of this document according to AUTOSAR Re-	
	lease 17-	10	. 30
	A.10.1	Added Requirements in 17-10	. 30
	A.10.2	Changed Requirements in 17-10	. 30
	A.10.3	Deleted Requirements in 17-10	. 30
A.11	Traceable	e item history of this document according to AUTOSAR Re-	
	lease 17-	03	. 31
	A.11.1	Added Requirements in 17-03	. 31
	A.11.2	Changed Requirements in 17-03	. 32
	A.11.3	Deleted Requirements in 17-03	. 32



1 Scope of Document

This document specifies requirements of the AUTOSAR Adaptive Platform on the Execution Management. The motivation is to provide a standardized way to start, stop and police applications platform wide.



2 Conventions to be used

2.1 Document Conventions

The representation of requirements in AUTOSAR documents follows the table specified in [TPS_STDT_00078], see Standardization Template, chapter Support for Traceability ([1]).

The verbal forms for the expression of obligation specified in [TPS_STDT_00053] shall be used to indicate requirements, see Standardization Template, chapter Support for Traceability ([1]).

2.2 Requirements Guidelines

There are no special requirement guidelines for this document.

2.2.1 Requirements status

The following requirements are described within this document but not otherwise considered in this release:

• [RS_EM_00111] – Identification of Processes

The functionality described above is subject to modification and will be considered for inclusion in a future release of this document.



3 Acronyms and abbreviations

The glossary below includes acronyms and abbreviations relevant to this Document.

Abbreviation / Acronym:	Description:
Modelled Process	A Modelled Process is an instance of an Executable to be executed on a Machine and has a 1:1 association with the ARXML/Meta-Model element Process. This document also uses the term Process (without the "modelled" prefix) to refer to the OS concept of a running process.
Execution Dependency	Dependencies between Modelled Processes instances can be configured to define a sequence for starting and terminating them.
Execution Management	The element of the AUTOSAR Adaptive Platform responsible for the ordered startup and shutdown of the AUTOSAR Adaptive Platform and Adaptive Applications.
Function Group	A Function Group is a set of Modelled Processes which need to be controlled consistently. Depending on the state of the Function Group, Processes (related to the Modelled Processes) are started or terminated. Modelled Processes can belong to more than one Function Group State, but at exactly one Function Group (if a Modelled Process were allowed to be running at the same point in time in more than one Function Group then potential contradictions in the logic of the Function Group state transitions could cause errors).Function Groups are sort of general purpose tools used to control Processes of user-level Adaptive Applications.
Function Group State	A Function Group State defines a set of Modelled Processes that shall be started during Function Group State transition. Please note that a Function Groups can have only one Function Group State active at any given point of time.
Machine State	A state of Function Group named "MachineFG".
MachineFG	MachineFG is a Function Group with a predefined name, which is mainly used to control Machine lifecycle and Processes of platform level application.
Process State	Lifecycle state of a Modelled Process

Table 3.1: Technical Terms

The following technical terms used in this document are defined in the corresponding document mentioned in the table below.

Abbreviation / Acronym:	Description:
State Management	see [2] Requirements of State Management
Identity and Access Management	see [3] Requirements of Identity and Access Management
Communication Management	see [4] Software Specification of Communication Management
Operating System	see [5] Requirements Specification of Operating System Interface
Platform Health Management	see [6] Specification of Platform Health Management
Execution Manifest	see [7] Methodology for Adaptive Platform
Machine Manifest	see [7] Methodology for Adaptive Platform
Service Instance Manifest	see [7] Methodology for Adaptive Platform
Process	see [8] AUTOSAR Glossary
Adaptive Application	see [8] AUTOSAR Glossary
AUTOSAR Adaptive Platform	see [8] AUTOSAR Glossary
Adaptive Platform Foundation	see [8] AUTOSAR Glossary
Manifest	see [8] AUTOSAR Glossary
Executable	see [8] AUTOSAR Glossary

 \bigtriangledown



	\triangle
Functional Cluster	see [8] AUTOSAR Glossary
Adaptive Platform Service	see [8] AUTOSAR Glossary
Machine	see [8] AUTOSAR Glossary
Service	see [8] AUTOSAR Glossary
Service Interface	see [8] AUTOSAR Glossary
Service Discovery	see [8] AUTOSAR Glossary
Trusted Platform	see [8] AUTOSAR Glossary

 Table 3.2: Reference to Technical Terms



4 **Requirements Specification**

This chapter describes all requirements driving the work to define the Execution Management.

4.1 Functional Overview

The AUTOSAR Adaptive Platform provides services to influence the lifecycle of applications based on configuration. This document therefore includes requirements that determine the facilities provided by Execution Management to affect the machine-wide startup, shutdown and restart of an application based on configuration.

Execution Management is responsible for all aspects of platform lifecycle management and application lifecycle management, including:

- Machine startup and shutdown.
 - Execution Management is the initial ("boot") process of the operating system.
- Required process hierarchy of started services, e.g., init and its child process.
 - after booting. The boot process in this case corresponds to machine init process.
- Provision of process isolation with each instance of an Executable managed as a single process.
- Startup and shutdown of applications.
 - Loading Executable based on a defined Execution Dependency.
 - Specific requirements until starting an Executable main function (i.e. entry point)
- Privileges and use of access control
 - description and semantics of access control in manifest files
- State management
 - Conditions for the execution of applications

Execution Management, Platform Health Management and State Management are the main safety relevant functional clusters of the AUTOSAR Adaptive Platform. Consequently, their development may require certain processes to be followed - as recommended in ISO26262. A safety argumentation for the AUTOSAR Adaptive Platform, describing functional safety measures and use-cases is provided through Explanation of Safety Overview [9].



4.2 Functional Requirements

4.2.1 Startup and Shutdown of applications

[RS_EM_00002] Execution Management shall set-up one process for the execution of each Modelled Process.

Status: DRAFT Upstream requirements: RS_Main_00010, RS_Main_00049, RS_Main_00080, RS_Main_00320, RS_Main_00150, RS_Main_00420, RS_SAF_10037

Γ

Description:	For each instance of an Executable, Execution Management shall allocate one POSIX process. Furthermore process specific properties (like priority, scheduling policy and access rights) shall be assigned based on the Execution Manifest.
Rationale:	Isolation of Executable instances from each other.
Dependencies:	-
Use Case:	Safety and security related applications require isolation.
Supporting Material:	_

[RS_EM_00014] Execution Management shall support a Trusted Platform.

Status: DRAFT Upstream requirements: RS_Main_00170, RS_Main_00514, RS_Main_00180

Γ

Description:	Execution Management shall ensure that integrity and authenticity are checked for all Executables and their corresponding Execution Management meta-data (i.e. processed Machine and Execution Manifests), and shall only allow starting Executables that passed validation check.
Rationale:	Execution Management takes over the responsibility from Operating System and/or boot loader for AUTOSAR Adaptive Platform startup and hence for keeping the platform trusted. Execution Management is the only AUTOSAR Adaptive Platform entity allowed to start Executables and therefore responsible for the continuation of trust for the AUTOSAR Adaptive Platform.
Dependencies:	-
Use Case:	Verify the integrity and authenticity of software deployed on AUTOSAR Adaptive Platform.
Supporting Material:	_



[RS_EM_00015] Execution Management shall support integrity and authenticity monitoring.

Status: DRAFT Upstream requirements: RS_Main_00170, RS_Main_00514, RS_Main_00180

Description:	Execution Management shall support configurable integrity and authenticity monitoring for all Executables and their corresponding Execution Management meta-data (i.e. processed Machine and Execution Manifests).
Rationale:	Execution Management takes over the responsibility from Operating System and/or boot loader for AUTOSAR Adaptive Platform startup and hence for keeping the platform trusted. Execution Management is the only AUTOSAR Adaptive Platform entity allowed to start Executables and therefore responsible for the continuation of trust for the AUTOSAR Adaptive Platform. However unsigned SW (or incorrectly signed SW) may at times be used and to allow this, Execution Management should optionally support execution. However the presence of such deployments should be noted.
Dependencies:	-
Use Case:	Support deployment of prototype (unsigned) software during system development.
Supporting Material:	-

Γ

[RS_EM_00005] Execution Management shall support the configuration of OS resource budgets for process and groups of processes.

Status: DRAFT Upstream requirements: RS_Main_00002, RS_Main_00010, RS_Main_00106, RS_Main_00340, RS_Main_00150, RS_SAF_10008

Γ

Description:	Based on the Execution Manifest, Execution Management shall allocate OS resources to the Process. The allocation shall be possible for single Process and groups of Processs.
Rationale:	Real-time guarantees shall be defined
Dependencies:	-
Use Case:	Like cgroups (based on containers which contain one or more processes) and ulimit.
Supporting Material:	_

Ţ



[RS_EM_00008] Execution Management shall support the binding of all threads of a given process to a specified set of processor cores.

Status:	DRAFT
Upstream requirements:	RS_Main_00010, RS_Main_00050, RS_Main_00106, RS_Main_00320,
	RS_Main_00501, RS_Main_00150, RS_SAF_10008
Г	
I	
	the second se

Description:	Execution Management shall allow the binding of threads to specific set of processor cores based on configuration in the Execution Manifest. The binding granularity shall be at process level.
Rationale:	Mechanism to influence load balancing, reaction times, and latencies.
Dependencies:	-
Use Case:	A Process can be assigned to designated cores to limit thread migration between cores available on the Machine.
Supporting Material:	-

⅃

[RS_EM_00009] Execution Management shall control the right to create child process for each process it starts.

Status:	DRAFT	
Upstream requirements	RS_Main_00010, RS_Main_00011, RS_Main_00049, RS_Main_00150,	
	RS_SAF_10001, RS_SAF_10008	

Γ

Description:	Execution Management is responsible for starting child Processes and shall prevent such child Processes from directly starting other Processes, unless configured otherwise.
Rationale:	Execution Management needs full control of starting applications to ensure required isolation of temporal and spatial properties. However, existing software may require rights to create child Processes and it can be unpractical to modify it for use with AUTOSAR Adaptive Platform. For this reason, Execution Management allows selected Processes to create child Processes, but this must be configured by integrator and is not a right that is granted by default.
Dependencies:	-
Use Case:	Segregation between applications with different safety and/or security properties.
Supporting Material:	_

⅃



[RS_EM_00010] Execution Management shall support multiple instances of Executables.

Upstream requirements: RS_Main_00002, RS_Main_00049, RS_Main_00106, RS_Main_00501

Description:	It shall be possible to start more than one Modelled Process from a single Executable. Instance specific information is described in Modelled Process startup configuration.
Rationale:	Avoid code duplication.
Dependencies:	-
Use Case:	Redundancy of an Executable by parallel execution of two instances.
Supporting Material:	_

Γ

[RS_EM_00011] Execution Management shall support self-initiated graceful shutdown of processes.

Upstream requirements: RS_Main_00002, RS_Main_00049

```
Γ
```

Description:	Execution Management shall support self-initiated graceful shutdown of Processes.
Rationale:	Self-initiated graceful shutdown enables a Process to free allocated dedicated resources and inform other interacting entities about its shutdown (e.g. de-registering a service) to create a consistent state within the Machine/vehicle. Self-initiated Process shutdown is, by definition, only be initiated by the Process itself.
Dependencies:	-
Use Case:	The process of an Executable instance is finished and shuts down itself.
Supporting Material:	_



[RS_EM_00100] Execution Management shall support the ordered startup and shutdown of processes.

Upstream requirements: RS_Main_00002, RS_Main_00049, RS_Main_00340, RS_Main_00460

Description:	Execution Management shall support the ordered startup and shutdown of Executable instances.
Rationale:	Ensure that startup and shutdown dependencies between Executable instances are respected, if an execution dependency is specified in the Execution Manifest of an Executable instance. If no execution dependency is specified between Executable instances, they can be started and stopped in an arbitrary order.
Dependencies:	-
Use Case:	An Executable needs a specific functional cluster to be up and running before it can be started.
Supporting Material:	_

Γ

4.2.2 Execution

[RS_EM_00111] Execution Management shall assist identification of processes during Machine runtime.

Status: DRAFT Upstream requirements: RS_Main_00170, RS_Main_00514, RS_Main_00420

Γ

Description:	Adaptive Applications shall be identifiable, for example by Identity and Access Management, during runtime so that access restrictions can be enforced. Execution Management spawns runtime processes based on Execution Manifest. Execution Management is qualified to assist AUTOSAR Adaptive Platform software, such as Identity and Access Management, by providing information about the link between runtime representation and Modelled Process.
Rationale:	Adaptive Applications shall be identifiable by Identity and Access Management on the basis of their runtime representation as spawned by Execution Management.
Dependencies:	-
Use Case:	App A requests access on Service Interface. Identity and Access Management is able to retrieve runtime information of App A, e.g. POSIX pid or cryptographic token. Execution Management assists Identity and Access Management by resolving this runtime information to the Adaptive Application.

 ∇



\wedge	
\square	

┘

Γ

[RS_EM_00152] Execution Management shall support standardized trace points throughout the state transitions.

Upstream requirements: RS_Main_01026

Description:	Execution Management shall support standardized trace points throughout the state transitions.
Rationale:	Providing standardized trace points in a Functional Cluster allows comparison of timing in different implementations upon state changes, such as upon application process creation, initialization, and termination.
Dependencies:	ara::log
Use Case:	Tracing and timing analysis of different applications and Functional Clusters behavior.
Supporting Material:	_

l

4.2.3 State Management

[RS_EM_00101] Execution Management shall support State Management functionality.

Status: DRAFT Upstream requirements: RS_Main_00460

Γ

Description:	Execution Management shall provide an interface to State Management to request a change in Function Group State.
Rationale:	To support the starting and stopping of Processes based on declared Function Group State dependencies, Execution Management provides an interface to request Function Group State (including Machine State) changes by the State Management fuctional cluster. In response to state change requests, Execution Management ensures that only the required set of application Processes are running in any given operation conditions and therefore platform resources are saved for relevant Processes.
Dependencies:	-

 ∇



 \triangle

Use Case:	Provide a mechanism to define modes of operation of the Machine.
Supporting Material:	_

⅃

Γ

[RS_EM_00103] Execution Management shall support process lifecycle management.

Upstream requirements: RS_Main_00049, RS_Main_00050, RS_Main_00106, RS_Main_00460

Description:	The lifecycle of a Process consists of its initialization, running and terminating (shutdown) phases. As well as supporting transitions between these phases of the Process lifecycle, Execution Management should ensure that phases, e.g. the startup and shutdown, of Processes can be coordinated between groups of Processes which shall run in the same Machine State or Function Group State. Coordination and tracking of lifecycle phases enables Execution Management to ensure that Executable's Processes are fully established and running before other Processes which depend on their functionality can be started.
Rationale:	Coordination and tracking of lifecycle phases enables Execution Management to ensure that Executable Processes are fully established and running before other executable Processes which depend on their functionality can be started.
Dependencies:	-
Use Case:	
Supporting Material:	_



4.2.4 Error Handling

[RS_EM_00150] Error Handling.

Status: DRAFT Upstream requirements: RS_Main_00011

Γ

Description:	Execution Management shall support error handling including unrecoverable errors.
Rationale:	Execution Management may face conditions where it has no mechanism to recover the system. These situations are typically expected to result from a misconfigured system and therefore a suitable response might be to halt startup so that the misconfiguration can be resolved.
Dependencies:	-
Use Case:	Execution Management can not start Platform Health Management or State Management and hence the platform as a whole cannot be started, it is not possible to recover from this situation hence Execution Management must halt startup.
Supporting Material:	_

⅃

4.2.5 Support for Diagnostics

Support for Diagnostics is handled by State Management and therefore the requirements are replaced by the ones from [2].



4.3 Non-Functional Requirements

[RS_EM_00151] Execution Management shall be implemented at least according the highest safety integrity level from any process that is supported on the platform.

Status: DRAFT Upstream requirements: RS_SAF_10001

Γ

Description:	Execution Management shall be implemented at least according the highest safety integrity level from any Process that is supported on the platform.
Rationale:	Execution Management manages Process instantiation and termination of all the Processes and therefore needs to be developed and executed according to the same safety standards as the highest rated safety application managed by Execution Management in the system.
Use Case:	An ASIL C, B and QM application is running on the AUTOSAR Adaptive Platform. Execution Management shall execute the ASIL C, B and the QM application, therefore Execution Management shall be implemented with an ASIL C.
Dependencies:	-
Supporting Material:	_



5 Requirements Tracing

The following table references the features specified in [10] and links to the fulfillments of these. Please note that if column "Satisfied by" is empty for a specific requirement this means that this requirement is not fulfilled by this document. Likewise, an entry of [RS_EM_NA] indicates that the source requirement has been evaluated as "not applicable" to Execution Management.

Requirement	Description	Satisfied by
[RS_Main_00002]	AUTOSAR shall provide a software platform for high performance computing platforms	[RS_EM_00005] [RS_EM_00010] [RS_EM_00011] [RS_EM_00100]
[RS_Main_00010]	Safety Mechanisms	[RS_EM_00002] [RS_EM_00005] [RS_EM_00008] [RS_EM_00009]
[RS_Main_00011]	Mechanisms for Reliable Systems	[RS_EM_00009] [RS_EM_00150]
[RS_Main_00049]	AUTOSAR shall provide an Execution Management for running multiple applications	[RS_EM_00002] [RS_EM_00009] [RS_EM_00010] [RS_EM_00011] [RS_EM_00100] [RS_EM_00103]
[RS_Main_00050]	AUTOSAR shall provide an Execution Framework towards applications to implement concurrent application internal control flows	[RS_EM_00008] [RS_EM_00103]
[RS_Main_00080]	Formal Description Language	[RS_EM_00002]
[RS_Main_00106]	AUTOSAR shall provide the possibility to extend the software with new SWCs without recompiling the platform foundation	[RS_EM_00005] [RS_EM_00008] [RS_EM_00010] [RS_EM_00103]
[RS_Main_00150]	AUTOSAR shall support the deployment and reallocation of AUTOSAR Application Software	[RS_EM_00002] [RS_EM_00005] [RS_EM_00008] [RS_EM_00009]
[RS_Main_00170]	AUTOSAR shall provide secure access to ECU data and services	[RS_EM_00014] [RS_EM_00015] [RS_EM_00111]
[RS_Main_00180]	Intellectual Property Protection	[RS_EM_00014] [RS_EM_00015]
[RS_Main_00320]	AUTOSAR shall provide formats to specify system development	[RS_EM_00002] [RS_EM_00008]
[RS_Main_00340]	AUTOSAR shall support the continuous timing requirement analysis	[RS_EM_00005] [RS_EM_00100]
[RS_Main_00420]	AUTOSAR shall use established software standards and consolidate de-facto standards for basic software functionality	[RS_EM_00002] [RS_EM_00111]
[RS_Main_00460]	AUTOSAR shall standardize methods to organize mode management on Application, ECU and System level	[RS_EM_00100] [RS_EM_00101] [RS_EM_00103]
[RS_Main_00501]	AUTOSAR shall support redundancy concepts	[RS_EM_00008] [RS_EM_00010]
[RS_Main_00514]	System Security Support	[RS_EM_00014] [RS_EM_00015] [RS_EM_00111]
[RS_Main_01026]	AUTOSAR shall support tracing and profiling on the target and onboard	[RS_EM_00152]
[RS_SAF_10001]	AUTOSAR shall provide mechanisms to support safe initialization of software components.	[RS_EM_00009] [RS_EM_00151]



Δ		
Requirement	Description	Satisfied by
[RS_SAF_10008]	AUTOSAR shall provide mechanisms to support safe resource management for the AUTOSAR Adaptive Platform functional-clusters, applications and services and AUTOSAR Classic Platform basic software modules and software components.	[RS_EM_00005] [RS_EM_00008] [RS_EM_00009]
[RS_SAF_10037]	AUTOSAR shall provide mechanisms to prevent unintended alteration of data.	[RS_EM_00002]

Table 5.1: Requirements Tracing

5.1 Not applicable requirements

[RS_EM_NA]

 Status:
 DRAFT

 Upstream requirements:
 RS_Main_01025, RS_Main_00650, RS_Main_00026, RS_Main_00030, RS_Main_00190, RS_Main_00230, RS_Main_00250, RS_Main_00260, RS_Main_00261, RS_Main_00270, RS_Main_00280, RS_Main_00285, RS_Main_00300, RS_Main_00301, RS_Main_00310, RS_Main_00350, RS_Main_00360, RS_Main_00410, RS_Main_00310, RS_Main_00445, RS_Main_00490, RS_Main_00410, RS_Main_00440, RS_Main_00445, RS_Main_00507, RS_Main_00491, RS_Main_00500, RS_Main_00503, RS_Main_00507, RS_Main_00510, RS_Main_00511, RS_Main_00512, RS_Main_00653, RS_Main_01001, RS_Main_01002, RS_Main_01003, RS_Main_01004, RS_Main_01005, RS_Main_01007, RS_Main_01008

[These requirements are not applicable as they are not within the scope of this release or this document.]



Requirements on Execution Management AUTOSAR AP R24-11

6 References

- [1] Standardization Template AUTOSAR_FO_TPS_StandardizationTemplate
- [2] Requirements of State Management AUTOSAR_AP_RS_StateManagement
- [3] Requirements on Identity and Access Management AUTOSAR_AP_RS_IdentityAndAccessManagement
- [4] Specification of Communication Management AUTOSAR_AP_SWS_CommunicationManagement
- [5] Requirements on Operating System Interface AUTOSAR_AP_RS_OperatingSystemInterface
- [6] Specification of Platform Health Management AUTOSAR_AP_SWS_PlatformHealthManagement
- [7] Methodology for Adaptive Platform AUTOSAR_AP_TR_Methodology
- [8] Glossary AUTOSAR_FO_TR_Glossary
- [9] Explanation of Safety Overview AUTOSAR_FO_EXP_SafetyOverview
- [10] Main Requirements AUTOSAR_FO_RS_Main



A Change history of AUTOSAR traceable items

Please note that the lists in this chapter also include traceable items that have been removed from the specification in a later version. These items do not appear as hyper-links in the document.

A.1 Traceable item history of this document according to AU-TOSAR Release R24-11

A.1.1 Added Requirements in R24-11

none

A.1.2 Changed Requirements in R24-11

Number	Heading
[RS_EM_00002]	Execution Management shall set-up one process for the execution of each Modelled Process.
[RS_EM_00005]	Execution Management shall support the configuration of OS resource budgets for process and groups of processes.
[RS_EM_00008]	Execution Management shall support the binding of all threads of a given process to a specified set of processor cores.
[RS_EM_00009]	Execution Management shall control the right to create child process for each process it starts.
[RS_EM_00011]	Execution Management shall support self-initiated graceful shutdown of processes.
[RS_EM_00101]	Execution Management shall support State Management functionality.
[RS_EM_00103]	Execution Management shall support process lifecycle management.
[RS_EM_00150]	Error Handling.
[RS_EM_00151]	Execution Management shall be implemented at least according the highest safety integrity level from any process that is supported on the platform.
[RS_EM_00152]	Execution Management shall support standardized trace points throughout the state transitions.

 Table A.1: Changed Requirements in R24-11



A.1.3 Deleted Requirements in R24-11

Number	Heading
[RS_EM_00050]	Execution Management shall perform Machine-wide coordination of process.
[RS_EM_00051]	Execution Management shall provide APIs to the process for configuring external trigger conditions for its activities.
[RS_EM_00052]	Execution Management shall provide APIs to the process for configuring cyclic triggering of its activities.
[RS_EM_00053]	Execution Management shall provide APIs to the process to support deterministic redundant execution of process.
[RS_EM_00113]	Execution Management shall support time-triggered execution.

Table A.2: Deleted Requirements in R24-11

A.2 Traceable item history of this document according to AU-TOSAR Release R23-11

A.2.1 Added Requirements in R23-11

[RS EM 00152] Execution Management shall support standardized trace points	Number	Heading
	[RS_EM_00152]	Execution Management shall support standardized trace points throughout the state transitions.

 Table A.3: Added Requirements in R23-11

A.2.2 Changed Requirements in R23-11

Number	Heading
[RS_EM_00008]	Execution Management shall support the binding of all threads of a given process to a specified set of processor cores.
[RS_EM_00009]	Execution Management shall control the right to create child process for each process it starts.
[RS_EM_00053]	Execution Management shall provide APIs to the process to support deterministic redundant execution of process.
[RS_EM_00151]	Execution Management shall be implemented at least according the highest safety integrity level from any process that is supported on the platform.

Table A.4: Changed Requirements in R23-11



A.2.3 Deleted Requirements in R23-11

none

A.3 Traceable item history of this document according to AU-TOSAR Release R22-11

A.3.1 Added Requirements in R22-11

Number	Heading
[RS_EM_00151]	Execution Management shall be implemented at least according the highest safety integrity level from any process that is supported on the platform.

Table A.5: Added Requirements in R22-11

A.3.2 Changed Requirements in R22-11

Number	Heading
[RS_EM_00002]	Execution Management shall set-up one process for the execution of each Modelled Process.
[RS_EM_00005]	Execution Management shall support the configuration of OS resource budgets for process and groups of process.
[RS_EM_00008]	Execution Management shall support the binding of all threads of a given process to a specified set of processor cores.
[RS_EM_00009]	Execution Management shall ensure it is the sole entity starting process.
[RS_EM_00050]	Execution Management shall perform Machine-wide coordination of process.
[RS_EM_00053]	Execution Management shall provide APIs to the process to support deterministic redundant execution of process.
[RS_EM_00103]	Execution Management shall support process lifecycle management.
[RS_EM_00113]	Execution Management shall support time-triggered execution.
[RS_EM_NA]	

Table A.6: Changed Requirements in R22-11

A.3.3 Deleted Requirements in R22-11



A.4 Traceable item history of this document according to AU-TOSAR Release R21-11

A.4.1 Added Requirements in R21-11

Number	Heading
[RS_EM_00015]	Execution Management shall support integrity and authenticity monitoring
Table A.7: Added Requirements in R21-11	

A.4.2 Changed Requirements in R21-11

none

A.4.3 Deleted Requirements in R21-11

none

A.5 Traceable item history of this document according to AU-TOSAR Release R20-11

A.5.1 Added Requirements in R20-11

Number	Heading
[RS_EM_00113]	Execution Management shall support time-triggered execution
[RS_EM_00150]	Error Handling

Table A.8: Added Requirements in R20-11

A.5.2 Changed Requirements in R20-11



A.5.3 Deleted Requirements in R20-11

Number	Heading
[RS_EM_00013]	Execution Management shall support configurable recovery actions
	Table A.9: Deleted Requirements in R20-11

A.6 Traceable item history of this document according to AU-TOSAR Release R19-11

A.6.1 Added Requirements in 19-11

none

A.6.2 Changed Requirements in 19-11

Number	Heading
[RS_EM_00009]	Only Execution Management shall start Executables
	Table A.10: Changed Requirements in 19-11

A.6.3 Deleted Requirements in 19-11

none

A.7 Traceable item history of this document according to AU-TOSAR Release 19-03

A.7.1 Added Requirements in 19-03



A.7.2 Changed Requirements in 19-03

Number	Heading
[RS_EM_00008]	The Execution Management shall support the binding of Executable threads to a specified set of processor cores.

Table A.11: Changed Requirements in 19-03

A.7.3 Deleted Requirements in 19-03

none

A.8 Traceable item history of this document according to AU-TOSAR Release 18-10

A.8.1 Added Requirements in 18-10

Number	Heading
[RS_EM_00014]	Execution Management shall support a Trusted Platform
[RS_EM_00111]	Execution Management shall assist identification of Processes during Machine runtime
Table A 19, Added Deguirements in 19 10	

Table A.12: Added Requirements in 18-10

A.8.2 Changed Requirements in 18-10

Heading
The Execution Management shall set-up one process for the execution of each Executable instance
The Execution Management shall support the configuration of OS resource budgets for Executable and groups of Executables
Execution Management shall support self-initiated graceful shutdown of Executable instances
Execution Management shall support configurable recovery actions
The Execution Management shall provide Machine State Management functionality

Table A.13: Changed Requirements in 18-10



A.8.3 Deleted Requirements in 18-10

Number	Heading
[RS_EM_00003]	The Execution Management shall support the checking of the integrity of Executables at startup of Executable
[RS_EM_00004]	The Execution Management shall support the authentication and authorization of Executables at startup of Executable

 Table A.14: Deleted Requirements in 18-10

A.9 Traceable item history of this document according to AU-TOSAR Release 18-03

A.9.1 Added Requirements in 18-03

Number	Heading
[RS_EM_00151]	Execution Management shall be implemented at least according the highest safety integrity level from any process that is supported on the platform.

 Table A.15: Added Requirements in 18-03

A.9.2 Changed Requirements in 18-03

Number	Heading
[RS_EM_00009]	Only Execution Management shall start Executables
[RS_EM_00101]	The Execution Management shall provide Machine State Management functionality
[RS_EM_00103]	Execution Management shall support application lifecycle management
[RS_EM_00110]	Execution Management shall support diagnostic reset cause

 Table A.16: Changed Requirements in 18-03

A.9.3 Deleted Requirements in 18-03

Number	Heading
[RS_EM_00006]	The Execution Management shall support the analysis of available and required OS resource budgets for Executables and groups of Executables during installation and run-time

 \bigtriangledown



\wedge	
L	7

Number	Heading
[RS_EM_00007]	The Execution Management shall support of the allocation of dedicated resources for the Executable (e.g GPU)
[RS_EM_00012]	Application Manifest shall support unambiguous identification of Executable instances

Table A.17: Deleted Requirements in 18-03

A.10 Traceable item history of this document according to AU-TOSAR Release 17-10

A.10.1 Added Requirements in 17-10

Number	Heading
[RS_EM_00053]	The Execution Management shall provide functions to support redundant execution of Executables
[RS_EM_00110]	Execution Management shall support diagnostic reset cause

Table A.18: Added Requirements in 17-10

A.10.2 Changed Requirements in 17-10

none

A.10.3 Deleted Requirements in 17-10

Number	Heading
[RS_EM_00001]	The Execution Management shall load Executables
[RS_EM_00103]	Execution Management shall support application lifecycle management

 Table A.19: Deleted Requirements in 17-10



A.11 Traceable item history of this document according to AU-TOSAR Release 17-03

A.11.1 Added Requirements in 17-03

Number	Heading
[RS_EM_00001]	The Execution Management shall load Executables
[RS_EM_00002]	The Execution Management shall set-up one process for the execution of each Executable instance
[RS_EM_00003]	The Execution Management shall support the checking of the integrity of Executables at startup of Executable
[RS_EM_00004]	The Execution Management shall support the authentication and authorization of Executables at startup of Executable
[RS_EM_00005]	The Execution Management shall support the configuration of OS resource budgets for Executable and groups of Executables
[RS_EM_00006]	The Execution Management shall support the analysis of available and required OS resource budgets for Executables and groups of Executables during installation and run-time
[RS_EM_00007]	The Execution Management shall support of the allocation of dedicated resources for the Executable (e.g GPU)
[RS_EM_00008]	The Execution Management shall support the binding of Executable threads to a specified set of processor cores.
[RS_EM_00009]	Only Execution Management shall start Executables
[RS_EM_00010]	The Execution Management shall support multiple instantiation of Executables
[RS_EM_00011]	Execution Management shall support self-initiated graceful shutdown of Executable instances
[RS_EM_00012]	Application Manifest shall support unambiguous identification of Executable instances
[RS_EM_00013]	Execution Management shall support configurable recovery actions
[RS_EM_00100]	The Execution Management shall support the ordered startup and shutdown of Executables
[RS_EM_00050]	The Execution Management shall do a system-wide coordination of activities.
[RS_EM_00051]	The Execution Management shall provide functions to the Executable for configuring external trigger conditions for its activities
[RS_EM_00052]	The Execution Management shall provide functions to the Executable for configuring cyclic triggering of its activities
[RS_EM_00101]	The Execution Management shall provide Machine State Management functionality
[RS_EM_00103]	Execution Management shall support application lifecycle management

Table A.20: Added Requirements in 17-03



Requirements on Execution Management AUTOSAR AP R24-11

A.11.2 Changed Requirements in 17-03

none

A.11.3 Deleted Requirements in 17-03