

<b>Document Title</b>	Requirements on a Free Running Timer
<b>Document Owner</b>	AUTOSAR GbR
<b>Document Responsibility</b>	AUTOSAR GbR
<b>Document Identification No</b>	211
<b>Document Classification</b>	Auxiliary

<b>Document Version</b>	1.0.2
<b>Document Status</b>	Final
<b>Part of Release</b>	3.0
<b>Revision</b>	0001

<b>Document Change History</b>			
<b>Date</b>	<b>Version</b>	<b>Changed by</b>	<b>Change Description</b>
31.10.2007	1.0.2	AUTOSAR Administration	<ul style="list-style-type: none"><li>• Document meta information extended</li><li>• Small layout adaptations made</li></ul>
24.01.2007	1.0.1	AUTOSAR Administration	<ul style="list-style-type: none"><li>• "Advice for users" revised</li><li>• "Revision Information" added</li></ul>
01.12.2006	1.0.0	AUTOSAR Administration	Initial release

Page left intentionally blank

## Disclaimer

**Any use** of these specifications requires membership within the AUTOSAR Development Partnership or an agreement with the AUTOSAR Development Partnership. The AUTOSAR Development Partnership will not be liable for any use of these specifications.

Following the completion of the development of the AUTOSAR specifications commercial exploitation licenses will be made available to end users by way of written License Agreement only.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Copyright © 2004-2006 AUTOSAR Development Partnership. All rights reserved.

## Advice to users of AUTOSAR Specification Documents:

AUTOSAR Specification Documents may contain exemplary items (exemplary reference models, "use cases", and/or references to exemplary technical solutions, devices, processes or software).

Any such exemplary items are contained in the Specification Documents for illustration purposes only, and they themselves are not part of the AUTOSAR Standard. Neither their presence in such Specification Documents, nor any later documentation of AUTOSAR conformance of products actually implementing such exemplary items, imply that intellectual property rights covering such exemplary items are licensed under the same rules as applicable to the AUTOSAR Standard.

## Table of Contents

1	Scope of Document .....	5
2	Used Conventions .....	6
3	Abbreviations.....	7
3.1	Related standards and norms .....	7
4	Requirements Specification.....	8
4.1	Functional Overview .....	8
4.2	Functional Requirements .....	10
4.2.1	Configuration.....	10
4.2.1.1	[SWFRT00019] Configure HW Timer Type.....	10
4.2.1.2	[SWFRT00020] Configuration/initialization of HW Timer.....	11
4.2.1.3	[SWFRT00021] Import Used HW Timer's Configuration .....	11
4.2.1.4	[SWFRT00022] State which HW Timer is used .....	11
4.2.1.5	[SWFRT00023] Set up Duration of one Tick.....	12
4.2.1.6	[SWFRT00024] Support different Ranges / Resolutions .....	12
4.2.1.7	[SWFRT00025] Set up Access Methods.....	13
4.2.1.8	[SWFRT00026] Set up Target Count Values .....	13
4.2.1.9	[SWFRT00028] Ensure Continuous Running Mode.....	13
4.2.2	Initialisation .....	14
4.2.2.1	[SWFRT00029] Init Function.....	14
4.2.3	Normal Operation.....	14
4.2.3.1	[SWFRT00030] Start with Zero .....	14
4.2.3.2	[SWFRT00031] Increment Counter.....	15
4.2.3.3	[SWFRT00032] Wrap Around .....	15
4.2.3.4	[SWFRT00033] Read Out Ticks.....	15
4.2.3.5	[SWFRT00047] Convert Ticks to Time.....	16
4.2.3.6	[SWFRT00034] Calculate Ticks Elapsed since given value.....	16
4.2.4	Shutdown Operation .....	17
4.2.4.1	[SWFRT00041] Shutdown Function.....	17
4.2.4.2	[SWFRT00048] EcuM Modes .....	17
4.2.5	Fault Operation .....	17
4.3	Non-Functional Requirements (Qualities) .....	17
4.3.1	Timing Requirements .....	17
4.3.2	Resource Usage .....	18
4.3.2.1	[SWFRT00044] Share Timer with Other Functionality .....	18
5	Referenced AUTOSAR documents .....	19

## 1 Scope of Document

This document defines requirements on the Software Free Running Timer (SWFRT) functionality. The OS SWS Specification shall satisfy these requirements.

### Constraints

The hardware of a particular microcontroller might not be able to support free-running timer features – then this functionality **SHOULD** be **LEFT OUT**.

This is especially true if

- Hardware timer is not available (or used for different feature, which has incompatible requirements)
- Hardware timer is available, but is not independent. Dependency does not fit.
- Hardware timer does not meet the range/resolution/interval requirements
- Pre Scaler not available or not sufficient
- Hardware timer is available, but use would cause too high interrupt load.  
I.e. it is not much use to emulate a free-running timer by software causing the CPU to have enormous calculation load.

The configurability and its dependencies to other modules is the most crucial part in this module since many times the timer, which is used for the free running timer, shall be shared between modules. The module realizing the SW-FRT shall rather import the settings of any other tools concerning the timer/clock than to define the settings.

## 2 Used Conventions

- In requirements, the following specific semantics shall be used (based on the Internet Engineering Task Force IETF).

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as:

- **SHALL:** This word means that the definition is an absolute requirement of the specification.
- **SHALL NOT:** This phrase means that the definition is an absolute prohibition of the specification.
- **MUST:** This word means that the definition is an absolute requirement of the specification due to legal issues.
- **MUST NOT:** This phrase means that the definition is an absolute prohibition of the specification due to legal constraints.
- **SHOULD:** This word, or the adjective "RECOMMENDED", mean that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- **SHOULD NOT:** This phrase, or the phrase "NOT RECOMMENDED" mean that there may exist valid reasons in particular circumstances when the particular behavior is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.
- **MAY:** This word, or the adjective "OPTIONAL", means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation, which does not include a particular option, **MUST** be prepared to interoperate with another implementation, which does include the option, though perhaps with reduced functionality. In the same vein an implementation, which does include a particular option, **MUST** be prepared to interoperate with another implementation, which does not include the option (except, of course, for the feature the option provides.)

### 3 Abbreviations

<b>Abbreviation</b>	<b>Description</b>
API	Application Programming Interface
BSW	Basic Software
COM	Communications
ECU	Electronic Control Unit
GPT	General Purpose Timer (SWS Module)
HW	Hardware
Tick	One increment of the HW timer =HW Timer Tick; If not explicitly noted Hardware timer is meant. TickType consists of many HW-Timer Ticks; If this is meant it will be pointed out explicitly.
Interval of Timer	Distance in time between two measure points
OS	AUTOSAR Operating System
Range of Timer	Maximum interval the timer may cover
Reset Timer	Timers which start on exceeding of a predefined margin with an also predefined value.
Resolution of Timer	Minimal time interval which may be measured
SI	International System of Units (abbreviated SI from the French language name <i>Système International d'Unités</i> )
SLA	Software Layered Architecture
SWC	Software Component
SWFRT	Software extending features of HW Free running timers
Test Value	Value against which the present read out is tested (e.g. compared).
Wrap Around	The action taken when a timer reaches the defined maximum value.

#### 3.1 Related standards and norms

None

Each requirement has its unique identifier starting with a prefix SWFRT.

## 4 Requirements Specification

Requirements of the same kind within each chapter are grouped under the following headlines:

Functional Requirements:

- Configuration (which elements of the module need to be configurable)
- Initialization
- Normal Operation
- Shutdown Operation
- Fault Operation
- ...

Non-Functional Requirements:

- Timing Requirements
- Resource Usage
- Usability
- Output for other WPs (e.g. Description Templates, Tooling,...)
- ...

### 4.1 Functional Overview

This chapter describes the requirements on functionality of the module Free Running Timer. Chapter 4.1 introduces SWFRT by an overview, 4.2 and 4.3 contain the requirements. The functionality will be accessed by Low Level SW as well as by application. Therefore the location in the SLA needs to be in the services area (SLA **ID: 02-06**).

#### Functionality in scope:

A) The Software Free Running Timer (SWFRT) module provides a piece of code accessing one or more hardware timers. This hardware timer must not be modified by any other SW module during runtime (free running hardware timer or reset timer, BSW12404: configure as continuous mode). The timer may perform functionality with different purposes as well. SWFRT code maps the possibly varying hardware functionality always to the same SW functionality: i.e.

- SWFRT starts with zero as long as no time has passed yet.
- SWFRT increments up to maximum.  
The maximum may differ from the byte/word/... maximum
- The increment exceeding the maximum re-starts the SWFRT with zero (which might be wrap around as one special case)

Functionality A) abstracts the GPT read-out function (BSW12117) or direct hardware access (timer units may be managed directly by OS, see chapter 5 SWS OS).

B) The SWFRT further on should extend a possible restricted range of the HW. Especially when the amount of bits of the HW-timer is restricted the range needs to be extended. For this extension the SWFRT increases a cycle counter. The interval this counter counts is the maximum range of the HW timer.

The HW-timer being used for functionality A) and functionality B) is not necessarily the identical timer; two different HW-timers which are started at different times and



range could fulfil this functionality as well. Therefore an offset between the HW-timer of functionality A) and the timer of functionality B) may occur.

### Use Cases in Scope:

**UC A:** SWFRT (Functionality B) **should** enable the implementation of software timers with different resolutions, different ranges and intervals to be measured. Application may use SWFRT to measure times (few ms up to days range)

**UC B:** -removed; (number B: left intentionally for references)

**UC C:** SWFRT (Functionality A) **shall** enable “small” defined time delays in the normal program flow. A loop may use the SWFRT to supervise the time interval of a (faulty) hardware when fast reaction time is asked for. “Small” should be understood as a delay which can not be met by OSEK functionality (i.e. a few hundred nano-seconds).

**UC D:** When the above delays exceed tolerable times (e.g. very long response time of extern HW), an OS reschedule while waiting a bit longer than “small” time-interval might be applied. The timeout will be registered by checking whether the expected event had happened within a defined time.

### Restriction on overhead:

Which of the two possible functionalities is applied is up to the imported configuration requirements of SWFRT (minimum and maximum interval to be measured, range and resolution of timer) as well as reasonable resource consumption.

High frequent notification functions shall be avoided. Which is: Do NOT use BSW12120: GPT Notifications to provide long ranges. Instead build long ranges based on OS Tasks calling SWFRT main functions.

A typically used scenario will be following sequence from a user perspective:

1. Read the HW-FRT or counter.
2. Perform some action.
3. Test cyclically the success of this action
4. Read out above FRT again AND
5. If the difference to a subsequent read out of this FRT does not exceed a predefined timeout mark the action as success.

SWFRT SW functionality uses sometimes more than one incremental counter. An increment of the HW-counter by one shall be called “tick”. Further on the microcontroller hardware (HW) could provide incrementing and/or decrementing timers (only). The ticks will represent significantly different values (ns, ms, s). An overflow or an exceeding of the set maximum (/minimum) value re-starts automatically the timer with a zero (/maximum). This action is called wrap around. Within the defined range of the SWFRT timer any calculations of times need to adjust calculations to the wrap around value.

Hardware features shall to be abstracted. Following features shall be considered:

- Microcontroller’s external clock (quartz)
- Microcontroller’s PLL
- Microcontroller’s (fractional) pre-scaler(s) for the used clock
- Microcontrollers register width of the used timer (-combination)
- Reset value after wrap around/wrap around margin

- Microcontrollers access to these registers (!)
- Operation Modes of Microcontroller (Sleep/Stop/Freeze etc.)
- Clock hardware dependencies in between the microcontroller's timer channels ("Hardware Clock Tree")
- Absence of frequency modulation of system clock (!), external not time based clock supply e.g. angle driven clock (!)

These hardware features are to be defined locally in conjunction with the MCU, GPT and OS module as configuration parameters (Their set of parameters may be non portable to a different microcontroller). The set of them leads to the conversion rules of one timer with defined resolution and range (may be not portable to different configuration); the resulting code needs to be generated from scratch for each new configuration. Applying these conversion rules will lead then to functions (macros) reading the free running timer(s) with a defined resolution as well as maximum/minimum interval which could be measured. The "user" is interested in one set which consists of timer, rules, resolution and range. All above will map into the configuration chapter of the involved modules.

## 4.2 Functional Requirements

### 4.2.1 Configuration

This chapter states the requirements on configurability of the module.

#### 4.2.1.1 [SWFRT00019] Configure HW Timer Type

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Configure HW Timer Type: This defines depending on range, resolution and max/min interval to be measured the hw-timer(s) which shall be used for which functionality of the SWFRT module.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	Pick one type of timer that fulfils the resolution range etc. requirements. This could be either a counter of OS TickType or a HW timer of the microcontroller
<b>Rationale:</b>	Restrict the possibilities and the resulting variants / overhead of which timer type may be used for implementation
<b>Use Case:</b>	Define <ul style="list-style-type: none"> <li>- allowed ranges for Quartz, PLL and if resulting timer provides a constant frequency,</li> <li>- whether timer shall count up or down (no hindering reason for use, but the necessary program will differ),</li> <li>- preferred register width,</li> <li>- if this timer requires a wrap around margin different to register width.</li> <li>- wrap around value,</li> <li>- whether pre-scalers may be used,</li> <li>- which values (range) for which pre-scalers may be set,</li> <li>- if / which timers could be cascaded,</li> <li>- time between wrap around,</li> </ul> e.g. Pick the System Timer of Tricore
<b>Dependencies:</b>	--

<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.2 [SWFRT00020] Configuration/initialization of HW Timer

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	If the GPT Timer is not used the configuration and initialization shall be performed by the module providing the SWFRT functionality (OS).
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	--
<b>Rationale:</b>	Use HW most efficiently
<b>Use Case:</b>	There are usually timers such as "System Timer", "Periodic Interrupt Timer", "GPT Timer", etc. which might be used for SWFRT and other modules. Which type is to be used is selected by Requirement 4.2.1.1. They have still features which need to be elaborated and selected per microcontroller – but not per implementation. The setting should not be overridden by each other nor be forgotten
<b>Dependencies:</b>	See <a href="#">SWFRT00021</a>
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.3 [SWFRT00021] Import Used HW Timer's Configuration

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Import Used HW Timer's Configuration: The key elements of configuration, necessary to calculate the duration of ticks shall be the imported configuration items. The configuration of a new hw-timer is set up if appropriate hw-timer configuration is not available.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	This is a requirement on the dependencies in Ch 10 of the SWS. This shall ensure whether the set up is done by OS or whether OS will reuse a timer from a different module (e.g. GPT)
<b>Rationale:</b>	Use HW most efficiently
<b>Use Case:</b>	HW Timer is able to provide big range as well as resolution. It may be used for OS TickTypes as well as for timing functions of SW FRT. Just different mask operations need to be applied.
<b>Dependencies:</b>	See <a href="#">SWFRT00020</a>
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.4 [SWFRT00022] State which HW Timer is used

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	If Module does not use the GPT Timer it must state which HW Timer(s) is (are) used.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	--
<b>Rationale:</b>	The code will vary significant depending on the used timer

<b>Use Case:</b>	Define which timers will be supported.
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.5 [SWFRT00023] Set up Duration of one Tick

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Set up Duration of one Tick: Set the calculation rule for the set of SWFRT accesses; the minimum support is one access to ticks;
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	Depending on the access to the timer register this results in different resolutions – this resolution must be known.
<b>Rationale:</b>	The combination of <a href="#">SWFRT00021</a> and <a href="#">SWFRT00020</a> define the settings for which timer to be used and its rules. These rules are to be defined per microcontroller and HW timer respectively OS GlobalTimeTickType.
<b>Use Case:</b>	The register TIM0 will provide one tick as 12,5 ns for a TC1766 running at a speed of 80MHz. In use case -C- (from Introduction chapter) a loop shall read cyclically the timer value and test a possibly faulty hardware. The maximum test interval is 500ns so the difference in between first and its consecutive readings is predefined (Pre-compile/Link/Post-build) as 40  Either Basic SW module as well as Application is provided in this way with an abstracted time.
<b>Dependencies:</b>	<a href="#">SWFRT00021</a> and <a href="#">SWFRT00020</a>
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.6 [SWFRT00024] Support different Ranges / Resolutions

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	The SWFRT shall support different resolutions and ranges. I.e. set up a set of different tick lengths in a way that ranges and resolutions are covered. These are supported with ticks representing different time quanta.
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	See range definition in Table in chapter 2.1. The range shall be assumed to start with 0 up to a maximum.
<b>Rationale:</b>	--
<b>Use Case:</b>	A PIT Register-set will provide one tick as 6.4 $\mu$ s for a Star12 running at a speed of 40MHz and using a pre-scaler of 256. An access to the 16 bits of the register set register will provide ticks in the range 0 ... 420ms. Since intervals bigger than 420 ms cannot be covered an additional main-function counter shall be implemented for ranges from 0 ... 2.6E3 s (1.8 days)
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.7 [SWFRT00025] Set up Access Methods

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Set up access methods to time information for different users. The access method shall cover the user's range and resolution requirements.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	Different timers, masks to timers might be needed. If so each access method must be defined.
<b>Rationale:</b>	Avoid multiple conversions between tick –counting and SI unit based comparison; use instead unique approach with predefined test values
<b>Use Case:</b>	There are accesses possible to a basic tick as well as an access to every n <sup>th</sup> tick. Whereas n is dependent on the microcontroller (e.g. reading bits 8 ... 24 of the respective counter only). If the access crosses the bit boundary of 16/32 or exceeds one clock cycle special care has to be put into consistency
<b>Dependencies:</b>	<a href="#">SWFRT00019</a> , <a href="#">SWFRT00020</a> , <a href="#">SWFRT00021</a> , <a href="#">SWFRT00022</a> , <a href="#">SWFRT00023</a> ; <a href="#">SWFRT00034</a>
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.8 [SWFRT00026] Set up Target Count Values

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Set up Target Count Values: Time differences in SI units shall be calculated offline at configuration time.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	Target Count Values are those against which the read timer value is compared. The Target Count Values shall be configured in SI Units. The equivalent in ticks is stored in the ECU's memory.
<b>Rationale:</b>	Runtime shall be kept low: the margins against which timer differences are tested shall be calculated at configuration time (instead of multiplying at runtime).
<b>Use Case:</b>	<p>The offline calculated target count values may be of the any configuration class. The Target Count Values are those constants which will be compared at runtime against the present value of the timer. This implies that range, resolution and valid timer interval must be respected for the compare instruction. Doing so the code reduces to compare instructions.</p> <p>Values required by user modules are expressed in their XML. The automatic configuration editor for the SWFRT checks other modules for times and, when it finds then, uses knowledge of the timer's range and resolution to calculate the times in counter ticks. These values are then placed back in the user's XML so that the user's code generation has access to those values.</p>
<b>Dependencies:</b>	<a href="#">SWFRT00025</a>
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.1.9 [SWFRT00028] Ensure Continuous Running Mode

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006

<b>Short Description:</b>	Ensure Continuous Running Mode
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	The used HW timer may perform functionality with different purposes as well. This hardware shall be a free running hardware timer or reset timer, BSW12404: configure as continuous mode.
<b>Rationale:</b>	--
<b>Use Case:</b>	--
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

## 4.2.2 Initialisation

### 4.2.2.1 [SWFRT00029] Init Function

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	There shall be an init function independent of whether any registers need to be set or modified. If MCU driver performs the initialization, SWFRT init function must be called after MCU driver init had been called. If GPT driver performs the initialization SWFRT init function must be called after GPT driver had been called.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	--
<b>Rationale:</b>	Ensure timer and PLL is initialized.
<b>Use Case:</b>	--
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

## 4.2.3 Normal Operation

### 4.2.3.1 [SWFRT00030] Start with Zero

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	The read - out value starts with Zero.
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	The read - out value starts with Zero; even if HW counts down from maximum to zero
<b>Rationale:</b>	Enable to define a standard interface
<b>Use Case:</b>	e.g. hardware starts with 0xE000 and runs down to 0x100, due to some scaling factors needed, all adaptations to the read out value shall be done within SWFRT
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--



#### 4.2.3.2 [SWFRT00031] Increment Counter

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	The SWFRT shall increment. I.e. Consecutive read out values will increase – unless the defined range of the SWFRT was exceeded.
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	This means: invert the counter when the HW timer counts down; this means further on: adjust any offsets which may be present when HW timer counts from an margin down to zero or from an margin up to overflow
<b>Rationale:</b>	Enable to define a standard interface
<b>Use Case:</b>	--
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.3.3 [SWFRT00032] Wrap Around

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Wrap around shall work without software interaction.
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	--
<b>Rationale:</b>	Save runtime. Don't make time 'walk' i.e. Interrupt consumes time and thus adds time which is not tracked by the timer.
<b>Use Case:</b>	Hardware timer shall be configured to run continuously. There shall be no action necessary to restart the timer. Wrap around shall load the restart value with support of HW:e.g. No additional free running timer is available. A CapCom Timer shall be shared. Its configuration is as follows: CapCom Timer starts at 0xFFFF, reload margin value is 0x3ff, reload value is 0xFFFF, counter is configured as down counter. After counting down to 0x3FF reload 0xFFFF without software interaction.
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.3.4 [SWFRT00033] Read Out Ticks

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Read Out Tick: There shall be a function to achieve an atomic read the of the timer's value.
<b>Type:</b>	New
<b>Importance:</b>	High
<b>Description:</b>	This function reads timer ticks. The conversion of timer ticks to time in SI units (seconds, milliseconds, microseconds, nanoseconds) is not included.
<b>Rationale:</b>	Avoid inconsistent access.
<b>Use Case:</b>	The Timer value must be read consistent (even across byte boundaries or more than one clock cycle). This may involve protected access to 8bit-/16bit-/32bit-/64bit-registers: For example Tricore TC1766 offers a timer width of 56 bit. These 56 bits may be accessed by TIM0 ... TIM6 Registers. Whereas TIM0 reads ticks.

	TIM1 reads each 16 <sup>th</sup> tick TIM2: 265 <sup>th</sup> , TIM3: 4096 <sup>th</sup> , TIM4: 65536 <sup>th</sup> TIM5: 2 <sup>20th</sup> TIM6: 2 <sup>32th</sup> The registers will provide consistency even over more than 32 bits if registers are read in the HW-defined order
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.3.5 [SWFRT00047] Convert Ticks to Time

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Convert Ticks to Time : The SWFRT shall provide a "user" dependent API (function / macro) to convert ticks to time.
<b>Type:</b>	New
<b>Importance:</b>	high   medium   low
<b>Description:</b>	This function has a number of ticks as a parameter and converts its parameter to time in SI units(seconds, milliseconds, microseconds, nanoseconds).
<b>Rationale:</b>	Allow conversion to SI based time units.
<b>Use Case:</b>	<p>A) Peripheral devices need a start-up time before they may be accessed. This start-up time is specified in the HW description. A timeout [in SI Units] needs to be implemented to avoid reading to non valid data. This timeout needs to be mapped a) to a hw timer which could cope with the interval b) to a value which gives the ticks of this timer</p> <p>B) Diagnostics communication requires variable inter-frame times (STMIN). They need to be set as a measure interval which may be 100µs up to 900µ (9 values) and a second measure interval of 1 ... 127 ms (126 values). These 135 values are to be calculated offline based on the available timers and cyclic main functions.</p>
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

#### 4.2.3.6 [SWFRT00034] Calculate Ticks Elapsed since given value

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	Calculate Ticks Elapsed since given value (in ticks): The module shall provide functionality to calculate the ticks elapsed between a previously stored value (passed as a parameter) and the current timer value.
<b>Type:</b>	New
<b>Importance:</b>	high
<b>Description:</b>	The caller needs to provide the last read out value.
<b>Rationale:</b>	Support different levels of functionality respectively code size and execution time.
<b>Use Case:</b>	Read the present timer value and use time from function in parameter to calculate the difference
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--



## 4.2.4 Shutdown Operation

### 4.2.4.1 [SWFRT00041] Shutdown Function

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	There shall be no shutdown of SWFRT.
<b>Type:</b>	New
<b>Importance:</b>	medium
<b>Description:</b>	--
<b>Rationale:</b>	There is nothing to shut down; not all timers can be stopped.
<b>Use Case:</b>	--
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

### 4.2.4.2 [SWFRT00048] EcuM Modes

<b>Initiator:</b>	SPAL
<b>Date:</b>	13.09 2006
<b>Short Description:</b>	SW FRT functionality shall be guaranteed after its Init function and is not available in 'SLEEP', 'Wakeup I', 'StartUP I', 'Go OFF II' and 'Power Off' of the ECU.
<b>Type:</b>	New
<b>Importance:</b>	Low
<b>Description:</b>	The functionality will return undefined results in the above states of ECU, therefore it shall not be used in these states.
<b>Rationale:</b>	PLL might be not available/ reduced etc
<b>Use Case:</b>	Do NOT use this functionality when there is the risk of unknown timer settings.
<b>Dependencies:</b>	--
<b>Conflicts:</b>	--
<b>Supporting Material:</b>	--

## 4.2.5 Fault Operation

There are no specific requirements.

## 4.3 Non-Functional Requirements (Qualities)

### 4.3.1 Timing Requirements

There are no specific timing requirements

## 4.3.2 Resource Usage

### 4.3.2.1 [SWFRT00044] Share Timer with Other Functionality

<b>Initiator:</b>	WP1.1.2
<b>Date:</b>	26.June 2006
<b>Short Description:</b>	The SWFRT shall not block timers for usage.
<b>Type:</b>	new
<b>Importance:</b>	medium
<b>Description:</b>	Allow more than one module to use the same timer. If the other modules requirements are in similar range the reuse of their configuration shall be enabled.
<b>Rationale:</b>	Enable the sharing of timers
<b>Use Case:</b>	If a PWM works with a frequency which is in the range of the SWFRT requirements this timer shall be offered for use.
<b>Dependencies:</b>	
<b>Conflicts:</b>	
<b>Supporting Material:</b>	

## 5 Referenced AUTOSAR documents

- [1] AUTOSAR Layered Software Architecture  
[https://svn2.autosar.org/repos2/22\\_Releases](https://svn2.autosar.org/repos2/22_Releases)  
AUTOSAR\_LayeredSoftwareArchitecture.pdf
  
- [2] AUTOSAR Glossary  
[https://svn2.autosar.org/repos2/22\\_Releases](https://svn2.autosar.org/repos2/22_Releases)  
AUTOSAR\_Glossary.pdf
  
- [3] AUTOSAR Specification of GPT Driver  
[https://svn2.autosar.org/repos2/22\\_Releases](https://svn2.autosar.org/repos2/22_Releases)  
AUTOSAR\_SWS\_GPT\_Driver.pdf
  
- [4] AUTOSAR Specification of Operating System  
[https://svn2.autosar.org/repos2/22\\_Releases](https://svn2.autosar.org/repos2/22_Releases)  
AUTOSAR\_SWS\_OS.pdf