

Document Title	Main Requirements
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	054
Document Classification	Auxiliary

Document Version	3.0.0
Document Status	Final
Part of Release	4.0
Revision	3

Document Change History			
Date	Version	Changed by	Change Description
14.12.2011	3.0.0	AUTOSAR Administration	The following features are incorporated <ul style="list-style-type: none"> • Acceptance tests • multicore support • safety requirements
11.10.2010	2.2.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Changed [Main270]
30.11.2009	2.1.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Changed [Main90] and [Main 370] • Legal disclaimer revised
23.06.2008	2.0.4	AUTOSAR Administration	Legal disclaimer revised
05.12.2007	2.0.3	AUTOSAR Administration	<ul style="list-style-type: none"> • Document meta information extended • Small layout adaptations made
24.01.2007	2.0.2	AUTOSAR Administration	<ul style="list-style-type: none"> • “Advice for users” revised • “Revision Information” added
28.11.2006	2.0.1	AUTOSAR Administration	Legal disclaimer revised

Document Change History			
Date	Version	Changed by	Change Description
06.12.2005	2.0.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Removed section “2.1 Recipients” • Update of section 3.1.1 • Changed [Main11], [Main60], [Main300], [Main310], [Main320], [Main330], [Main340], [Main350], [Main360], [Main370], [Main380] • Use Case added • Changed [Main20] • Rationale extended • Changed [Main10], [Main50], [Main80], [Main90], [Main130], [Main230], [Main240] • Rationale added • Changed [Main160], [Main280] • Rationale and Use Case added • Changed [Main300], [Main310] • Headline and Short description written in active • Update of section 3.3 according to changes of 3.1.1
09.05.2005	1.0.0	AUTOSAR Administration	Initial release

Disclaimer

This specification and the material contained in it, as released by AUTOSAR is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the specification.

The material contained in this specification is protected by copyright and other types of Intellectual Property Rights. The commercial exploitation of the material contained in this specification requires a license to such Intellectual Property Rights.

This specification may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only.

For any other purpose, no part of the specification may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The AUTOSAR specifications have been developed for automotive applications only. They have neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Advice for users

AUTOSAR Specification Documents may contain exemplary items (exemplary reference models, "use cases", and/or references to exemplary technical solutions, devices, processes or software).

Any such exemplary items are contained in the Specification Documents for illustration purposes only, and they themselves are not part of the AUTOSAR Standard. Neither their presence in such Specification Documents, nor any later documentation of AUTOSAR conformance of products actually implementing such exemplary items, imply that intellectual property rights covering such exemplary items are licensed under the same rules as applicable to the AUTOSAR Standard.

Table of Content

1	Scope of the document	6
2	How to read this document	7
2.1	Conventions used	7
3	Acronyms and Abbreviations	8
4	Requirements Specification	9
4.1	Architecture	9
4.1.1	[Main400] AUTOSAR shall provide a layered software architecture	9
4.1.2	[Main130] AUTOSAR shall provide an abstraction from hardware	9
4.1.3	[Main150] AUTOSAR shall support the reallocation of Software Components	9
4.1.4	[Main60] AUTOSAR shall provide a standardized software interface for communication between Software Components	10
4.1.5	[Main140] AUTOSAR shall provide network independent communication mechanisms for applications	10
4.1.6	[Main410] AUTOSAR shall provide specifications for routines commonly used by Software Components to support sharing and optimization	11
4.1.7	[Main190] AUTOSAR shall support interoperability with non-AUTOSAR software on the same ECU	11
4.1.8	[Main210] AUTOSAR shall support interoperability with non-AUTOSAR ECUs in a network	12
4.1.9	[Main330] AUTOSAR shall support the principle of information hiding	12
4.1.10	[Main230] AUTOSAR shall support network topologies including gateways	13
4.2	Basic Software and Runtime Environment	14
4.2.1	[Main100] AUTOSAR shall provide standardized basic software	14
4.2.2	[Main420] AUTOSAR shall consolidate existing basic software functionality of the automotive domain	14
4.2.3	[Main430] AUTOSAR shall support automotive communication systems	15
4.2.4	[Main435] AUTOSAR shall support automotive microcontrollers	15
4.2.5	[Main440] AUTOSAR shall standardize access to non-volatile memory	15
4.2.6	[Main450] AUTOSAR shall standardize access to general purpose I/O	16
4.2.7	[Main460] AUTOSAR shall standardize methods to organize mode management on SWC, ECU and system level	16
4.2.8	[Main170] AUTOSAR shall provide secure access to ECU	17
4.2.9	[Main260] AUTOSAR shall provide diagnostics means during runtime, for production and services purposes	17
4.2.10	[Main280] AUTOSAR shall provide a communication interface to the infotainment systems	17
4.3	Dependability	19
4.3.1	[Main10] AUTOSAR shall provide a software platform to support the development of safety related systems.	19
4.3.2	[Main11] AUTOSAR shall support the development of reliable systems	19
4.4	Methodology	20
4.4.1	[Main160] AUTOSAR shall provide means to describe interfaces of the entire system.	20
4.4.2	[Main180] AUTOSAR shall provide mechanisms to protect intellectual property in a shared development process	20

4.4.3	[Main300] AUTOSAR shall provide data exchange formats to support work-share in large inter and intra company development groups	20
4.4.4	[Main80] AUTOSAR shall provide means to describe a component model for application software	21
4.4.5	[Main310] AUTOSAR shall support hierarchical design methods	21
4.4.6	[Main320] AUTOSAR shall provide formats to specify all aspects necessary to integrate a Software Component on an ECU	22
4.4.7	[Main340] AUTOSAR shall support the observance of timing requirements	22
4.4.8	[Main360] AUTOSAR shall support management of vehicle diversity	23
4.4.9	[Main250] AUTOSAR process shall provide a predefinition of typical roles and activities in work-share model	23
4.4.1	[Main251] AUTOSAR process shall support roles and rights in a work-share model	24
4.5	Non-functional Requirements	25
4.5.1	[Main200] AUTOSAR specifications shall allow resource efficient implementations	25
4.5.2	[Main220] The functional interfaces of AUTOSAR shall be specified in C90	25
4.5.3	[Main270] AUTOSAR shall provide mitigation strategies towards new releases	26
4.6	Acceptance Testing	27
4.6.1	[Main120] AUTOSAR shall provide means to assure interoperability of AUTOSAR implementations (ICC1 level) on application level (RTE) and bus level.	27
4.7	Processes	28
4.7.1	[Main30] AUTOSAR shall support development processes for safety related systems	28
4.7.2	[Main490] AUTOSAR processes shall be compliant to ISO26262	28
4.7.3	[Main290] AUTOSAR shall support the verification of its specifications	28
4.7.4	[Main350] AUTOSAR specifications shall be analyzable and support according methods to demonstrate the achievement of safety related properties.	29
4.7.5	[Main480] Implementations of AUTOSAR shall be testable	29
5	References	30

1 Scope of the document

Each partner has committed to the overall project objectives (PO) of AUTOSAR. The objectives are listed in the AUTOSAR Standard Info Pack V3.3 or in subsequent documents. AUTOSAR Standard Info Pack is an official communication paper of development partnership.

These objectives are not directly usable and have to be refined in order to generate the specific technical requirements. For this purpose, the AUTOSAR Main Requirements are established as a fundamental base to derive these specific requirements.

The goal of this document is to define the main requirements of AUTOSAR including its link to the AUTOSAR objectives.

The term AUTOSAR is used as a synonym of the development partnership and the technical product AUTomotive Open System ARchitecture.

2 How to read this document

Each requirement has its unique identifier starting with the prefix “Main” (for “Main Requirement”). For any review annotations, remarks or questions, please refer to this unique ID rather than chapter or page numbers!

2.1 Conventions used

- In requirements, the following specific semantics are used (taken from Request for Comment RFC 2119 from the Internet Engineering Task Force IETF)
- The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119. Note that the requirement level of the document in which they are used modifies the force of these words.
- **MUST:** This word, or the terms "REQUIRED" or "SHALL", mean that the definition is an absolute requirement of the specification.
- **MUST NOT:** This phrase, or the phrase „SHALL NOT“, means that the definition is an absolute prohibition of the specification.
- **SHOULD:** This word, or the adjective "RECOMMENDED", mean that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- **SHOULD NOT:** This phrase, or the phrase "NOT RECOMMENDED" mean that there may exist valid reasons in particular circumstances when the particular behavior is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.
- **MAY:** This word, or the adjective „OPTIONAL“, means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation, which does not include a particular option, **MUST** be prepared to interoperate with another implementation, which does include the option, though perhaps with reduced functionality. In the same vein an implementation, which does include a particular option, **MUST** be prepared to interoperate with another implementation, which does not include the option (except, of course, for the feature the option provides.)

3 Acronyms and Abbreviations

Acronyms and abbreviations that have a local scope are not contained in the AUTOSAR glossary. These must appear in a local glossary.

Acronym:	Description:
ASIL	Automotive Safety Integrity Level (ISO26262 definition)

Abbreviation	Description:
ASAM MCD	Association for Standardization of Automation- and Measuring Systems Measurement, Calibration and Diagnostics
AUTOSAR	Automotive Open System Architecture
BSW	Basic Software
CPU	Central Processing Unit
COM	
DWARF	Debug With Arbitrary Record Format
ECU	Electronic Control Unit
MCAL	MicroController Abstraction Layer
OEM	Original Equipment Manufacturer
OS	Operating System
RTE	Runtime Environment
SW	Software
SWC	Software Component (see also [Glossary])
VFB	Virtual Functional Bus
XML	Extensible Markup Language

4 Requirements Specification

4.1 Architecture

4.1.1 [Main400] AUTOSAR shall provide a layered software architecture

ID:	Main400
Initiator:	PL Team
Date:	11.01.2011
Short Description:	AUTOSAR shall provide a layered software architecture.
Type:	Change
Importance:	High
Description:	AUTOSAR shall provide a layered software architecture, which distinguishes between Software Components, Runtime Environment and Basic Software.
Rationale:	The Runtime Environment together with the Basic Software provides an abstraction layer for the Application Software. This enables the reallocation and reuse of Software Components.
Use Case:	Relocation of yaw rate control from one ECU to another.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2

4.1.2 [Main130] AUTOSAR shall provide an abstraction from hardware

ID:	Main130
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide an abstraction from hardware.
Type:	Change Main130
Importance:	High
Description:	A MicroController Abstraction Layer (MCAL) shall provide an abstraction from hardware characteristics. This MCAL shall be limited to the software modules directly interacting with the HW. Other parts of the Basic Software shall be independent from hardware.
Rationale:	Reuse of the SW if the HW is changed (e.g. new microcontroller). Software sharing between multiple HW platforms.
Use Case:	Relocate SW application from one ECU with hardware A to ECU with hardware B without changes of the SW application.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2

4.1.3 [Main150] AUTOSAR shall support the reallocation of Software Components

ID:	Main150
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall support the reallocation of Software Components
Type:	Change Main150

Importance:	High
Description:	AUTOSAR shall develop mechanisms, methods, and processes to enable reallocation of Software Components independent from communication infrastructure.
Rationale:	Enable the reallocation of Software Components to different ECUs.
Use Case:	Reallocation of yaw rate control from one ECU to another. Optimization of overall system architecture.
Dependencies:	Main140, Main141
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2

4.1.4 [Main60] AUTOSAR shall provide a standardized software interface for communication between Software Components

ID:	Main60
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide a standardized software interface for communication between Software Components
Type:	New
Importance:	High
Description:	As the interface definition of Software Components is a prerequisite to reuse Software Components AUTOSAR shall provide such a standardized interface.
Rationale:	From a Software Components point of view the interface to another Software Component shall be identical, independent whether the Software Components are located <ul style="list-style-type: none"> • on the same ECU on the same core • on the same ECU on another core • on the same ECU on another microcontroller • on another ECU
Use Case:	Application SW is developed independently from the underlying communication system.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2, PO7

4.1.5 [Main140] AUTOSAR shall provide network independent communication mechanisms for applications

ID:	Main140
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide network independent communication mechanisms for applications
Type:	New
Importance:	High
Description:	AUTOSAR shall support the development of Software Components independently from the underlying communication systems.
Rationale:	Independency from the underlying communication system is a prerequisite to support the reallocation of Software Components.
Use Case:	Relocation of SW component from ECU A with CAN-Bus to ECU B with FlexRay.

Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2

4.1.6 [Main410] AUTOSAR shall provide specifications for routines commonly used by Software Components to support sharing and optimization

ID:	Main410
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide specifications for routines commonly used by Software Components to support sharing and optimization
Type:	New
Importance:	High
Description:	AUTOSAR shall support the development of Software Components by providing standardized libraries with commonly used functions.
Rationale:	Share routines between different SW-Component. Use of optimized routines by SW-Components integrated in different ECUs.
Use Case:	Relocation of SW component from ECU A to ECU B with a different microcontroller.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO3, PO4

4.1.7 [Main190] AUTOSAR shall support interoperability with non-AUTOSAR software on the same ECU

ID:	Main190
Initiator:	PL Team
Date:	13.02.2004
Short Description:	AUTOSAR shall support interoperability with non-AUTOSAR software on the same ECU.
Type:	New
Importance:	High
Description:	Reuse of existing legacy software shall be supported by AUTOSAR. Integration of legacy software in an ECU complaint to AUTOSAR shall be supported. To ensure interoperability the interface definitions of the AUTOSAR architecture shall not be modified due to the integration of legacy software.
Rationale:	A smooth migration to AUTOSAR requires that existing software can be reused.
Use Case:	Reuse of existing driver software for a new ECU that is developed according to AUTOSAR. Communication with non-AUTOSAR software systems.
Dependencies:	--
Conflicts:	Conflict with [Main100]: Legacy SW may have other interfaces than the AUTOSAR architecture. In this case the interface of legacy SW has to be modified in accordance to AUTOSAR.
Supporting Material:	
Implements:	

Contributes to:	PO3
------------------------	-----

4.1.8 [Main210] AUTOSAR shall support interoperability with non-AUTOSAR ECUs in a network

ID:	Main210
Initiator:	DC
Date:	18.03.2004
Short Description:	AUTOSAR shall support interoperability with non-AUTOSAR ECUs in a network.
Type:	New
Importance:	High
Description:	AUTOSAR shall support the integration of AUTOSAR ECUs and non-AUTOSAR ECUs on the same network. This implies the support of legacy communication patterns.
Rationale:	This opens a migration path for the application of AUTOSAR into existing non-AUTOSAR architectures.
Use Case:	Integration of an AUTOSAR-ECU into a network with non-AUTOSAR ECUs. Integration of a non AUTOSAR-ECU on a network where most ECUs migrated to AUTOSAR.
Dependencies:	--
Conflicts:	Main150: Ability to relocate Software Components might be limited in this use case. A mix of AUTOSAR ECUs and non-AUTOSAR ECUs may lead to conflicts in functionalities like network management, communication or diagnostics.
Supporting Material:	
Implements:	
Contributes to:	PO3

4.1.9 [Main330] AUTOSAR shall support the principle of information hiding

ID:	Main330
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall support the principle of information hiding
Type:	New
Importance:	Medium
Description:	AUTOSAR shall provide protection mechanisms for internal information of Software Components.
Rationale:	Well-defined interfaces and data flow between Software Components.
Use Case:	Reduce impact of modifications within a Software Component.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO7

4.1.10 [Main230] AUTOSAR shall support network topologies including gateways

ID:	Main230
Initiator:	DC
Date:	18.03.2004
Short Description:	AUTOSAR shall support network topologies including gateways.
Type:	New
Importance:	High
Description:	AUTOSAR shall support net topologies with different in-vehicle network technologies. Interconnection of these networks via gateways, bridges, or repeaters shall be supported.
Rationale:	ECUs communicate via different communication systems.
Use Case:	Support of today's network topologies of E/E-architectures in series production.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO2

4.2 Basic Software and Runtime Environment

4.2.1 [Main100] AUTOSAR shall provide standardized basic software

ID:	Main100
Initiator:	PL Team
Date:	19.11. 2003
Short Description:	AUTOSAR shall provide standardized basic software
Type:	New
Importance:	High
Description:	AUTOSAR shall provide a complete specification of the Basic Software including interfaces and behavioral description.
Rationale:	<p>The Basic Software provides the infrastructural functionalities of an ECU and is per definition not visible to the customer. To support reallocation of Software Components it is necessary that the Software Components can rely on identical services provided by the Basic Software.</p> <p>This basic software functionality shall be defined, implemented, and tested once but integrated in many ECUs of an E/E-architecture. Achieving this for many OEMs the suppliers and OEMs have stable foundations for implementing their application without bothering about details of the basic software. This leads to a higher quality and lower costs for automotive software.</p>
Use Case:	<p>Compatibility of the basic SW with defined quality and maintenance is achieved.</p> <p>Software Components shall be useable on multiple implementations of the Basic Software.</p>
Dependencies:	--
Conflicts:	None
Supporting Material:	
Implements:	
Contributes to:	PO1, PO7

4.2.2 [Main420] AUTOSAR shall consolidate existing basic software functionality of the automotive domain

ID:	Main420
Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall consolidate existing basic software functionality of the automotive domain
Type:	New
Importance:	Medium
Description:	The different solutions for basic software functionalities shall be consolidated to a single standard.
Rationale:	Historically, OEMs and the big Tier1 have created proprietary standard core solutions, with partly different functionality. To achieve a common standard, which is accepted and used by all of the participating partners these solution shall be consolidated by AUTOSAR.
Use Case:	Integration of Software Components in different ECUs from different OEMs.
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	
Contributes to:	PO7

4.2.3 [Main430] AUTOSAR shall support automotive communication systems

ID:	Main430
Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall support automotive communication systems
Type:	New
Importance:	High
Description:	The AUTOSAR Basic Software shall support common automotive communication systems. This includes at least but is not restricted to: CAN LIN FlexRay Ethernet
Rationale:	Automotive ECUs communicate over different standardized communication systems. These shall be supported by AUTOSAR.
Use Case:	Implementation of distributed functionality e. g. driving assistance systems
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	
Contributes to:	PO4

4.2.4 [Main435] AUTOSAR shall support automotive microcontrollers

ID:	Main435
Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall support automotive microcontrollers
Type:	New
Importance:	High
Description:	The AUTOSAR MCAL shall support hardware features of commonly used automotive microcontrollers.
Rationale:	Automotive ECUs use dedicated, highly integrated microcontrollers, which have to pass automotive qualification procedures. The AUTOSAR MCAL shall support the integrated features of these microcontrollers. These includes, but is not limited to: <ul style="list-style-type: none"> • Digital I/O • Analog/Digital converter • Pulse-width modulation • Bus controllers for CAN, LIN, FlexRay, Ethernet • Multicore • Memory protection units • Flash
Use Case:	Implementation of safety relevant systems Avoid complex drivers for commonly used features
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	
Contributes to:	PO4

4.2.5 [Main440] AUTOSAR shall standardize access to non-volatile memory

ID:	Main440
------------	---------

Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall standardize access to non-volatile memory
Type:	New
Importance:	High
Description:	An important functionality of Basic Software is the access non-volatile memory. The AUTOSAR Basic Software shall support access (read / write / management) to non-volatile memory.
Rationale:	Software Components need to store data, which is available after a restart.
Use Case:	Storage of error codes
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	--
Contributes to:	PO1, PO4

4.2.6 [Main450] AUTOSAR shall standardize access to general purpose I/O

ID:	Main450
Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall standardize access to general purpose I/O
Type:	New
Importance:	High
Description:	The AUTOSAR Basic Software shall support access to general purpose I/O.
Rationale:	Software Components need to access application specific hardware (sensor and actuators)
Use Case:	Temperature sensor for engine control.
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	--
Contributes to:	PO1, PO4

4.2.7 [Main460] AUTOSAR shall standardize methods to organize mode management on SWC, ECU and system level

ID:	Main460
Initiator:	PL Team
Date:	August 2011
Short Description:	AUTOSAR shall standardize methods to organize mode management on SWC, ECU and system level
Type:	New
Importance:	High
Description:	The AUTOSAR Basic Software shall provide mode management mechanisms for SW-C to control or react on modes of the ECU / vehicle
Rationale:	The behavior of Application Software Component highly depends on the overall mode of the ECU and/or the System. Therefore the overall mode management has to be standardized to achieve the same behavior if Software Components are transferred from one ECU to another ECU or from one System to another System
Use Case:	Degradation of application functionality in certain power modes.
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	--
Contributes to:	PO1, PO4

4.2.8 [Main170] AUTOSAR shall provide secure access to ECU

ID:	Main170
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide secure access to ECU.
Type:	New
Importance:	Medium
Description:	AUTOSAR shall provide secure access to ECU, (e.g. by user authentication), including standardized up- and download of data and software. For this mechanisms and methods shall be defined.
Rationale:	The update and upgrade feasibility provided by AUTOSAR includes technical challenges (e.g. standardized up-/download protocol, partly update of the software) and mechanisms (e.g. how to authorize the user).
Use Case:	Download of dedicated Software Components in ECU.
Dependencies:	To fulfill this requirement it is also necessary that the environment that is not standardized by AUTOSAR (e.g. bootloader) needs to match the same security requirements.
Conflicts:	none
Supporting Material:	--
Implements:	
Contributes to:	PO4, PO5, PO9

4.2.9 [Main260] AUTOSAR shall provide diagnostics means during runtime, for production and services purposes

ID:	Main260
Initiator:	BMW
Date:	7.05.2004
Short Description:	AUTOSAR shall provide diagnostics means during runtime, for production and service purposes.
Type:	New
Importance:	High
Description:	AUTOSAR shall at least support diagnostics standards like ISO14229 or OBD. Specifications of error handling must be developed. Furthermore, AUTOSAR shall reflect the invention of encapsulated SW in its diagnostics specifications.
Rationale:	Standardized diagnostics is necessary for field service and admission.
Use Case:	Diagnosis of an encapsulated SW function or a ECU.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO4, PO5, PO9

4.2.10 [Main280] AUTOSAR shall provide a communication interface to the infotainment systems

ID:	Main280
Initiator:	BMW
Date:	17.05.2004
Short Description:	AUTOSAR shall provide a communication interface to the infotainment systems.
Type:	New
Importance:	Low
Description:	AUTOSAR shall provide a communication interface to infotainment

	systems, enabling the data exchange with AUTOSAR systems.
Rationale:	Dynamic communication pattern are well established in the infotainment domain. Infotainment systems (Multimedia, Human Machine Interface) differ in several aspects from systems of other automotive domains (body, powertrain, chassis, driving assistance). They use dynamic schedulers, dynamic communication patterns, etc.
Use Case:	Display of engine related data in an head up display. Configuration of different chassis modes via human machine interface.
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	
Contributes to:	PO3, PO4, PO8

4.3 Dependability

4.3.1 [Main10] AUTOSAR shall provide a software platform to support the development of safety related systems.

ID:	Main10
Initiator:	PL Team
Date:	04.10.2006
Short Description:	AUTOSAR shall provide a software platform to support the development of safety related systems.
Type:	New
Importance:	High
Description:	<p>A safe AUTOSAR platform supports commonly used safety mechanisms of current applications. This includes but is not limited to:</p> <ul style="list-style-type: none"> • Mechanisms to ensure freedom of interference for Software Components and Basic Software Modules • Safe inter ECU communication <p>However, it cannot ensure safety for systems. This is to be ensured on system level.</p>
Rationale:	Facilitate the development of safety related systems by using the AUTOSAR platform.
Use Case:	Safety related software platforms are needed for safety related ECUs like digital engine control units and electronic power steering systems.
Dependencies:	--
Conflicts:	none
Supporting Material:	ISO 26262
Implements:	
Contributes to:	PO5, PO9

4.3.2 [Main11] AUTOSAR shall support the development of reliable systems

ID:	Main11
Initiator:	Safety Team
Date:	04.10.2006
Short Description:	AUTOSAR shall support development of reliable systems, targeted to work properly over long periods of time
Type:	New
Importance:	High
Description:	<p>AUTOSAR shall provide mechanisms for</p> <ul style="list-style-type: none"> • error avoidance • error detection • error handling <p>in order to support the development of reliable systems, which are properly functioning over time.</p>
Rationale:	Reliability is one possibility to achieve safety without decreasing availability.
Use Case:	Reduction of repair time of a vehicle in field service.
Dependencies:	--
Conflicts:	None
Supporting Material:	
Implements:	
Contributes to:	PO5, PO9

4.4 Methodology

4.4.1 [Main160] AUTOSAR shall provide means to describe interfaces of the entire system.

ID:	Main160
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide the means to describe interfaces of the entire system.
Type:	New
Importance:	Medium
Description:	Well-defined interfaces are the key for exchangeability, reusability and the basis for the freedom of interference. Decomposition on interface level is essential for an appropriate clustering and partitioning in the Software Components.
Rationale:	Principle: "divide and conquer" which is a key success factor in the development of large systems.
Use Case:	Development of large interconnected software systems with a high degree of reuse, such as driving assistance systems.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO7

4.4.2 [Main180] AUTOSAR shall provide mechanisms to protect intellectual property in a shared development process

ID:	Main180
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide mechanisms to protect intellectual property in a shared development process
Type:	New
Importance:	High
Description:	Integration of software of different suppliers requires exchange of software (especially source code) between the different parties involved. Thus, AUTOSAR shall provide mechanisms to safeguard software. AUTOSAR shall ensure a smooth integration process that at the same time protects intellectual property of the companies involved.
Rationale:	Integration of third party solutions requires dealing with intellectual property issues.
Use Case:	1) SW sale of split-screen software for navigation. 2) Integration of BSW modules of different suppliers.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO7

4.4.3 [Main300] AUTOSAR shall provide data exchange formats to support work-share in large inter and intra company development groups

ID:	Main300
------------	---------

Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall provide data exchange formats to support work-share in large inter and intra company development groups.
Type:	New
Importance:	Medium
Description:	AUTOSAR shall support the work-share in large development projects via well-defined exchange formats.
Rationale:	A typical AUTOSAR system is expected to carry a huge number of signals per vehicle. To develop vehicle descriptions in this size a good organization of work-share is needed. To support such organizations, well defined concepts for information exchange are required.
Use Case:	Data sharing between OEM and 1 st Tier supplier.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO7

4.4.4 [Main80] AUTOSAR shall provide means to describe a component model for application software

ID:	Main80
Initiator:	PL Team
Date:	19.11.2003
Short Description:	AUTOSAR shall provide means to describe a component model for application software.
Type:	New
Importance:	High
Description:	AUTOSAR shall provide a formal description of components of application software named Software Component Description (SWCD). This description together with source code and/or object code forms a Software Component. AUTOSAR shall provide a partitioning of the functionality into reusable Software Components.
Rationale:	Software reuse is one of the major aims of AUTOSAR.
Use Case:	Momentum control in different ECUs.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO4, PO7

4.4.5 [Main310] AUTOSAR shall support hierarchical design methods

ID:	Main310
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall support hierarchical design methods.
Type:	New
Importance:	High
Description:	It must be possible to structure Software components in a hierarchical way, so that only links to outside Software Components need to be treated / adapted / changed in the next hierarchical level.
Rationale:	Objective is to allow each actor in the development chain to focus on the required level and tasks.

Use Case:	Software development of an engine management system can only be achieved by using hierarchical strategies.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO1, PO2, PO7

4.4.6 [Main320] AUTOSAR shall provide formats to specify all aspects necessary to integrate a Software Component on an ECU

ID:	Main320
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall provide formats to specify all aspects necessary to integrate a Software Component on an ECU.
Type:	New
Importance:	High
Description:	In AUTOSAR it shall be possible to describe all requirements of Software Components to their runtime environment. This enables the integrator to provide the Software Component such a environment on an ECU.
Rationale:	Software Components need a well defined environment to ensure correct and reliable functionality.
Use Case:	OEM designs Software Component and a 1 st Tier Supplier shall integrate this SW component into an ECU. In this case exhaustive and formal description of the API is necessary
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO4, PO7

4.4.7 [Main340] AUTOSAR shall support the observance of timing requirements

ID:	Main340
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall support the observance of timing requirements.
Type:	New
Importance:	Medium
Description:	AUTOSAR shall support the description and correct implementation of timing requirements. This includes dataflow and control flow related requirements.
Rationale:	E.g. Software components have specific timing requirements, which are not to be overwritten by architectural changes.
Use Case:	Real time control of today's gasoline injection systems.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO5

4.4.8 [Main360] AUTOSAR shall support management of vehicle diversity

ID:	Main360
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR shall support management of vehicle diversity.
Type:	New
Importance:	Medium
Description:	Diversity management is introduced on vehicle level. This enables formal check of compatibility of Software Components, management of availability of partner Software Components in vehicle versions their release state etc. Also the number of required software versions per ECU integration can be evaluated and tracked with reasonable effort.
Rationale:	Diversity of e.g. a wiring harness is reaching the amount of 10 000 to 1.000.000 different versions for the same vehicle platform. Same diversity requirements multiplied with the version management per Software Component apply for the entity of the software on the vehicle level. Unmanaged this effect can lead to deadlock situations in the logistic of vehicle software. Potential implementations are e.g. "existence" property matrix per class, group and instance of SW components and connections.
Use Case:	Integration of Software Components in different ECUs and/or E/E-architectures.
Dependencies:	--
Conflicts:	none
Supporting Material:	
Implements:	
Contributes to:	PO2

4.4.9 [Main250] AUTOSAR process shall provide a predefinition of typical roles and activities in work-share model

ID:	Main250
Initiator:	SiemensVDO
Date:	May 2004
Short Description:	AUTOSAR process shall provide a predefinition of typical roles and activities in work-share model.
Type:	New
Importance:	High
Description:	Work-share requires visibility and common understanding of specific roles and activities in the design process. Roles could be e.g. vehicle architect, domain architect, ECU integrator, function designer. Roles could also be found related to different disciplines like static architecture, dynamic architecture, communication architecture, etc. Typical activities could be e.g. SW/SW partitioning, mapping of SW to ECU, configuration of Basic Software.
Rationale:	This definition serves the understanding of workflow for the design of the tools. Individual roles and activities might be combined to one person in the later application, or distributed differently. This also does not assign tasks to OEM or Tier1 suppliers. Application of later work-share-distribution is matter of individual contracts between the parties.
Use Case:	System architect or SW component developer are such roles which shall be predefined.
Dependencies:	--
Conflicts:	None
Supporting Material:	
Implements:	
Contributes to:	PO7

4.4.1 [Main251] AUTOSAR process shall support roles and rights in a work-share model

ID:	Main251
Initiator:	SiemensVDO
Date:	May 2004
Short Description:	AUTOSAR shall support roles and rights in a work-share model.
Type:	New
Importance:	High
Description:	Distributed Development needs definable responsibilities. AUTOSAR shall support a general approach to express roles and their rights to create/access/modify AUTOSAR descriptions.
Rationale:	The definition of roles and the corresponding rights guide the user while editing AUTOSAR descriptions and reduce the risk to introduce errors.
Use Case:	It is forbidden e.g. for SW component developers to change the configuration of basic software modules.
Dependencies:	--
Conflicts:	None
Supporting Material:	
Implements:	
Contributes to:	PO7

4.5 Non-functional Requirements

4.5.1 [Main200] AUTOSAR specifications shall allow resource efficient implementations

ID:	Main200
Initiator:	Daimler
Date:	18.03.2004
Short Description:	AUTOSAR specifications shall allow resource efficient implementations.
Type:	New
Importance:	Medium
Description:	AUTOSAR specifications shall allow efficient implementations with respect to <ul style="list-style-type: none"> • RAM • ROM, Flash • Computing Power
Rationale:	Limited resources like flash, RAM, computing power characterize automotive microcontrollers.
Use Case:	Integration of the AUTOSAR platform and a single application in a typical 16-bit automotive microcontroller.
Dependencies:	--
Conflicts:	--
Supporting Material:	--
Implements:	
Contributes to:	PO6

4.5.2 [Main220] The functional interfaces of AUTOSAR shall be specified in C90

ID:	Main220
Initiator:	DC
Date:	18.03.2004
Short Description:	The functional interfaces of AUTOSAR shall be specified in C90.
Type:	New
Importance:	Medium
Description:	In today's embedded systems only a small range of programming languages are used: C and C++. The specification of functional interfaces of AUTOSAR shall be specified in C90 according to ISO/IEC 9899:1990. This implies that languages, which can interface to C90 can be used for application programming.
Rationale:	A useful reduction of programming languages to current programming languages reduces the impacts on AUTOSAR definitions and specifications due to logical and/or technical differences of different programming languages.
Use Case:	AUTOSAR implementation in C, C++.
Dependencies:	--
Conflicts:	Usage of C++ and in particular Java may not be appropriate for some lower performing and legacy ECU platforms.
Supporting Material:	ISO/IEC 9899:1990 (C90)
Implements:	
Contributes to:	PO4

4.5.3 [Main270] AUTOSAR shall provide mitigation strategies towards new releases

ID:	Main270
Initiator:	BMW
Date:	07.05.2004
Short Description:	AUTOSAR shall provide mitigation strategies towards new releases
Type:	New
Importance:	High
Description:	Migration from AUTOSAR release n to release n+1 shall be supported well. AUTOSAR shall provide migration strategies, how Software Components and ECUs of different release have to be adapted to interoperate.
Rationale:	Compatibility ensures a long time usage of the AUTOSAR standard.
Use Case:	Integration of ECU's using infrastructure software of the latest AUTOSAR release in a network built from ECU's using a former release.
Dependencies:	--
Conflicts:	none
Supporting Material:	--
Implements:	
Contributes to:	PO1

4.6 Acceptance Testing

4.6.1 [Main120] AUTOSAR shall provide means to assure interoperability of AUTOSAR implementations (ICC1 level) on application level (RTE) and bus level.

ID:	Main120
Initiator:	PL Team
Date:	16.04.2011
Short Description:	AUTOSAR shall provide means to assure interoperability of AUTOSAR implementations (ICC1 level) on application level (RTE) and bus level.
Type:	New
Importance:	High
Description:	AUTOSAR shall provide specified test cases and the essential test methodology to ensure interoperability on application (RTE side) and bus level for BSW on ICC1 level (Black Box Test). These specified test cases and its related methodology shall be developed to test implementations of AUTOSAR basic software.
Rationale:	Acceptance tests are strongly needed to provide evidence that a product complies with the AUTOSAR specification i.e. to ensure a certain behavior of the regarded elements at the interfaces to application and communication busses.
Use Case:	Integration of the infrastructure SW into a specific ECU, bring it into the E/E-architecture without backlashes on the system. Example from real world: Integration of BSW stack (ICC1 level) to applications and the ECU infrastructure without difficulties.
Dependencies:	--
Conflicts:	none
Supporting Material:	--
Implements:	
Contributes to:	PO8

4.7 Processes

4.7.1 [Main30] AUTOSAR shall support development processes for safety related systems

ID:	Main30
Initiator:	PI Team
Date:	August 2011
Short Description:	AUTOSAR shall support development processes for safety related systems
Type:	New
Importance:	High
Description:	To develop safety related automotive systems all processes applied need to follow the corresponding requirements given in ISO26262. AUTOSAR shall support development processes for safety related systems by providing according exchange formats (e.g. for requirements tracing) and concepts.
Rationale:	Automotive software is in many cases safety related. Therefore dedicated development processes have to be followed. AUTOSAR shall support the users to apply these standards
Use Case:	Development of brake assist
Dependencies:	--
Conflicts:	--
Supporting Material:	ISO26262
Implements:	
Contributes to:	PO5, PO9

4.7.2 [Main490] AUTOSAR processes shall be compliant to ISO26262

ID:	Main490
Initiator:	BMW
Date:	20.05.2004
Short Description:	AUTOSAR processes shall be compliant to ISO26262
Type:	New
Importance:	Medium
Description:	To develop safety related automotive systems all processes applied need to follow the corresponding requirements given in ISO26262. Accordingly the applicable process related requirements of ISO26262 have to be fulfilled by AUTOSAR processes.
Rationale:	AUTOSAR shall support the development of systems according to the highest ASIL.
Use Case:	Development of safety related automotive systems.
Dependencies:	--
Conflicts:	None
Supporting Material:	ISO26262
Implements:	PO5, PO9

4.7.3 [Main290] AUTOSAR shall support the verification of its specifications

ID:	Main290
Initiator:	BMW
Date:	20.05.2004
Short Description:	AUTOSAR shall support the verification its specifications.
Type:	New
Importance:	Medium

Description:	To develop safety related automotive systems all development artifacts need to be verified. Accordingly the development artifacts of AUTOSAR shall be verified.
Rationale:	AUTOSAR shall support the development of systems according to the highest ASIL.
Use Case:	Development of safety related automotive systems.
Dependencies:	--
Conflicts:	None
Supporting Material:	ISO26262
Implements:	
Contributes to:	PO9

4.7.4 [Main350] AUTOSAR specifications shall be analyzable and support according methods to demonstrate the achievement of safety related properties.

ID:	Main350
Initiator:	PL Team
Date:	01.05.2004
Short Description:	AUTOSAR specifications shall be analyzable and support according methods to demonstrate the achievement of required safety properties.
Type:	New
Importance:	High
Description:	To achieve safety-related properties an adequate software architectural design and implementation matching the safety requirements is required and has to be demonstrated. Such demonstration can be done by safety analyses, therefore. <ul style="list-style-type: none"> • AUTOSAR specifications shall be analyzable accordingly. • Corresponding analysis methods shall be applicable to the development artifacts specified by AUTOSAR.
Rationale:	In the context of the safety-related developments a confirmation that design and implementation are adequately safe is required.
Use Case:	--
Dependencies:	--
Conflicts:	none
Supporting Material:	ISO26262
Implements:	
Contributes to:	PO5, PO9

4.7.5 [Main480] Implementations of AUTOSAR shall be testable

ID:	Main480
Initiator:	BMW
Date:	20.05.2004
Short Description:	Testability of AUTOSAR implementations shall be supported.
Type:	New
Importance:	Medium
Description:	AUTOSAR shall support the testability of compliant products.
Rationale:	Testing of implementations is required by software development, software maturity and software safety standards.
Use Case:	Software unit and integration testing of the implementation of AUTOSAR Basic Software Modules.
Dependencies:	--
Conflicts:	None
Supporting Material:	ISO26262
Implements:	
Contributes to:	PO1, PO5

5 References

[Glossary] Glossary,
AUTOSAR_TR_Glossary.pdf

[ISO 26262] Road vehicles — Functional safety — Part 1 to 9

[IEEE1394] FireWire Bus,
standardized by IEEE

[IEEEElecEng] The Electrical Engineering Handbook,
Editor R. C. Dorf, CRC Press