

Document Title	Specification of PDU Router
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	035
Document Classification	Standard
Document Version	4.2.0
Document Status	Final
Part of Release	4.1
Revision	3

Document Change History			
Date	Version	Changed by	Change Description
31.03.2014	4.2.0	AUTOSAR Release Management	<ul style="list-style-type: none"> Clarified handling of routing on-the-fly for unreach TP threshold Clarify behaviour for TriggerTransmit data provision depending on used buffering strategy Introduced DET when <DstLo>_Transmit fails Harmonize descriptions of identical API functions
31.10.2013	4.1.0	AUTOSAR Release Management	<ul style="list-style-type: none"> Revised list of optional interfaces Deleted handling of misconfigured PDUs during run-time. Deleted NotifyResultType Added error handling after destination abort in case of gatewaying. Editorial changes Removed chapter(s) on change documentation
28.02.2013	4.0.0	AUTOSAR Administration	<ul style="list-style-type: none"> Added support for extended PDUs as part of the heavy duty vehicle support Removed minimum routing feature Improved multicast behavior Post-build loadable support

02.11.2011	3.2.0	AUTOSAR Administration	<ul style="list-style-type: none"> • clarifications regarding non-TP PDU routing • new feature: non-TP PDU routing independent of the Pdu length • FIFO handling for non-TP PDU routing clarified / improved • Service ID's for generic services introduced • clarification regarding multicast routing of TP-PDU's • DEM error reporting removed
26.10.2010	3.1.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Introduced new version check • Added Std_ReturnType to PduR_<Lo>TriggerTransmit • Added functionality of PduR_<LoTp>CopyTxData when TsSduLength is zero
11.12.2009	3.0.0	AUTOSAR Administration	<ul style="list-style-type: none"> • The PDU Router module is made generic to allow any combination of busses, TPs and upper modules. The upper and lower modules are modeled generic and handled by the configuration. • The Transport Protocol API has been redesigned. Compatibility between TP in AR3.x and AR4.0 is described. • Cancel transmission of communication interface I-PDUs has been added. • Cancel reception of Transport Protocol I-PDUs has been added. • Change parameter of Transport Protocol parameters has been extended. • Legal disclaimer revised
23.08.2009	2.2.2	AUTOSAR Administration	Legal disclaimer revised
22.01.2008	2.2.1	AUTOSAR Administration	Correction figure 3

13.11.2007	2.2.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Variants have been renamed. • New Callbacks PduR_LinTpChangeParameterConfirmation, PduR_FrTpChangeParameterConfirmation • PduR_CanTpChangeParameterConfirmation has been added. • New API's PduR_ChangeParameterRequest, PduR_CancelTransmitRequest has been added • New Typedefines PduR_ParameterValueType, PduR_CancelReasonType has been added • Document meta information extended • Small layout adaptations made
31.01.2007	2.1.0	AUTOSAR Administration	<ul style="list-style-type: none"> • Clarifications added (FIFO, TxConf, ...) • Unnecessary development errors removed • SchM_PduR.h and MemMap.h added • Corrections of configuration parameters • More details in Chapter 13 • Legal disclaimer revised • Release Notes added • “Advice for users” revised • “Revision Information” added
28.04.2006	2.0.0	AUTOSAR Administration	<p>Document structure adapted to common Release 2.0 SWS Template.</p> <ul style="list-style-type: none"> • Major changes in chapter 10 • Structure of document changed partly • Other changes see chapter
20.06.2005	1.0.0	AUTOSAR Administration	Initial Release

Disclaimer

This specification and the material contained in it, as released by AUTOSAR is for the purpose of information only. AUTOSAR and the companies that have contributed to it shall not be liable for any use of the specification.

The material contained in this specification is protected by copyright and other types of Intellectual Property Rights. The commercial exploitation of the material contained in this specification requires a license to such Intellectual Property Rights.

This specification may be utilized or reproduced without any modification, in any form or by any means, for informational purposes only.

For any other purpose, no part of the specification may be utilized or reproduced, in any form or by any means, without permission in writing from the publisher.

The AUTOSAR specifications have been developed for automotive applications only. They have neither been developed, nor tested for non-automotive applications.

The word AUTOSAR and the AUTOSAR logo are registered trademarks.

Advice for users

AUTOSAR Specification Documents may contain exemplary items (exemplary reference models, "use cases", and/or references to exemplary technical solutions, devices, processes or software).

Any such exemplary items are contained in the Specification Documents for illustration purposes only, and they themselves are not part of the AUTOSAR Standard. Neither their presence in such Specification Documents, nor any later documentation of AUTOSAR conformance of products actually implementing such exemplary items, imply that intellectual property rights covering such exemplary items are licensed under the same rules as applicable to the AUTOSAR Standard.

Table of Contents

1	Introduction and functional overview	8
1.1	AUTOSAR architecture	8
1.2	PDU Router module function overview.....	9
1.3	I-PDU handling	11
2	Acronyms and abbreviations	12
3	Related documentation.....	14
3.1	Input documents.....	14
3.2	Related specification	14
4	Constraints and assumptions	15
4.1	Limitations	15
4.1.1	Limitations on supported functionality	15
4.2	Applicability to car domains	16
5	Dependencies to other modules	17
5.1	File structure	17
5.1.1	Code file structure	17
5.1.2	Header file structure.....	18
5.2	Version check.....	19
6	Requirements traceability	20
7	Functional Specification.....	28
7.1	I-PDU handling	28
7.1.1	I-PDU Reception to upper module(s)	30
7.1.2	I-PDU Transmission from upper module(s).....	32
7.1.3	I-PDU Gateway	36
7.2	Cancel transmission	46
7.3	Cancel reception	47
7.4	Change transport protocol parameter.....	48
7.4.1	Request.....	48
7.5	Zero Cost Operation.....	48
7.6	State Management.....	49
7.7	Routing path groups	50
7.8	Complex Driver Interaction.....	51
7.9	Error classification	52
7.10	Error detection.....	53
7.11	Error notification	53
7.12	API parameter checking	54
7.13	Debugging.....	54
8	API specification	55
8.1	Imported types.....	55
8.2	Type definitions	55
8.2.1	PduR_PBConfigType	55
8.2.2	PduR_PBConfigIdType	56

8.2.3	PduR_RoutingPathGroupIdType.....	56
8.2.4	PduR_StateType.....	57
8.3	Function definitions	57
8.3.1	General functions provided by the PDU Router	57
8.4	Scheduled functions	59
8.5	Expected Interfaces.....	60
8.5.1	Mandatory Interfaces	60
8.5.2	Optional Interfaces	60
8.5.3	Configurable interfaces definitions for interaction with upper layer module	61
8.5.4	Configurable interfaces definitions for lower layer communication interface module interaction	63
8.5.5	Configurable interfaces definitions for lower layer transport protocol module interaction	65
9	Sequence diagrams	70
9.1	I-PDU Reception	71
9.1.1	CanIf module I-PDU reception	71
9.1.2	Frlf module I-PDU reception.....	72
9.1.3	LinIf module reception of I-PDU	73
9.1.4	CanTp module reception of I-PDU	74
9.2	I-PDU transmission	76
9.2.1	CanIf module transmission of I-PDU	76
9.2.2	Frlf module transmission of I-PDU	78
9.2.3	LinIf module transmission of I-PDU.....	80
9.2.4	CanTp module transmission of I-PDU	83
9.2.5	Multicast transmission of I-PDU on transport protocol modules	85
9.3	Gateway of I-PDU	87
9.3.1	Gateway between two CanIfs.....	87
9.3.2	Gateway from CAN to FlexRay	88
9.3.3	Gateway from CAN to LIN.....	90
9.3.4	Gateway from CAN to CAN and received by the COM module.....	92
9.3.5	Gateway I-PDU using transport protocol modules	93
9.3.6	Gateway I-PDU from CAN1 to DCM and CAN2	95
10	Configuration specification	97
10.1	How to read this chapter	97
10.1.1	Variants	97
10.2	Containers and configuration parameters	99
10.2.1	Variants	99
10.2.2	PduR	100
10.2.3	PduRBswModules.....	101
10.2.4	PduRGeneral	105
10.2.5	PduRRoutingTables	107
10.2.6	PduRRoutingPathGroup	108
10.2.7	PduRRoutingTable	109
10.2.8	PduRRoutingPath	111
10.2.9	PduRDestPdu	111
10.2.10	PduRSrcPdu.....	113
10.2.11	PduRDefaultValue	114
10.2.12	PduRDefaultValueElement.....	114

10.2.13	PduRTpBufferTable	115
10.2.14	PduRTpBuffer	116
10.2.15	PduRTxBufferTable	116
10.2.16	PduRTxBuffer	117
10.3	Published Information	118
11	PDU Router module design notes	119
11.1	Backwards compatibility	119
11.1.1	AUTOSAR 4.0 upper layer and AUTOSAR 3.1 (or older) TP	119
11.1.2	AUTOSAR 3.1 upper layer and AUTOSAR 4.0 TP	122
11.2	Configuration parameter considerations	125
11.3	Generic interfaces concept	125
11.4	Example structure of Routing tables	126
11.4.1	Transmission and multicast via communication interface modules ...	127
11.4.2	Reception and gateway via communication interface modules	128
11.5	Configuration generator	128
11.5.1	CanIf and COM routing path example	129
11.6	Post-build considerations	130
12	Not applicable requirements	131

1 Introduction and functional overview

This specification describes the functionality and API for the AUTOSAR PDU Router (PduR) module.

The PDU Router module provides services for routing of I-PDUs (Interaction Layer Protocol Data Units) using the following module types:

- Communication interface modules, that are modules that use the <Provider:Up> or <Provider:Lo> API, e.g. Com, IPduM, LinIf, CanIf, CanNm, FrIf and FrNm
- Transport Protocol modules, that are modules using the <Provider:UpTp> or <Provider:LoTp> API, e.g. J1939Tp, LinTp (part of LinIf), CanTp, FrTp, COM, DCM

The routing of I-PDUs are made statically by the I-PDU identifier, no I-PDUs are routed dynamically in run-time or dependent on contents.

The location of the modules can be upper module (e.g. DCM, COM, IpduM) or a lower module (CanIf, FrIf, LinTp, IpduM, CanNm, FrNm). Note that the IpduM is listed as upper and lower module because it has two different roles (upper: Communication between COM module and IpduM module, lower: communication between IpduM module and communication interface module)

The PDU Router module is based on a generic approach of interfaced modules. The module that is interfaced is configured in the PDU Router module configuration. The listed modules in parenthesis in the previous paragraph are just examples, and not an exhaustive list. The PDU Router can be easily configured to support other upper and lower layer modules. This approach also allows to integrate Complex Drivers (CDDs) as upper or lower layer modules of the PDU Router.

The list of users of the PDU Router module is not fixed. The most common combination of upper and lower layer pairs is listed below:

- AUTOSAR Diagnostic Communication Manager (DCM) and Transport Protocol modules
- AUTOSAR COM and communication interface modules, Transport protocol modules or I-PDU Multiplexer
- I-PDU Multiplexer and communication interface modules

1.1 AUTOSAR architecture

The PDU Router module is a central module in the AUTOSAR communication structure [1]. The Figure 1 gives an overview of the AUTOSAR communication structure.




Figure 1: Communication Structure

1.2 PDU Router module function overview

The PDU Router module is part of the AUTOSAR Basic SW, and is mandatory instantiated in every AUTOSAR ECU.

The detailed PDU Router module structure is shown in Figure 2.




Figure 2: Detailed PDU Router Structure showing FlexRAY, CAN and LIN

The PDU Router module mainly consists of two parts:

- The **PDU Router routing tables**: static routing tables describing the routing attributes for each I-PDU to be routed. The routing tables can be (if supported) updated post-build loadable in the programming state of the ECU or selected when initializing the PDU router by post-build selectable (see section 10.1.1).
- The **PDU Router Engine**: the actual code performing routing actions according to the PDU Router routing tables. The router engine has to deal with:
 - Route the I-PDU from source to destination(s).
 - Translating the source I-PDU ID to the destination (e.g. PduR_Transmit to CanIf_Transmit, PduR_CanIfTxConfirmation to Com_TxConfirmation).

1.3 I-PDU handling

I-PDUs are identified by static I-PDU IDs. The PDU Router module determines the destination of an I-PDU by using the I-PDU ID in a static configuration table. I-PDUs are used for the data exchange of the modules directly above the PDU Router module, e.g. the COM module and DCM module. The routing operation of the PDU Router module does not modify the I-PDU, it simply forwards the I-PDU to the destination module. In case of TP routing, forwarding of the I-PDU may start before the full I-PDU is received (“gatewaying-on-the-fly”).

The I-PDU ID is set in the configuration that also implements the API. This will allow an efficient implementation of look-up tables in each module receiving an I-PDU ID (e.g. the PDU Router module’s configuration contains the I-PDU ID for the PduR_CanIfTxConfirmation).

The PDU Router module can:

- Singlecast (1:1) an I-PDU from a local module to a communication interface module.
- Multicast (1:n) an I-PDU from a local module to communication interfaces.
- Singlecast (1:1) an I-PDU (Single Frame (SF) or Multiple frames (FF and CFs)) from a local module to a transport protocol module.
- Multicast (1:n) an I-PDU (Single Frame (SF)) from a local module to transport protocol module(s).
- Gateway (1:1) an I-PDU from a communication interface module to a communication interface module.
- Gateway (1:n) an I-PDU from a communication interface module to communication interface modules.
- Gateway (1:1) an I-PDU (Single Frame (SF) or Multiple frames (FF and CFs)) from a transport protocol module to a transport protocol module.
- Gateway (1:n) an I-PDU (Single Frame (SF)) from a transport protocol module to transport protocol module(s).

For Network Management data exchange the PDU Router module is bypassed.

2 Acronyms and abbreviations

The following acronyms and abbreviations have a local scope and are therefore not contained in the AUTOSAR glossary.

Acronym:	Description:
Upper Layer Modules (Up)	Modules above the PDU Router. This layer usually includes COM and Diagnostic Communication Manager (DCM). The upper layer modules are configured in the configuration.
Lower Layer Modules (Lo)	Modules below the PDU Router. This layer may include CAN, LIN, FlexRay, Ethernet communication interface modules and the respective TP modules. Modules used are configured in the configuration
PDU Router	Module that transfers I-PDUs from one module to another module. The PDU Router module can be utilized for gateway operations and for internal routing purposes.
gatewaying-on-the-fly	Gateway capability; routing between two TP modules where forwarding of data is started (when a specified threshold is reached) before all data have been received. If larger amount of data is transported between two interfaces it is desirable to be able to start the transmission on the destination network before receiving all data from the source network. This saves memory and time.
multicast operation	Simultaneous transmission of PDUs to a group of receivers, i.e. 1:n routing.
data provision	Provision of data to interface modules. (a) direct data provision: data to be transmitted are provided directly at the transmit request. The destination communication interface may behave in two ways, either copy the data directly or defer the copy to a trigger transmit. (b) trigger transmit data provision: data to be transmitted are not provided at the transmit request, but will be retrieved by the interface module via a callback function
last-is-best buffering	Buffering strategy where the latest value overwrites the last value.
FIFO buffering	Buffer concept, which uses first in first out strategy.

Abbreviation:	Description:
I-PDU ID	PDU Identifier
I-PDU	Interaction Layer PDU. An I-PDU consists of data (buffer), length and I-PDU ID. The PDU router will mainly route I-PDUs (exception is routing-on-the-fly)
N-PDU	Network Layer PDU. Used by transport protocol modules to fragment an I-PDU
L-PDU	Data Link Layer PDU. One or more I-PDUs are packed into one L-PDU. The L-PDU is bus specific, e.g. CAN frame.
SF	Single Frame, Transport Protocol term
FF	First Frame, Transport Protocol term
CF	Consecutive Frame, Transport Protocol term
PDU	Protocol Data Unit
BSW	Basic Software
<SrcLo>	Lower layer communication interface module acting as a source of the I-PDU. The SrcLo is always one.
<DstLo>	Lower layer communication interface module acting as a destination of the I-PDU. The DstLo may by one to many.
<SrcLoTp>	Lower layer transport protocol module acting as a source of the I-PDU. The SrcLoTp is always one.
<DstLoTp>	Lower layer transport protocol module acting as a destination of the I-PDU. The DstLoTp may by one to many.
<Lo>	Lower layer communication interface module
<Up>	Upper layer module
<LoTp>	Lower layer transport protocol module

Abbreviation:	Description:
<module>	Any type of module <...>

3 Related documentation

3.1 Input documents

- [1] Layered Software Architecture
AUTOSAR_EXP_LayeredSoftwareArchitecture.pdf,
- [2] Requirements on Gateway,
AUTOSAR_SRS_Gateway.pdf
- [3] General Requirements on Basic Software Modules
AUTOSAR_SRS_BSWGeneral.pdf
- [4] Specification of Communication Stack Types
AUTOSAR_SWS_CommunicationStackTypes.pdf
- [5] Specification of Development Error Tracer
AUTOSAR_SWS_DevelopmentErrorTracer.pdf
- [6] Specification of ECU Configuration
AUTOSAR_TPS_ECUConfiguration.pdf
- [7] Specification of I-PDU Multiplexer
AUTOSAR_SWS_IPDUMultiplexer.pdf
- [8] Basic Software Module Description Template,
AUTOSAR_TPS_BSWModuleDescriptionTemplate.pdf
- [9] List of Basic Software Modules
AUTOSAR_TR_BSWModuleList
- [10] General Specification of Basic Software Modules
AUTOSAR_SWS_BSWGeneral.pdf

3.2 Related specification

AUTOSAR provides a General Specification on Basic Software modules [10] (SWS BSW General), which is also valid for PDU Router.

Thus, the specification SWS BSW General shall be considered as additional and required specification for PDU Router.

4 Constraints and assumptions

4.1 Limitations

The PDU Router module does **not**:

1. Have mechanisms for signal extraction or conversion.
2. Have mechanisms for data integrity checking (like checksums).
3. Change or modify the I-PDU.
4. Make any PDU payload dependent routing decisions.
5. Support routing between TP modules and communication interface modules or vice versa.
6. Support 1:n routing of I-PDUs which are sent or received via a TP module and require multiple N-PDUs for transmission.
7. Support routing of I-PDUs between communication interface modules with rate conversion. (This functionality will be supported in cooperation with an upper layer module, e.g. the COM module).

4.1.1 Limitations on supported functionality

The PDU Router module supports fan-out of I-PDUs transmitted from a local module (e.g. COM module). There are some limitations if the I-PDU shall be transmitted to more than one destination (i.e. fan-out 1:n; n>1), because the upper layer module is not aware how many destinations there are:

- The Pdu Router reports E_OK for a transmit request from an upper layer if at least one destination lower layer reports E_OK.
- The Pdu Router gives a transmit confirmation to the upper layer as soon as it receives the first transmit confirmation from one destination lower layer. Further transmit confirmations are ignored.
- The Pdu Router returns E_OK for a transmit cancellation requested from the upper layer only if all destination lower layers return E_OK.

If the I-PDU fan-out is performed by the Pdu Router, this has further consequences for the Com as upper layer module:

- Update bits will not work
- I-PDU sequence counter will not work

- The Tx confirmation of the communication interface API will be handled in the way that the local module (e.g. COM module) will be informed when the first destination has confirmed the transmission. This means that deadline monitoring is made with respect to the first successful transmission (i.e. there is no difference if the other I-PDUs were transmitted successfully or not).
- Starting and stopping of I-PDU groups affects all destinations.

Note that above limitations are not set as requirements since they do not concern functionality provided by the PDUR module. But implication of the use of the PDUR module will affect these functionalities.

4.2 Applicability to car domains

The PDU Router is used in all ECUs where communication is necessary.

The PDU Router module has not been specified to work with MOST communication network. Thus the applicability to multimedia and telematic car domains may be limited.

5 Dependencies to other modules

The PDU Router module depends on the API and capabilities of the used communication hardware abstraction layer modules and the used communication service layer modules. Basically the API functions required by the PDU Router module are:

Communication interface modules:

- <Lo>_Transmit (e.g. CanIf_Transmit, FrIf_Transmit, LinIf_Transmit)
- <Lo>_CancelTransmit (e.g. CanIf_CancelTransmit, FrIf_CancelTransmit, LinIf_CancelTransmit)

Transport Protocol Modules:

- <LoTp>_Transmit (e.g. CanTp_Transmit, FrTp_Transmit, LinTp_Transmit)
- <LoTp>_CancelTransmit (e.g. CanTp_CancelTransmit, FrTp_CancelTransmit, LinTp_CancelTransmit)
- <LoTp>_CancelReceive (e.g. CanTp_CancelReceive, FrTp_CancelReceive, LinTp_CancelReceive)
- <LoTp>_ChangeParameter (e.g. CanTp_ChangeParameter, FrTp_ChangeParameter, LinTp_ChangeParameter)

Upper layer modules which use transport protocol modules:

- <Up>_StartOfReception (e.g. Dcm_StartOfReception)
- <Up>_CopyRxData (e.g. Dcm_CopyRxData)
- <Up>_CopyTxData (e.g. Dcm_CopyTxData)
- <Up>_TpRxIndication (e.g. Dcm_TpRxIndication)
- <Up>_TpTxConfirmation (e.g. Dcm_TpTxConfirmation)

Upper layer modules which process I-PDUs originating from communication interface modules:

- <Up>_RxIndication (e.g. Com_RxIndication),
- <Up>_TxConfirmation (e.g. Com_TxConfirmation),
- <Up>_TriggerTransmit (e.g. Com_TriggerTransmit)

5.1 File structure

5.1.1 Code file structure

For details refer to the chapter 5.1.6 “Code file structure” in *SWS_BSWGeneral*. The code file structure is not defined within this specification completely. However to allow integration to other modules the following structure is needed.

5.1.2 Header file structure

[SWS_PduR_00292] 「General PDU Router module definitions shall be defined in PduR.h. 」 (SRS_BSW_00300, SRS_BSW_00346)

[SWS_PduR_00293] 「Type definitions of the PDU Router module shall be defined in PduR_Types.h. 」 (SRS_BSW_00300)

[SWS_PduR_00216] 「The PDU Router module shall provide the functions used by the different modules in separate header files. 」 (SRS_BSW_00415)

Example: If CanIf, CanTp and Frlf are used then the PDU Router module shall provide PduR_CanIf.h, PduR_CanTp.h and PduR_Frlf.h

[SWS_PduR_00132] 「The PduR implementation shall include the following header files: PduR.h, PduR_Types.h, PduR_MemMap.h, PduR_Cfg.h, PduR_Lcfg.h and PduR_PBcfg.h. 」 (SRS_BSW_00381, SRS_BSW_00412, SRS_BSW_00415, SRS_BSW_00346, SRS_BSW_00436)

[SWS_PduR_00801] 「Depending on configuration (see PduRBswModules), the PduR implementation shall include the <module>.h and <module>_Cbk.h header files. <module>.h provides the API of lower layer modules, while <module>_Cbk.h provides the callbacks of upper layer modules. 」 (SRS_BSW_00346)

[SWS_PduR_00802] 「The PduR implementation shall include Det.h if PduRDevErrorDetect is enabled. 」 (SRS_BSW_00350)

Note: The include relations for the PDU Router module are depicted in Figure 3.

[SWS_PduR_00762] 「All PDU Router header files shall contain a software and specification version number. 」 (SRS_BSW_00379, SRS_BSW_00003)




Figure 1: File Structure

This structure allows the separation between platform, compiler and implementation specific definitions and declarations from general definitions as well as the separation of source code and configuration.

5.2 Version check

For details refer to the chapter 5.1.8 “Version Check” in *SWS_BSWGeneral*.

6 Requirements traceability

Document: General Requirements on Basic Software Modules [3]

Requirement	Description	Satisfied by
-	-	SWS_PDUR_00805
-	-	SWS_PduR_00806
SRS_BSW_00003	All software modules shall provide version and identification information	SWS_PduR_00762
SRS_BSW_00005	Modules of the æC Abstraction Layer (MCAL) may not have hard coded horizontal interfaces	SWS_PduR_00777
SRS_BSW_00101	The Basic Software Module shall be able to initialize variables and hardware in a separate initialization function	SWS_PduR_00334
SRS_BSW_00160	Configuration files of AUTOSAR Basic SW module shall be readable for human beings	SWS_PduR_00777
SRS_BSW_00161	The AUTOSAR Basic Software shall provide a microcontroller abstraction layer which provides a standardized interface to higher software layers	SWS_PduR_00777
SRS_BSW_00162	The AUTOSAR Basic Software shall provide a hardware abstraction layer	SWS_PduR_00777
SRS_BSW_00164	The Implementation of interrupt service routines shall be done by the Operating System, complex drivers or modules	SWS_PduR_00777
SRS_BSW_00168	SW components shall be tested by a function defined in a common API in the Basis-SW	SWS_PduR_00777
SRS_BSW_00170	The AUTOSAR SW Components shall provide information about their dependency from faults, signal qualities, driver demands	SWS_PduR_00777
SRS_BSW_00172	The scheduling strategy that is built inside the Basic Software Modules shall be compatible with the strategy used in the system	SWS_PduR_00777
SRS_BSW_00300	All AUTOSAR Basic Software	SWS_PduR_00292, SWS_PduR_00293

	Modules shall be identified by an unambiguous name	
SRS_BSW_00301	All AUTOSAR Basic Software Modules shall only import the necessary information	SWS_PduR_00333
SRS_BSW_00305	Data types naming convention	SWS_PduR_00654, SWS_PduR_00742, SWS_PduR_00743, SWS_PduR_00771
SRS_BSW_00310	API naming convention	SWS_PduR_00334, SWS_PduR_00338, SWS_PduR_00341, SWS_PduR_00362, SWS_PduR_00365, SWS_PduR_00369, SWS_PduR_00375, SWS_PduR_00381, SWS_PduR_00406, SWS_PduR_00482, SWS_PduR_00504, SWS_PduR_00507, SWS_PduR_00512, SWS_PduR_00518, SWS_PduR_00615, SWS_PduR_00617, SWS_PduR_00767, SWS_PduR_00769, SWS_PduR_00781, SWS_PduR_00782, SWS_PduR_00800
SRS_BSW_00323	All AUTOSAR Basic Software Modules shall check passed API parameters for validity	SWS_PduR_00100, SWS_PduR_00221, SWS_PduR_00647, SWS_PduR_00648, SWS_PduR_00649, SWS_PduR_00716
SRS_BSW_00334	All Basic Software Modules shall provide an XML file that contains the meta data	SWS_PduR_00777
SRS_BSW_00335	Status values naming convention	SWS_PduR_00742, SWS_PduR_00777
SRS_BSW_00336	Basic SW module shall be able to shutdown	SWS_PduR_00777
SRS_BSW_00337	Classification of development errors	SWS_PduR_00100
SRS_BSW_00338	-	SWS_PduR_00332
SRS_BSW_00341	Module documentation shall contains all needed informations	SWS_PduR_00777
SRS_BSW_00343	The unit of time for specification and configuration of Basic SW modules shall be preferably in physical time unit	SWS_PduR_00777
SRS_BSW_00346	All AUTOSAR Basic Software Modules shall provide at least a basic set of module files	SWS_PduR_00132, SWS_PduR_00292, SWS_PduR_00801
SRS_BSW_00350	All AUTOSAR Basic Software Modules shall apply a specific naming rule for enabling/disabling the detection and reporting of development errors	SWS_PduR_00802
SRS_BSW_00353	All integer type definitions of target and compiler specific scope shall be placed and organized in a single type	SWS_PduR_00777

	header	
SRS_BSW_00357	For success/failure of an API call a standard return type shall be defined	SWS_PduR_00777
SRS_BSW_00358	The return type of init() functions implemented by AUTOSAR Basic Software Modules shall be void	SWS_PduR_00334
SRS_BSW_00361	All mappings of not standardized keywords of compiler specific scope shall be placed and organized in a compiler specific type and keyword header	SWS_PduR_00777
SRS_BSW_00375	Basic Software Modules shall report wake-up reasons	SWS_PduR_00777
SRS_BSW_00376	-	SWS_PduR_00777
SRS_BSW_00379	All software modules shall provide a module identifier in the header file and in the module XML description file.	SWS_PduR_00217, SWS_PduR_00762
SRS_BSW_00381	The pre-compile time parameters shall be placed into a separate configuration header file	SWS_PduR_00132
SRS_BSW_00384	The Basic Software Module specifications shall specify at least in the description which other modules they require	SWS_PduR_00424
SRS_BSW_00386	The BSW shall specify the configuration for detecting an error	SWS_PduR_00777
SRS_BSW_00397	The configuration parameters in pre-compile time are fixed before compilation starts	SWS_PduR_00425
SRS_BSW_00399	Parameter-sets shall be located in a separate segment and shall be loaded after the code	SWS_PduR_00427
SRS_BSW_00400	Parameter shall be selected from multiple sets of parameters after code has been loaded and started	SWS_PduR_00743, SWS_PduR_00776
SRS_BSW_00404	BSW Modules shall support post-build configuration	SWS_PduR_00241, SWS_PduR_00281, SWS_PduR_00295, SWS_PduR_00296, SWS_PduR_00743
SRS_BSW_00405	BSW Modules shall support multiple configuration sets	SWS_PduR_00771
SRS_BSW_00406	A static status variable denoting if a BSW module is initialized shall be initialized with value 0 before any APIs	SWS_PduR_00119, SWS_PduR_00308, SWS_PduR_00324, SWS_PduR_00325, SWS_PduR_00326, SWS_PduR_00328, SWS_PduR_00330, SWS_PduR_00644,

	of the BSW module is called	SWS_PduR_00645
SRS_BSW_00407	Each BSW module shall provide a function to read out the version information of a dedicated module implementation	SWS_PduR_00338
SRS_BSW_00411	All AUTOSAR Basic Software Modules shall apply a naming rule for enabling/disabling the existence of the API	SWS_PduR_00338
SRS_BSW_00412	References to c-configuration parameters shall be placed into a separate h-file	SWS_PduR_00132
SRS_BSW_00413	An index-based accessing of the instances of BSW modules shall be done	SWS_PduR_00777
SRS_BSW_00414	The init function may have parameters	SWS_PduR_00334
SRS_BSW_00415	Interfaces which are provided exclusively for one module shall be separated into a dedicated header file	SWS_PduR_00132, SWS_PduR_00216
SRS_BSW_00416	The sequence of modules to be initialized shall be configurable	SWS_PduR_00777
SRS_BSW_00417	Software which is not part of the SW-C shall report error events only after the DEM is fully operational.	SWS_PduR_00777
SRS_BSW_00425	The BSW module description template shall provide means to model the defined trigger conditions of schedulable objects	SWS_PduR_00777
SRS_BSW_00432	Modules should have separate main processing functions for read/receive and write/transmit data path	SWS_PduR_00777
SRS_BSW_00436	-	SWS_PduR_00132
SRS_BSW_00437	Memory mapping shall provide the possibility to define RAM segments which are not to be initialized during startup	SWS_PduR_00777
SRS_BSW_00438	Configuration data shall be defined in a structure	SWS_PduR_00241, SWS_PduR_00743
SRS_BSW_00439	Enable BSW modules to handle interrupts	SWS_PduR_00777
SRS_BSW_00447	Standardizing Include file structure of BSW Modules Implementing Autosar Service	SWS_PduR_00777

SRS_BSW_00449	BSW Service APIs used by Autosar Application Software shall return a Std_ReturnType	SWS_PduR_00777
SRS_BSW_00452	Classification of runtime errors	SWS_PduR_00100
SRS_BSW_406	-	SWS_PduR_00742
SRS_PduR_0125	-	SWS_PduR_00714, SWS_PduR_00717
SRS_PduR_06001	Gateway shall be only be reconfigured while the configuration table to be reconfigured is not in use	SWS_PduR_00296, SWS_PduR_00308, SWS_PduR_00328, SWS_PduR_00330
SRS_PduR_06002	The routing configuration shall be updateable at post-build time	SWS_PduR_00295
SRS_PduR_06003	Static Routing Rules shall be defined for gateways	SWS_PduR_00161, SWS_PduR_00162, SWS_PduR_00766
SRS_PduR_060104	-	SWS_PduR_00626
SRS_PduR_06012	PDU router shall route non-TP PDUs with transparency between layers	SWS_PduR_00164, SWS_PduR_00255, SWS_PduR_00256, SWS_PduR_00307, SWS_PduR_00362, SWS_PduR_00365, SWS_PduR_00369, SWS_PduR_00406, SWS_PduR_00430, SWS_PduR_00436, SWS_PduR_00437, SWS_PduR_00621, SWS_PduR_00626, SWS_PduR_00627, SWS_PduR_00629, SWS_PduR_00638, SWS_PduR_00640, SWS_PduR_00665, SWS_PduR_00666, SWS_PduR_00667, SWS_PduR_00669, SWS_PduR_00670, SWS_PduR_00744, SWS_PduR_00745, SWS_PduR_00746, SWS_PduR_00783, SWS_PduR_00784, SWS_PduR_00785, SWS_PduR_00786, SWS_PduR_00787, SWS_PduR_00788, SWS_PduR_00793, SWS_PDUR_00807, SWS_PDUR_00808
SRS_PduR_06020	The PDU Router resource usage shall be scalable to zero in case no PDU gateway	SWS_PduR_00287, SWS_PduR_00619, SWS_PduR_00764
SRS_PduR_06026	Data buffers for TP shall be provided on request	SWS_PduR_00299, SWS_PduR_00301, SWS_PduR_00317, SWS_PduR_00375, SWS_PduR_00381, SWS_PduR_00406, SWS_PduR_00428, SWS_PduR_00429, SWS_PduR_00482, SWS_PduR_00507, SWS_PduR_00512, SWS_PduR_00518, SWS_PduR_00549, SWS_PduR_00551, SWS_PduR_00625, SWS_PduR_00629, SWS_PduR_00634, SWS_PduR_00637, SWS_PduR_00638, SWS_PduR_00673, SWS_PduR_00687, SWS_PduR_00689, SWS_PduR_00690, SWS_PduR_00696, SWS_PduR_00697, SWS_PduR_00705, SWS_PduR_00707, SWS_PduR_00708, SWS_PduR_00727, SWS_PduR_00733, SWS_PduR_00740, SWS_PduR_00747, SWS_PduR_00767, SWS_PduR_00789,

		SWS_PduR_00790, SWS_PduR_00791, SWS_PduR_00792, SWS_PduR_00794, SWS_PduR_00797, SWS_PduR_00798, SWS_PduR_00799, SWS_PDUR_00808
SRS_PduR_06029	The PDU Router shall be able to support routing of Single Frame TP PDUs independent from the source to more than one destinations	SWS_PduR_00551, SWS_PduR_00631, SWS_PduR_00632, SWS_PduR_00633, SWS_PduR_00714, SWS_PduR_00717, SWS_PduR_00724, SWS_PduR_00765, SWS_PduR_00789, SWS_PduR_00790, SWS_PduR_00791, SWS_PduR_00792
SRS_PduR_06030	Routing of non TP PDUs to more than one destination independent from the source shall be supported by the PDU Router	SWS_PduR_00164, SWS_PduR_00436, SWS_PduR_00633, SWS_PduR_00714, SWS_PduR_00717, SWS_PduR_00723
SRS_PduR_06032	The non-TP transmit buffering strategy shall be configured for each PDU to be routed by the PDU Router	SWS_PduR_00255, SWS_PduR_00303, SWS_PduR_00306, SWS_PduR_00307, SWS_PduR_00369, SWS_PduR_00430, SWS_PduR_00640, SWS_PduR_00662, SWS_PduR_00663, SWS_PduR_00665, SWS_PduR_00666, SWS_PduR_00667, SWS_PduR_00669, SWS_PduR_00670, SWS_PduR_00746, SWS_PduR_00783, SWS_PduR_00784, SWS_PduR_00785, SWS_PduR_00786, SWS_PduR_00787, SWS_PduR_00793, SWS_PDUR_00809
SRS_PduR_06049	PDU Buffer Content shall be consistent during the time needed to read this data.	SWS_PduR_00160
SRS_PduR_06055	The signal gateway shall provide a mechanism to route individual signals between I-PDUs in a 1:n fashion	SWS_PduR_00777
SRS_PduR_06056	Signal Groups shall be routed	SWS_PduR_00777
SRS_PduR_06061	Routers shall map only signals	SWS_PduR_00777
SRS_PduR_06064	The signal gateway shall be scalable to zero size and zero resource usage when signal routing is not required	SWS_PduR_00777
SRS_PduR_06077	Multiple signals of the same PDU shall be routed	SWS_PduR_00777
SRS_PduR_06089	The timeout of a deadline monitored signal shall be ignored by the SigG	SWS_PduR_00777
SRS_PduR_06097	A configuration shall be identified by an unique ID number	SWS_PduR_00280, SWS_PduR_00281, SWS_PduR_00341, SWS_PduR_00771
SRS_PduR_06098	Signal Gateway Error shall be handled with signal routing	SWS_PduR_00777
SRS_PduR_06099	Signal Gateway Error shall be handled with signal group routing	SWS_PduR_00777

SRS_PduR_06103	PDU Router Error shall be provided for unknown PDU-ID	SWS_PduR_00221
SRS_PduR_06104	PDU Router Error shall be provided for local reception or transmission	SWS_PduR_00207, SWS_PduR_00432, SWS_PduR_00623, SWS_PduR_00646, SWS_PduR_00661, SWS_PduR_00676, SWS_PduR_00734
SRS_PduR_06105	PDU Router Error shall be provided in gateway case	SWS_PduR_00256, SWS_PduR_00640, SWS_PduR_00646, SWS_PduR_00662, SWS_PduR_00687, SWS_PduR_00689, SWS_PduR_00690, SWS_PduR_00705, SWS_PduR_00732, SWS_PduR_00788, SWS_PduR_00790, SWS_PduR_00791, SWS_PduR_00792, SWS_PduR_00799, SWS_PdUR_00807
SRS_PduR_06106	PDU Router Error shall be provided for FIFO handling	SWS_PduR_00670
SRS_PduR_06114	The PDU Router provides an interface (API) for usage by COM, to use the PDU router functionality	SWS_PduR_00406, SWS_PduR_00482, SWS_PduR_00767, SWS_PduR_00769, SWS_PduR_00780
SRS_PduR_06115	The PDU Router provides an interface (API) for usage by DCM, to use the PDU router functionality	SWS_PduR_00406, SWS_PduR_00482, SWS_PduR_00767, SWS_PduR_00769, SWS_PduR_00780
SRS_PduR_06116	The PDU Router provides an interface (API) for usage by IPDUM, to use the PDU router functionality	SWS_PduR_00362, SWS_PduR_00365, SWS_PduR_00369, SWS_PduR_00406, SWS_PduR_00482, SWS_PduR_00767, SWS_PduR_00769, SWS_PduR_00780, SWS_PduR_00781
SRS_PduR_06117	The PDU Router provides an interface (API) for usage by bus interfaces, to use the PDU router functionality	SWS_PduR_00362, SWS_PduR_00365, SWS_PduR_00369, SWS_PduR_00781, SWS_PduR_00800
SRS_PduR_06119	Confirmation in case of multicast	SWS_PduR_00589
SRS_PduR_06120	A predefined set of PDUs shall be enabled and disabled if required	SWS_PduR_00615, SWS_PduR_00617, SWS_PduR_00646, SWS_PduR_00647, SWS_PduR_00648, SWS_PduR_00649, SWS_PduR_00654, SWS_PduR_00663, SWS_PduR_00709, SWS_PduR_00710, SWS_PduR_00714, SWS_PduR_00715, SWS_PduR_00716, SWS_PduR_00717, SWS_PduR_00726
SRS_PduR_06121	J1939 TP as an alternative to CAN TP (ISO 15765-2) shall be supported	SWS_PduR_00375, SWS_PduR_00381, SWS_PduR_00507, SWS_PduR_00512, SWS_PduR_00518, SWS_PduR_00782, SWS_PduR_00800
SRS_PduR_06122	The PDU Router shall provide a method that enables COM layer to request cancellation of I-PDU transmission	SWS_PduR_00710, SWS_PduR_00721, SWS_PduR_00722, SWS_PduR_00723, SWS_PduR_00724, SWS_PduR_00726, SWS_PduR_00727, SWS_PduR_00732, SWS_PduR_00734, SWS_PduR_00736, SWS_PduR_00769

SRS_PduR_06123	The PDU Router shall provide an interface (API) for usage by bus network management, to use the PDU router functionality for partial networking	SWS_PduR_00362, SWS_PduR_00365, SWS_PduR_00369, SWS_PduR_00781
SRS_PduR_06124	[1] The TP transmit buffering strategy shall be configured for each PDU to be routed by the PDU Router	SWS_PduR_00317, SWS_PduR_00551, SWS_PduR_00637, SWS_PduR_00663, SWS_PduR_00687, SWS_PduR_00689, SWS_PduR_00690, SWS_PduR_00696, SWS_PduR_00697, SWS_PduR_00705, SWS_PduR_00707, SWS_PduR_00708, SWS_PduR_00740, SWS_PduR_00794, SWS_PduR_00797, SWS_PduR_00798, SWS_PduR_00799, SWS_PDUR_00808
SRS_PduR_06125	Multicast implementation in PduR shall behave such that the source module does not need to know that there is more than one destination module configured	SWS_PduR_00218, SWS_PduR_00589, SWS_PduR_00765

7 Functional Specification

The PDU Router module is an I-PDU transfer unit placed above interface modules and transport protocol modules (lower layer modules) and below COM and DCM (upper layer modules), see Figure 3Figure 1.

Beside the PDU Router module is the I-PDU Multiplexer (IpduM) module [7] that provides support for multiplexed I-PDUs. The IpduM has to be considered as an upper layer module when it calls the PDU Router module to transmit multiplexed I-PDUs or when it is called by the PDU Router module for the reception or transmit confirmation of multiplexed I-PDUs or to provide data via trigger transmit. In case the IpduM calls the PDU Router module to forward a transmit confirmation or a receive indication to an upper layer (e.g. COM) or when it is called by the PDU Router module to update an I-PDU belonging to a multiplexed I-PDU it has to be considered as lower layer module.

From the ECU point of view, the PDU Router module can perform three different classes of operations:

- **PDU Reception to local module(s):** receive I-PDUs from lower layer modules and forward them to upper layer modules,
- **PDU Transmission from local module(s):** transmit I-PDUs to lower layer modules on request of upper layer modules,
- **PDU Gateway:**
 - (1) receive I-PDUs from an interface module and transmit the I-PDUs immediately via the same or other communication interface module(s)
 - (2) receive I-PDUs from a transport protocol module and transmit the I-PDUs via the same or other transport protocol module(s).

The combination PDU Reception and PDU Gateway is allowed. Example: The COM module is receiving an I-PDU in the same time that it is gatewayed to another lower layer module.

7.1 I-PDU handling

[SWS_PduR_00160] [The PDU Router module shall transfer an I-PDU without modification in a consistent manner from the source module to the destination module(s).] (SRS_PduR_06049)

An I-PDU is identified by the I-PDU ID and/or the symbolic name (i.e. the SymbolicNameValue of the container of the I-PDU) [6]. For debugging and post-build the I-PDU ID is required because the I-PDU must be identified after the PDU Router module is compiled. If the PDU router module is pre-compile (i.e. in source code) the symbolic names may be used, see Specification of ECU Configuration [6].

Each BSW module that handles I-PDUs and provides an API for I-PDUs must contain a list of I-PDU IDs [6]. This means that each called module will have a look-up table identifying the I-PDU.

Example: The COM module calls PduR_ComTransmit (here the PDU Router module will list the I-PDU ID), the PDU Router module will call CanIf_Transmit (here the CanIf module configuration will list the I-PDU ID), the CanIf will call PduR_CanIfTxConfirmation (here the PDU Router module configuration will list the I-PDU ID), and PDU Router module will call Com_TxConfirmation (here the COM module configuration will list the I-PDU ID). The example is illustrated in the following Figure 3 (only I-PDU ID is shown as parameter):




Figure 3 - I-PDU ID example

[SWS_PduR_00161] [The PDU Router module shall identify routing path uniquely by the combination of source module I-PDU ID (located in the PDU Router configuration) and destination I-PDU IDs (located in the called destination module configurations).] (SRS_PduR_06003)

[SWS_PduR_00766] [The PDU Router module shall convert the I-PDU ID to the destination module(s) for both transmission path and confirmation/indication path.] (SRS_PduR_06003)

Example: The COM module transmits an I-PDU to CanIf and LinIf. The PduR_ComTransmit is called. The PDU Router module will convert the source I-PDU ID (PDU Router module configuration) to one I-PDU ID for LinIf (LinIf module configuration) and one I-PDU ID for CanIf (CanIf module configuration). The

PduInfoType value received from the COM module is copied to the CanIf and LinIf modules without change.

Example: When the LinIf have successfully transmitted an L-PDU it will call PduR_LinIfTxConfirmation with a I-PDU ID, then the PDU Router module will convert this I-PDU ID and forward the call to COM using Com_TxConfirmation with the converted I-PDU ID.

[SWS_PduR_00162] [The PDU Router module shall only route I-PDUs according to the static routing paths in the configuration. No dynamical routing shall be used.]
(SRS_PduR_06003)

7.1.1 I-PDU Reception to upper module(s)

The receive operation of the PDU Router module is always be finalized by an indication (PduR_<Lo>RxIndication or PduR_<LoTp>RxIndication) from a lower layer module (communication interface module or transport protocol module). The indication function is executed by the lower layer either in the context of a cyclic function after polling a communication driver or in the context of an interrupt.

7.1.1.1 Communication Interface

The source communication interface module indicates a received I-PDU by calling PduR_<Lo>RxIndication. The I-PDU may have multiple destination local modules as configured by the routing path.

[SWS_PduR_00164] [The PDU Router module shall provide 1:n routing for an I-PDU received from a communication interface module and routed to upper layer module(s).]

Example: An I-PDU is received on CanIf and forwarded to COM.

Note: An I-PDU may be received by one or more upper modules in the same time as gatewayed to one or more communication interfaces, see 7.1.3.] (SRS_PduR_06012, SRS_PduR_06030)

[SWS_PduR_00621] [When the PduR_<Lo>RxIndication is called the PDU Router module shall call <Up>_RxIndication for each destination upper module.]
(SRS_PduR_06012)

[SWS_PduR_00744] [If the I-PDU is received by a local module the PDU Router shall not check the length of the I-PDU, just forward the indication to the upper layer module.

Since the PDU Router module will not buffer this I-PDU it does not have to reject I-PDU that are longer/shorter than configured.] (SRS_PduR_06012)

7.1.1.2 Transport Protocol

In case of the transport protocol module the PDU Router module is first notified with a start of reception notification when receiving a first frame (FF) or single frame (SF). This call is forwarded to the related upper layer module by calling <Up>_StartOfReception. The payload of each segment (N-PDU) is to be copied in the destination upper layer module by the within subsequent <Lo>_CopyRxData calls. After reception of the last N-PDU the transport protocol module will indicate the PDU Router module that the complete I-PDU has been received and the PDU Router module will forward this indication to the related upper layer module by calling <Up>_TpRxIndication.

Reception of I-PDU through Transport Protocol module may have only one upper layer module configured by the routing paths.

[SWS_PduR_00673] [The PDU Router module shall provide 1:1 routing for an I-PDU received from a source transport protocol module and routed to one destination upper module.]

Example: A functional addressed request (in a SF) is received from the CanTp module and routed to the DCM module.] (SRS_PduR_06026)

[SWS_PduR_00549] [When a source transport protocol module indicates the start of a reception of a PDU that has only upper layer destinations using PduR_<LoTp>StartOfReception, the PDU Router module shall forward the request to the destination upper layer module by calling <Up>_StartOfReception.] (SRS_PduR_06026)

[SWS_PduR_00623] [The PDU Router shall forward the return value of the <Up>_StartOfReception to the source transport protocol.] (SRS_PduR_06104)

[SWS_PduR_00428] [When a source transport protocol module requests the PDU Router module to copy the received data using PduR_<LoTp>CopyRxData, the PDU Router module shall forward the request to the destination upper layer module by calling <Up>_CopyRxData.] (SRS_PduR_06026)

[SWS_PduR_00429] [When a source transport protocol module calls PduR_<LoTp>RxIndication indicating reception of the complete I-PDU, the PDU Router module shall forward the indication to the destination upper layer module by calling <Up>_TpRxIndication.] (SRS_PduR_06026)

[SWS_PduR_00207] [If the source transport protocol module reports an error using

PduR_<LoTp>RxIndication, the PDU Router module shall not perform any error handling other than forwarding the indication to the upper layer module.] (SRS_PduR_06104)

7.1.2 I-PDU Transmission from upper module(s)

The transmit operations of the destination lower layer modules are always asynchronous. This means that a transmission service request returns immediately after the I-PDU has been passed by the PDU Router module to the destination lower layer module. If the PDU Router module is notified by destination lower layer modules via PduR_<Lo>TxConfirmation (communication interface) or PduR_<LoTp>TxConfirmation (transport protocol) after the I-PDU has been transmitted the PDU Router module will forward this indication to the upper layer module via <Up>_TxConfirmation (communication interface) or <Up>_TpTxConfirmation (transport protocol).

The transmit operation of the PDU Router module is triggered by a PDU transmit request from a source upper layer source module and forwards the request to a destination lower layer module.

[SWS_PduR_00629] [The I-PDU shall not be buffered in the PDU Router module in case of PDU transmission from a source upper layer module.] (SRS_PduR_06012, SRS_PduR_06026)

7.1.2.1 Multicast

The multicast feature is separated to an own section since there are issues using this feature as described in section 4.1.1.

Further requirements that are directly handled by the PDU Router module:

[SWS_PduR_00218] [If the provided I-PDU ID represents a group of PDUs (multicast transmit request) and at least one of the forwarded transmit requests returns successfully, the function PduR_<Up>Transmit shall return E_OK.] (SRS_PduR_06125)

Note that communication interfaces returning with E_OK will transmit their data either directly or via trigger transmit.

The other transport protocol modules may return E_NOT_OK, and therefore these modules will not call the PduR_<LoTp>CopyTxData. Since the source upper layer module has been informed that at least one transmission was successful, at least one transport protocol module will call PduR_<LoTp>CopyTxData.

[SWS_PduR_00633] [If there are more than one lower layer destination modules in a transmission request (1:n, n>1), all of these modules must either be communication

interface modules or transport protocol modules. Not a mix of them.]
(SRS_PduR_06029, SRS_PduR_06030)

Example: Above requirement means basically that the COM module cannot request a transmission, and then the PDU Router module routes the transmission to CanTp module and CanIf module using the same I-PDU.

[SWS_PduR_00589] [In case of a multicast (1:n, n>1), communication interface transmission, the PDU Router shall call the transmit confirmation API of the upper layer module as soon as the first transmit confirmation from a communication interface module which supports transmit confirmation has been received.]
(SRS_PduR_06125, SRS_PduR_06119)

Note: The above requirement even works if not all destinations provide Tx confirmations.

Implementation note: When the source module requests a transmission and the PduR will make a multicast (1:n, n>1), all the I-PDUs in the request and the multicast will have different I-PDU IDs. Therefore the PduR must remember the I-PDU ID from the transmission request so the transmission can be confirmed correctly.

7.1.2.2 Communication Interface

There are three ways that I-PDUs can be transmitted on the communication interface:

1. Direct data provision - where the upper module is calling the PduR_<Up>Transmit function, the PDU Router module forwards the call to <Lo>_Transmit and the data is copied by the lower communication interface module in the call.
2. Trigger transmit data provision – where the lower communication interface module requests transmission of an I-PDU by using the PduR_<Lo>TriggerTransmit, and PDU Router module forwards the call to PduR_<Up>TriggerTransmit and the data is copied by the upper module.
3. Where the upper module is calling the PduR_<Up>Transmit function, the PDU Router module forwards the call to PduR_<Lo>Transmit and the data is not copied by the lower module (communication interface module). The data will later be requested by the lower layer using PduR_<Lo>TriggerTransmit.

The confirmation of the transmission of the I-PDU is the same for the direct and trigger transmit data provisions:

[SWS_PduR_00627] [When the communication interface module calls PduR_<Lo>TxConfirmation the PDU Router shall call <Up>_TxConfirmation in the upper module.] (SRS_PduR_06012)

[SWS_PduR_00745] 「If the I-PDU is transmitted by an upper layer module the PDU Router module shall not check the length of the I-PDU. 」 (SRS_PduR_06012)

[SWS_PduR_00625] 「When source upper layer module calls PduR_<Up>Transmit the PDU Router shall call <Lo>_Transmit for each destination communication interface module. 」 (SRS_PduR_06026)

[SWS_PduR_00626] 「If singlecast (1:1) the return value of the <Lo>_Transmit call shall be forwarded to the source upper layer module. 」 (SRS_PduR_06012, SRS_PduR_060104)

7.1.2.2.1 Trigger transmit data provision

The upper layer module must be informed if it has to reset the update-bits or not and handle the I-PDU counter in a proper way.

[SWS_PduR_00430] 「The PDU Router module shall forward a PduR_<Lo>TriggerTransmit request by the communication interface module to the upper module by calling <Up>_TriggerTransmit. 」 (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00661] 「The PDU Router module shall copy the return value from the <Up>_TriggerTransmit to the lower layer module. 」 (SRS_PduR_06104)

7.1.2.2.2 Error handling

For errors occurred using singlecast or multicast over communication interface modules, no specific error handling is done. Errors in return values are forwarded to the source upper layer module.

7.1.2.3 Transport Protocol

Transmitting I-PDU using transport protocol has two flavors, singlecast and multicast. A singlecast (1:1) transmission consists of one source upper layer module and one destination lower layer transport protocol module. A multicast (1:n, n>1) transmission consists of more than one destination lower layer transport protocol module. The PDU Router module will not check if the transmission request contains a single N-PDU (SF) or multiple N-PDU (FF, CF, ...), though multicast transport prototcol transmissions are restricted to SF transmissions.

Initiation of transmission of I-PDU is made by a PduR_<Up>Transmit request by an upper layer source module. The PduR will forward the request to one or more destination lower layer transport protocol modules using <Lo>_Transmit according to the routing paths. Note that the <Lo>_Transmit may or may not contain data.

The destination module(s) will request data by calling the PduR_<LoTp>CopyTxData. Retransmission (if supported by the transport protocol) of data is made by the RetryInfoType parameter. Finalizing the transmission the

destination module(s) calls the PduR_<LoTp>TxConfirmation, which is forwarded to the source upper layer module.

[SWS_PduR_00634] [When an upper layer module calls the PduR_<Up>Transmit the PDU Router module shall call <LoTp>_Transmit for each destination transport protocol module.] (SRS_PduR_06026)

[SWS_PduR_00299] [When a destination transport protocol module calls PduR_<LoTp>CopyTxData the PDU Router module shall call <Up>_CopyTxData in the source upper layer module.] (SRS_PduR_06026)

[SWS_PduR_00676] [The return value from the <Up>_CopyTxData shall be forwarded to the calling destination lower layer transport protocol module.] (SRS_PduR_06104)

[SWS_PduR_00301] [In case of singlecast the PDU Router module shall forward the confirmation PduR_<LoTp>TxConfirmation from the lower layer transport protocol module to upper layer module using <Up>_TpTxConfirmation.] (SRS_PduR_06026)

[SWS_PduR_00432] [In case of singlecast and after calling <Lo>_Transmit then the PDU Router module shall return with the same return value to the calling PduR_<Up>Transmit from source upper layer module.] (SRS_PduR_06104)

7.1.2.3.1 Multicast transmission

This subsection contains specific requirements for the multicast transmission of I-PDU using transport protocol modules.

Since the 1:n, n>1 routing is made in the PDU Router module the PDU Router module must request the same data several times from the source upper layer module. Also the confirmation of the multicast must be handled specifically.

As the upper layer shall copy the same data several times, the PDU Router will use the RetryInfoPtr [4] in order to query the same data several times. The RetryInfoPtr contains a state type called TpDataState.

[SWS_PduR_00631] [The first request of PduR_<LoTP>CopyTxData in a multicast session shall be forwarded with TpDataState set to TP_CONFPENDING.] (SRS_PduR_06029)

[SWS_PduR_00632] [All following calls of PduR_<LoTp>CopyTxData requests shall be forwarded with TP_DATARETRY to allow the same data to be copied.

After all transport protocols have received their data the PDU Router module may confirm the data to the upper layer module.] (SRS_PduR_06029)

[SWS_PduR_00765] [In case of multi cast transmission, the PDU Router module shall call the upper layer module using <Up>_TpTxConfirmation after receiving the last PduR_<LoTp>TxConfirmation from the lower layer transport protocol modules. The 'result' parameter shall be E_OK if at least one PduR_<LoTp>TxConfirmation reported E_OK.] (SRS_PduR_06029, SRS_PduR_06125)

7.1.2.3.2 Error handling

The PDU Router module will not take specific actions on errors occurred, the errors will be forwarded to the source upper layer module. Appropriate error handling is in the responsibility of the upper layer module.

7.1.3 I-PDU Gateway

The PDU Router module supports gatewaying of I-PDUs from one source bus to one or more destination busses. The difference from a transmission and reception from/to a local module is that the PDU Router module must be a receiver and transmitter at the same time, and in some cases also provides buffering for the I-PDU.

The gateway requirements are deliberately separated to allow an efficient implementation of the PDU Router module in case gatewaying is not needed. In case the PDU Router module allows gatewaying of I-PDUs, these requirements are seen as additional and not replacing previous requirements.

Following list gives an overview of the features of the I-PDU gateway:

- I-PDUs may be gatewayed from a source communication interface module to one (1:1) or more destination communication interface modules (1:n I-PDU gateway)
 - For each destination the PDU Router module may buffer each destination of an I-PDU in configurable depth (i.e. FIFO if more than one I-PDU).
 - An I-PDU may be received by an upper layer module in the same time as gatewayed to n destination communication interface(s).
- I-PDUs transported using TP may be gatewayed to one or more destination TP modules, with following scope:
 - Only Single Frames (SF) may be gatewayed to more than one destination TP module or local module (e.g. DCM).
 - I-PDU transported in multiple N-PDUs may be gatewayed “on-the-fly” to one destination, meaning that complete I-PDU does not need to be received before starting transmission on the destination TP module
 - I-PDU transported in multiple N-PDUs may be gatewayed to another TP module or received by a local module, not both.
 - I-PDUs transported using TP module may not be FIFO buffered, i.e. the PDU Router may not buffer more than one I-PDU.

- I-PDUs can only be gatewayed between communication interface modules or TP modules, not a mix of them. For example an I-PDU cannot be received from CanIf and gatewayed to LinTp.

This means the PDU Router module shall forward an I-PDU received from one lower layer module (source network) to lower layer modules (destination networks) identified by the provided I-PDU ID.

Note that in this section “Src” and “Dst” are used for the configurable APIs. This is just to be clear which call belongs to the source module and destination module.

[SWS_PduR_00638] [An I-PDU may only be gatewayed between communication interfaces or TPs, not a mix of them.]

Example: An I-PDU received from Frlf may not be gatewayed to CanTp.]
(SRS_PduR_06012, SRS_PduR_06026)

7.1.3.1 Communication interface modules

An I-PDU can be configured to be received on one communication interface module and gatewayed to n communication interface modules including local module(s), i.e. 1:n gatewaying. For gatewaying it is also possible to configure a FIFO for each destination communication interface module (not local module however).

[SWS_PduR_00436] [The PDU Router module shall support routing of I-PDUs between a source communication interface module and one or more destination communication interface modules (1:n gatewaying).] (SRS_PduR_06012, SRS_PduR_06030)

[SWS_PduR_00437] [The PDU Router module shall support routing of I-PDUs between communication interface modules with immediate transmission (without rate generation by PDU Router)] (SRS_PduR_06012)

Routing of I-PDUs between communication interface modules with different period or rate (rate conversion) is not supported, this can be done via the COM module using signal gateway. In this case the I-PDU has to be routed to the COM module.

There are two flavors of gatewaying an I-PDU depending on the the destination interface module. The used flavor is controlled by the configuration:

- **[SWS_PduR_00303]** [Direct data provision: The PduRDestPduDataProvision of the destination I-PDU is configured to PDUR_DIRECT. When <DstLo>_Transmit is called the <DstLo> module copies the data and the PDU Router does not buffer the transmitted I-PDU any longer.] (SRS_PduR_06032)
- **[SWS_PduR_00306]** [Trigger transmit data provision: The PduRDestPduDataProvision of the destination I-PDU is configured to PDUR_TRIGGERTRANSMIT. When <DstLo>_Transmit is called the <DstLo> module does not copy the data and the PDU Router module shall buffer the I-PDU and

wait for the PduR_<DstLo>TriggerTransmit call from the <DstLo> module.]
(SRS_PduR_06032)

[SWS_PdUR_00809] [In case of last-is best buffering (see PduRTxBufferDepth), the PduRouter shall buffer the latest I-PDU in case of a trigger transmit data provision.]
(SRS_PduR_06032)

The reason why it must be stored for trigger transmit data provision is that the destination communication interface may transmit the I-PDU according to a schedule. Then the communication interface will call the PduR_<DstLo>TriggerTransmit without a preceding <DstLo>_Transmit call.

[SWS_PdUR_00662] [In case usage of a FIFO-Buffer (see PduRTxBufferDepth), if the destination communication interface module is requesting the I-PDU buffer using PduR_<DstLo>TriggerTransmit and the FIFO is empty the return value E_NOT_OK shall be used.] (SRS_PduR_06032, SRS_PduR_06105)

Note that for a gateway of an I-PDU the PduR_<Lo>TxConfirmation is not interesting (except for FIFO of a direct data provision Pdu).

[SWS_PdUR_00640] [If the destination communication interface module confirms the transmission of the I-PDU using PduR_<DstLo>TxConfirmation and destination is not a direct data provision Pdu with FIFO buffer the PDU Router module shall not do anything.] (SRS_PduR_06012, SRS_PduR_06032, SRS_PduR_06105)

Note: It is not required to have one buffer for each destination. In following cases sharing the same buffer may be meaningful to save RAM:

- In case of multicast and buffering is needed for trigger transmit data provision (This optimization may not be possible when FIFO buffering is used)
- In case never more than one routing path to one destination Pdu is switched on at the same time (controlled by routing path groups)
- In case the user has the knowledge that at runtime never more than one routing path to one destination Pdu is triggered by a reception of a source Pdu

It is possible that an I-PDU that will be gatewayed will have different lengths. Therefore:

[SWS_PdUR_00783] [In case the I-PDU is gatewayed without buffering in the PDU Router, the PDU Router shall forward the length without checking, just calling the transmit function(s) of the destination modules.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PdUR_00746] [In case the I-PDU is buffered in the PDU Router module: The PDU Router module shall copy the data of the I-PDU up to smallest of the following values:

- the received data length (PduLength of received I-Pdu)

- the configured maximum PduLength in the buffer (PduRPduMaxLength). In this case the rest of the received I-PDU shall be dropped.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00784] [When the I-PDU is transmitted (direct data provision) or copied (trigger transmit data provision) from the PduR buffer to the destination module the PduR shall use the number of bytes which was copied to the buffer as Pdu length.] (SRS_PduR_06012, SRS_PduR_06032)

Note: [SWS_PduR_00746] give the user the possibility to avoid buffer over run when PduR_<Lo>TriggerTransmit is called. The user needs to configure PduRMaxPduLength not greater then the length of the destination I-Pdu.

7.1.3.1.1 FIFO

[SWS_PduR_00785] [If PduRTxBufferDepth is configured to a value greater then 1 the Tx Pdu buffer shall have a first in – first out (FIFO) behavior.] (SRS_PduR_06012, SRS_PduR_06032)

In the following chapter the term “FIFO” or “FIFO queue” is used as a synonym for the Tx I-Pdu buffer of the PduR.

The FIFO has states and these states may change when calling various PduR API's called from different contexts. E.g. a PduR_<SrcLo>RxIndication call could be interrupted by a PduR_<DstLo>TxConfirmation call. Thus there is a need to protect those concurrent calls.

If a FIFO is used in case of direct data provision the destination I-PDU must be configured to call the PduR_<DstLo>TxConfirmation, see PduRTransmissionConfirmation.

[SWS_PduR_00307] [It shall be possible to configure a FIFO for each destination I-PDU] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00793] [If direct data provision is used with a FIFO: The PduR shall enqueue new data in the FIFO when PduR_<SrcLo>RxIndication is called and the last transmission of the same PDU has not yet been confirmed via PduR_<DstLo>TxConfirmation.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00665] [If direct data provision is used with a FIFO: When PduR_<SrcLo>RxIndication is called and the FIFO queue is empty and no confirmation is outstanding for the same PDU, <DstLo>_Transmit shall be called directly. The FIFO stays empty.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00786] [When PduR_<SrcLo>RxIndication is called and the FIFO queue is empty in case of trigger transmit data provision the received I-PDU shall be

copied to the FIFO and <DstLo>_Transmit shall be called.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00787] [When PduR_<SrcLo>RxIndication is called and the FIFO queue is not empty then the received I-PDU shall be copied as latest entry.] (SRS_PduR_06012, SRS_PduR_06032)

[SWS_PduR_00666] [When PduR_<DstLo>TriggerTransmit is called the oldest FIFO entry shall be copied and then removed. If afterwards the FIFO queue is not empty <DstLo>_Transmit shall be called with the oldest I-PDU of the FIFO.] (SRS_PduR_06012, SRS_PduR_06032)

Note: In case of the destination module is Frlf the FrlfCounterLimit of the Pdu needs to be configured > 1 because the new transmit will be called before the counter is decremented. For Linlf there is no such a constraint, however FIFO queue routing to sporadic frames is not supported.

[SWS_PduR_00667] [When PduR_<DstLo>TxConfirmation is called and the FIFO queue is not empty in case of direct data provision <DstLo>_Transmit shall be called with the oldest I-PDU of the FIFO. The transmitted I-PDU shall be removed afterwards.] (SRS_PduR_06012, SRS_PduR_06032)

7.1.3.1.2 Error handling

The PDU Router module shall not perform any error handling for an I-PDU instance if an interface module rejects a transmit request which belongs to a gateway operation.

[SWS_PduR_00256] [The PDU Router module shall not retry transmission if the destination communication interface module returns E_NOT_OK after calling <DstLo>_Transmit.] (SRS_PduR_06012, SRS_PduR_06105)

Here the destination returned E_NOT_OK for some reason, will also report this error. The PDU Router module cannot do anything else than discarding the I-PDU.

[SWS_PduR_00788] [If <DstLo>_Transmit(), called with an I-PDU from the FIFO buffer, returns E_NOT_OK the I-PDU shall be removed from the FIFO and the next FIFO entry shall be transmitted, if available.] (SRS_PduR_06012, SRS_PduR_06105)

[SWS_PDUR_00807] [When <DstLo>_Transmit() returns E_NOT_OK for a routing path using a FIFO, the PDU Router shall report PDUR_E_PDU_INSTANCES_LOST to the DET module.] (SRS_PduR_06012, SRS_PduR_06105)

[SWS_PduR_00806] [When one destination fails (Transmit returns E_NOT_OK), the other destinations shall continue.]()

[SWS_PduR_00255] [If the FIFO is full and a new PduR_<SrcLo>RxIndication is called, the FIFO shall be flushed] (SRS_PduR_06012, SRS_PduR_06032)

Note: That means in case of PduRTxBufferDepth is configured to 1 and the PduRDestPduDataProvision is configured to PDUR_TRIGGERTRANSMIT the new I-Pdu will be always copied within the next PduR_<Lo>TriggerTransmit call. That is a "Last is best" behaviour.

[SWS_PduR_00670] [If the FIFO is flushed the PDU Router shall report PDUR_E_PDU_INSTANCES_LOST to the DET module.] (SRS_PduR_06012, SRS_PduR_06032, SRS_PduR_06106)

[SWS_PduR_00669] [If the FIFO is flushed the new I-PDU delivered by the PduR_<SrcLo>RxIndication shall be handled as if the FIFO is empty.] (SRS_PduR_06012, SRS_PduR_06032)

The new I-PDU that causes the FIFO flush will be served and not discarded.

7.1.3.2 Transport Protocol

Gatewaying I-PDU from a source transport protocol to one or more destination transport protocol module may either be gatewayed direct as a complete I-PDU (complete set of N-PDUs building up the I-PDU is received before transmitted) or as fragmented I-PDU (routing on-the-fly) where a configured number of bytes (threshold) are received before transmission.

In general the PDU Router will gateway the payload only, and will not be aware of transport protocol details such as SF, FF, CF, PCI etc. But the PduR shall also support gatewaying of I-PDUs with MetaData, identified by a MetaDataLength >= 1. This type of I-PDUs requires no special treatment during interface routing or forwarding, but for TP routing, the additional information has to be forwarded separately. The following requirement is relevant both for direct gatewaying and gatewaying on-the-fly:

[SWS_PduR_00794] [The MetaData of I-PDUs provided by PduR_<SrcLoTp>StartOfReception shall be stored and provided with the I-PDU to <DstLoTp>_Transmit.] (SRS_PduR_06026, SRS_PduR_06124)

On a transport protocol module an I-PDU can be transported in multiple N-PDUs (FF and CFs) or in a single N-PDU (SF). The typical case is that an I-PDU transported in multiple N-PDUs is not multicast (i.e. physical addressing) and in single N-PDU may be multicast (i.e. functional addressing). The Pdu Router only supports multicast for single frames, where only one call to the CopyRxData/CopyTxData API is required.

It is not possible for the PDU Router module to check if the I-PDU received from the source transport protocol is really contained in a SF and if the destination transport

protocol module really can be contained in a SF. It is up to the system designer to assure that the transport protocols behaves properly.

For example: A SF received on CAN and shall be transmitted on two LIN busses. The received SF can carry up to data 6 bytes but a SF on LIN only up to data 5 bytes. Therefore the SF on CAN is limited to data 5 bytes if gatewayed to the two LIN busses.

Note that an I-PDU transported over transport protocol modules may also be gatewayed frame by frame directly through the communication interfaces (i.e. by gatewaying the N-PDUs directly). This requires no special treatment here of the PDU Router module and can be handled by gatewaying through communication interface modules, see 7.1.3.1. However, this requires that the source and destination busses have exactly same packing of N-PDUs (e.g. from CAN to CAN).

7.1.3.2.1 Buffer allocation

The PduR uses two different buffers for gatewaying of transport protocol PDUs: The pool of large TP buffers configured via PduRTpBufferTable, and the dedicated buffers configured via PduRDestTxBufferRef. The dedicated buffers are used for single frame routing and must be large enough to contain the largest possible single frame of the involved bus systems. The large PduRTpBuffers are used for multi frame routing, and must be large enough to contain one block of TP data in case of on-the-fly gatewaying, and for the complete PDU in case of direct gatewaying. The main reason for having dedicated buffers for single frames is that functional diagnostic requests and especially OBD request have a very high priority and must not be delayed by buffer allocation strategies.

[SWS_PduR_00797] 「If a gatewayed TP PDU reception is indicated via PduR_<SrcLoTp>StartOfReception, and the total SDU size reported by the parameter TpSduLength is not larger than the configured PduRPduMaxLength of the dedicated buffer referenced by PduRDestTxBufferRef, the PduR shall use the dedicated buffer. 」 (SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00798] 「If a gatewayed TP PDU reception is indicated via PduR_<SrcLoTp>StartOfReception, and the total SDU size reported by the parameter TpSduLength is larger than the configured PduRPduMaxLength of the dedicated buffer, the PduR shall dynamically allocate a buffer from the PduRTpBufferTable. 」 (SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00799] 「If no buffer could be allocated during a call of PduR_<SrcLoTp>StartOfReception for the reception of a gatewayed TP PDU, the PduR shall immediately stop further processing of this I-PDU and return BUFREQ_E_OVFL. 」 (SRS_PduR_06026, SRS_PduR_06124, SRS_PduR_06105)

7.1.3.2.2 Direct gatewaying

[SWS_PduR_00551] [The <DstLoTp>_Transmit shall be called on each destination transport protocol module within the PduR_<SrcLoTp>TpRxIndication, if result is E_OK.] (SRS_PduR_06026, SRS_PduR_06029, SRS_PduR_06124)

[SWS_PduR_00697] [If PduR_<DstLoTp>CopyTxData is called with TpDataState TP_CONFPENDING or TP_DATACONF or when the RetryInfoType pointer is NULL, the PDU Router shall copy SduLength bytes of data. If not enough data is available, the Pdu Router shall return BUFREQ_E_BUSY without copying any data.] (SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00705] [If PduR_<DstLoTp>CopyTxData is called with TpDataState TP_DATARETRY, the PDU Router shall set back the current position by TxTpDataCnt bytes and copy SduLength bytes of data. If the Pdu Router cannot set back the position as requested, it shall return BUFREQ_E_NOT_OK without changing the current position or copying any data. If, after resetting the current position, not enough data is available for copying, the Pdu Router shall return BUFREQ_E_BUSY without copying any data.] (SRS_PduR_06026, SRS_PduR_06124, SRS_PduR_06105)

7.1.3.2.3 Forwarding to upper layers

If the I-PDU is gatewayed (direct Transport Protocol gateway) to one or more destination transport protocol modules, this I-PDU may be also received by a local upper layer module.

The PduR implementation should assume that whenever upper layer reception occurs together with gatewaying, only Single frame PDUs are used. Multiple frames are not supported.

Implementations may choose to report (via DET) whenever the upper layer reception was not successful. The gatewaying to lower layers should not be aborted in this case.

The reception to the upper layers part of direct gatewaying is specified below:

[SWS_PduR_00789] [In case of Gatwaying, when a successful RxIndication is received by PduR from the lower layer, the module shall initiate a reception session for a configured upper layer destination: <UpTp>_StartOfReception, <UpTp>_CopyRxData, and <UpTp>_RxIndication will be called in this order.] (SRS_PduR_06026, SRS_PduR_06029)

[SWS_PduR_00790] [When an error is returned by <UpTp>_StartOfReception for a multicast TP gatewaying with configured local destination, the PduR shall stop the upper layer reception without further interaction with the upper layer] (SRS_PduR_06026, SRS_PduR_06029, SRS_PduR_06105)

[SWS_PduR_00791] [When <UpTp>_StartOfReception returns BUFREQ_OK, but the available buffer is too small to receive the SingleFrame, the PduR shall call <UpTp>_RxIndication with result = E_E_NOT_OK.] (SRS_PduR_06026, SRS_PduR_06029, SRS_PduR_06105)

[SWS_PduR_00792] [When <UpTp>_CopyRxData returns an error, the PduR shall call <UpTp>_RxIndication with result = E_NOT_OK.] (SRS_PduR_06026, SRS_PduR_06029, SRS_PduR_06105)

7.1.3.2.4 Gateways on-the-fly

In gateways on-the-fly the PDU Router module will start transmission to the destination transport protocol module when a specific threshold is reached.

[SWS_PduR_00708] [Using gateways on-the-fly only one destination transport protocol module is allowed.] (SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00317] [The PDU Router module shall start the TP transmission on the destination bus by calling <DstLoTp>_Transmit as soon as the Tx threshold has been reached for the specific destination.] (SRS_PduR_06026, SRS_PduR_06124)

If gateways on-the-fly is used the Pdu Router shall not support retransmission of already transmitted data:

[SWS_PDUR_00808] [The PDU Router module shall start the TP transmission on the destination bus by calling <DstLoTp>_Transmit if result value is E_OK in the PduR_<SrcLoTp>RxIndication even if the TP threshold was not reached.] (SRS_PduR_06012, SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00690] [If gateways on-the-fly is used: If PduR_<DstLoTp>CopyTxData is called with TpDataState other than TP_DATACONF, the Pdu Router shall immediately stop further processing of this I-PDU and return BUFREQ_E_NOT_OK.] (SRS_PduR_06026, SRS_PduR_06124, SRS_PduR_06105)

[SWS_PduR_00707] [If PduR_<DstLoTp>CopyTxData is called with TpDataState TP_DATACONF or if the RetryInfoType pointer is NULL, the PDU Router shall copy SduLength bytes of data.] (SRS_PduR_06026, SRS_PduR_06124)

7.1.3.2.5 Common requirements

Following requirements applies to both direct gateways and routing-on-the-fly gateways.

[SWS_PduR_00696] [If PduR_<DstLoTp>CopyTxData is called and state is TP_DATACONF then the PDU Router may free the already copied data.] (SRS_PduR_06026, SRS_PduR_06124)

7.1.3.2.6 All destination transport protocol modules will confirm transmission of the I-PDU.

[SWS_PduR_00637] [When the PDU Router module receives the PduR_<DstLoTp>TxConfirmation, the PDU Router shall free the I-PDU buffer for this destination.] (SRS_PduR_06026, SRS_PduR_06124)

[SWS_PduR_00740] [If the transport protocol module calls PduR_<LoTp>CopyTxData or PduR_<LoTp>CopyRxData with length zero (PduInfoType.SduLength = 0) the PDU Router module shall return the size of the current available buffer or the current available data respectively.] (SRS_PduR_06026, SRS_PduR_06124)

7.1.3.2.7 Error handling

Error handling for I-PDUs gatewayed using transport protocol modules is simple, the PDU Router module will not do anything and rely that the transport protocol modules handles the communication errors properly.

[SWS_PduR_00687] [If routing on-the-fly is used and PduR_<SrcLoTp>CopyRxData is called and the provided data cannot be stored in the buffer, then BUFREQ_E_NOT_OK shall be returned and the execution of the I-PDU gateway shall be stopped.] (SRS_PduR_06026, SRS_PduR_06124, SRS_PduR_06105)

[SWS_PduR_00689] [If the result value is not E_OK in the PduR_<SrcLoTp>RxIndication, the PDU Router shall immediately stop further processing of the I-PDU.] (SRS_PduR_06026, SRS_PduR_06124, SRS_PduR_06105)

Note:

The PDU Router shall not expect a PduR_<SrcLoTp>RxIndication after PduR_<SrcLoTp>StartOfReception failed.

The PDU Router shall not expect a PduR_<DstLoTp>TxConfirmation after <LoTp>_Transmit failed.

SWS_PduR_00803 [In case of gatewaying between TPs, when one destination fails (Transmit returns E_NOT_OK or TpTxConfirmation is called with an error), the other destinations shall continue.]

SWS_PduR_00804 [In case of gatewaying between TPs, when all destinations fail, the reception side shall be stopped by returning E_NOT_OK for the next call to CopyRxData]

7.2 Cancel transmission

An upper layer module may request cancellation of an I-PDU (transported by communication interface module or transport protocol module). The PDU Router module will forward the request to either one destination module (singlecast) or multiple destination modules (multicast).

The PduR_<Up>CancelTransmit is used to cancel communication interface I-PDU and to cancel transport protocol I-PDUs.

Cancel transmission will not be used for I-PDUs that are gatewayed from one bus to another.

The cancel transmission is optional and enabled in the configuration per module, see PduRCancelTransmit configuration parameter.

An upper layer module requests cancellation of an I-PDU, and the PDU router will forward the request to one or more destination modules according to the routing path.

[SWS_PduR_00710] [If the routing path for the requested I-PDU is disabled, then PduR_<Up>CancelTransmit shall return E_NOT_OK directly without any further action.] (SRS_PduR_06122, SRS_PduR_06120)

Following Table 1 describes the behavior in the PDU Router module when the PduR_<Up>CancelTransmit is called:

	Single destination	Multiple destinations
Communication interface module PduR_<Up>CancelTransmit	[SWS_PduR_00721] [The PDU Router module shall call the <Lo>_CancelTransmit for the destination module of the I-PDU.] (SRS_PduR_06122)	[SWS_PduR_00723] [The PDU Router module shall call the <Lo>_CancelTransmit for each destination module of the I-PDU.] (SRS_PduR_06122, SRS_PduR_06030)
Transport protocol module PduR_<Up>CancelTransmit	[SWS_PduR_00722] [The PDU Router module shall call the <LoTp>_CancelTransmit for the destination module of the I-PDU.]	[SWS_PduR_00724] [The PDU Router module shall call the <LoTp>_CancelTransmit for each destination module of the I-PDU.]

	the I-PDU.] (SRS_PduR_06122)	(SRS_PduR_06122, SRS_PduR_06029)
--	----------------------------------	-------------------------------------

Table 1 - PduR_<Up>CancelTransmit

Following Table 2 describes the behavior in the PDU Router module when the return value of <Lo>_CancelTransmit or <LoTp>_CancelTransmit is received:

	Single destination	Multiple destinations
Communication interface module <Lo>_CancelTransmit	[SWS_PduR_00700] [The PDU Router module shall return same return value to the calling upper layer module.] (SRS_PduR_06122, SRS_PduR_06104)	[SWS_PduR_00701] [E_OK shall be returned to the calling upper layer if all destination modules return E_OK, otherwise E_NOT_OK shall be returned.] (SRS_PduR_06029, SRS_PduR_06030, SRS_PduR_06125, SRS_PduR_06122, SRS_PduR_06104)
Transport protocol module <LoTp>_CancelTransmit		

Table 2 - Return of PduR_<Up>CancelTransmit

7.3 Cancel reception

An upper layer module may request cancellation of an I-PDU transported on transport protocol module(s). The PDU router module will get a request through the PduR_<Up>CancelReceive. The confirmation of the cancellation request is made through the return value of <LoTp>_CancelReceive that is forwarded to the upper layer module as return value of PduR_<Up>CancelReceive.

[SWS_PduR_00726] [If the routing path for the requested I-PDUs is disabled, then PduR_<Up>CancelReceive shall return E_NOT_OK directly without any further action.] (SRS_PduR_06122, SRS_PduR_06120)

The flow of the I-PDU id for a received I-PDU is from lower to upper modules. Here it is used in the flow from upper to lower modules, since it is a received I-PDU.

[SWS_PduR_00736] [The I-PDU id provided in the call is Rx I-PDU ID and therefore the PDU Router module shall be able to identify this I-PDU correctly.] (SRS_PduR_06122)

[SWS_PduR_00727] [When the PduR_<Up>CancelReceive is called the PDU Router module shall call the <LoTp>_CancelReceive for the destination transport protocol module of the I-PDU.] (SRS_PduR_06026, SRS_PduR_06122)

[SWS_PduR_00732] [The return value of the <LoTp>_CancelReceive shall be forwarded to the upper layer module.] (SRS_PduR_06122, SRS_PduR_06105)

7.4 Change transport protocol parameter

It is possible for the upper layer modules to change a transport protocol parameter for a specific I-PDU. The upper layer will start with calling the PduR_<Up>ChangeParameter, the PDU Router module will forward to the correct transport protocol module using <LoTp>_ChangeParameter.

7.4.1 Request

[SWS_PduR_00733] [When the PduR_<Up>ChangeParameter is called the PDU Router module shall call the <LoTp>_ChangeParameter for the destination transport protocol module of the I-PDU.] (SRS_PduR_06026)

The flow of the I-PDU id for a received I-PDU is from lower to upper modules. Here it is used in the flow from upper to lower modules, since it is a received I-PDU.

[SWS_PduR_00747] [The I-PDU id provided in the call is Rx I-PDU ID and therefore the PDU Router module shall be able to identify this I-PDU correctly.] (SRS_PduR_06026)

[SWS_PduR_00734] [The return value of the <LoTp>_ChangeParameter shall be forwarded to the upper layer module.] (SRS_PduR_06122, SRS_PduR_06104)

7.5 Zero Cost Operation

Zero cost operation is an optimization that may be done where source and destination modules are single and in source code (one of the modules must be in source code otherwise the PDU Router must create glue-code for the function call). For example an ECU with a COM module and a single CAN bus, the PduR_ComTransmit may directly call the CanIf_Transmit without any logic inside the PduR Module. The PDU Router becomes a macro layer.

This optimization is only possible where routing paths are of configuration class Pre-Compile.

[SWS_PduR_00287] [If PduRZeroCostOperation is set to true and all routing paths are of configuration class Pre-Compile; modules directly above or below the PDU Router may directly call each other without using PduR module functions.] (SRS_PduR_06020)

[SWS_PduR_00619] [If PduRZeroCostOperation is set to true and at least one routing path is not of configuration class Pre-Compile; the PDU Router module configuration generator shall report an error.] (SRS_PduR_06020)

7.6 State Management

The state machine of the PDU Router module is depicted in Figure 4.

[SWS_PduR_00644] [Only one instance of the state machine shall exist in the PDUR module.] (SRS_BSW_00406)

[SWS_PduR_00324] [The PDU Router module shall consist of two states, PDUR_UNINIT and PDUR_ONLINE.] (SRS_BSW_00406)

[SWS_PduR_00325] [The PDU Router module shall be in the state PDUR_UNINIT after power up the PDU Router module (i.e. before calling the PduR_Init function).] (SRS_BSW_00406)

[SWS_PduR_00326] [The PDU Router module shall change to the state PDUR_ONLINE when the PDU Router has successfully been initialized via the function PduR_Init.] (SRS_BSW_00406)




Figure 4: PDU Router states

[SWS_PduR_00328] [The PDU Router module shall perform routing of PDUs according to the PDU Router routing tables only when it is in the online state (PDUR_ONLINE).] (SRS_BSW_00406, SRS_PduR_06001)

[SWS_PduR_00330] [The PDU Router module shall perform no routing when it is in the uninitialized state (PDUR_UNINIT).] (SRS_BSW_00406, SRS_PduR_06001)

[SWS_PduR_00645] [The PDU Router module shall release all buffers in the PduR_Init function.] (SRS_BSW_00406)

[SWS_PduR_00308] [The function PduR_Init shall initialize all configured default value to the PDU transmit buffers.] (SRS_BSW_00406, SRS_PduR_06001)

7.7 Routing path groups

A routing path group is a group of I-PDUs that can be disabled and enabled during runtime. The group contains the destination I-PDUs and not the routing path itself. The reason is that it is desirable to enable disable I-PDUs for a specific bus. And a routing path can multicast an I-PDU to several busses.

Enabling and disabling of routing path groups is typically used by the BswM module.

[SWS_PduR_00714] [If the I-PDU ID is used in an API that leads to a multicast (e.g. PduR_<Up>Transmit) and the I-PDU ID is disabled in all destination modules E_NOT_OK (if possible) shall be returned with no further action.] (SRS_PduR_06120, SRS_PduR_06029, SRS_PduR_06030, SRS_PduR_0125)

[SWS_PduR_00717] [If the I-PDU ID used in an API is disabled in all destination modules E_NOT_OK (if possible) shall be returned with no further action.] (SRS_PduR_06120, SRS_PduR_06029, SRS_PduR_06030, SRS_PduR_0125)

[SWS_PduR_00715] [Enabling of I-PDU routing path groups shall be immediate] (SRS_PduR_06120)

Example: A subsequent call to PduR_<Up>Transmit shall serve this I-PDU directly.

[SWS_PduR_00646] [The PDU Router shall immediately disable the routing path groups. Disabling of routing path groups inhibits forwarding of the following APIs:

- <Lo>_Transmit
- <Up>_RxIndication (but NOT <UpTp>_RxIndication)
- <UpTp>_StartofReception

- <UpTp>_CopyRxData
- <UpTp>_CopyTxData

The APIs listed above with Std_ReturnType shall return E_NOT_OK if the affected routing path group is disabled, and APIs with BufReq_ReturnType shall return

BUFREQ_E_NOT_OK in the same situation.] (SRS_PduR_06120, SRS_PduR_06104, SRS_PduR_06105)

Example: If CanTp is currently transmitting a multiple N-PDUs then PduR will reject further requests using this disabled I-PDU.

[SWS_PDUR_00805]「Disabling of routing path groups in case of gatewaying shall disable the following APIs:

- <Lo>_RxIndication (but NOT <LoTp>_RxIndication)
- <LoTp>_StartofReception
- <LoTp>_CopyRxData
- <LoTp>_CopyTxData
- <Lo>_TriggerTransmit

The APIs listed above with Std_ReturnType shall return E_NOT_OK if the affected routing path group is disabled, and APIs with BufReq_ReturnType shall return

BUFREQ_E_NOT_OK in the same situation.]()

[SWS_PduR_00663] 「All buffers used in a routing path group shall be cleared when a routing path group is disabled. 」 (SRS_PduR_06120, SRS_PduR_06032, SRS_PduR_06124)

Example: If a gateway operation is made and the PDU Router module has buffered an I-PDU and is waiting for the destination communication module to call trigger transmit, the buffer is cleared and the buffer not available is returned to the destination communication interface.

7.8 Complex Driver Interaction

Besides the AUTOSAR Com and Dcm modules, Complex Drivers (CDD) are also possible as upper or lower layer modules for the PduR.

Whether a CDD is an upper layer or a lower layer module for the PduR is configurable via the PduRUpperModule or PduRLowerModule configuration parameters of the PduRBswModules configuration.

A CDD can require both a communication interface API or a transport protocol API, depending on the configuration parameters PduRCommunicationInterface and PduRTransportProtocol of the PduRBswModules configuration. The API functions provided by the PduR for the CDD interaction contain the CDD's service prefix as specified by the apiServicePrefix configuration parameter, see [SWS_PduR_00504](#).

The PduR provides the unique transmit function `PduR_<Cdd>Transmit` for each upper layer CDD. When a callout function of the PduR is invoked from a lower layer module for a Pdu that is transmitted or received by an upper layer CDD, the PduR invokes the corresponding target function of the CDD.

For a lower layer CDD that requires a communication interface API, the PduR provides a unique set of communication interface API functions `PduR_<Cdd>RxIndication` and – if configured – `PduR_<Cdd>TxConfirmation` and `PduR_<Cdd>TriggerTransmit`, see Section 8.5.4.

For a lower layer CDD that requires a transport protocol API, the PduR provides a unique set of transport protocol API functions `PduR_<Cdd>CopyRxData`, `PduR_<Cdd>CopyTxData`, `PduR_<Cdd>RxIndication`, `PduR_<Cdd>StartOfReception` and `PduR_<Cdd>TxConfirmation`, see Section 8.5.5.

When an API function of the PduR is invoked from an upper layer module for a Pdu that is transmitted or received by a lower layer CDD, the PduR invokes the corresponding target function of the CDD.

To determine if a Pdu is transmitted or received by a CDD, the PduR has to examine the origin of the references to the Pdu list in the Ecuc module:

- If the source Pdu of a routing path references a Pdu in the Pdu list that is also referenced by an upper layer CDD, the Pdu is transmitted by the CDD.
- If the destination Pdu of a routing path references a Pdu in the Pdu list that is also referenced by an upper layer CDD, the Pdu is received by the CDD.
- If the source Pdu of a routing path references a Pdu in the Pdu list that is also referenced by a lower layer CDD, the Pdu is received from the CDD.
- If the destination Pdu of a routing path references a Pdu in the Pdu list that is also referenced by a lower layer CDD, the Pdu is transmitted via the CDD.

[SWS_PduR_00504] [The PduR shall use the `apiServicePrefix` attribute of the CDD's vendor specific module definition (EcucModuleDef element) to replace the `<Lo>`, `<Up>`, and `<LoTp>` tags of the GenericComServices APIs (see Section 12). The CDD's vendor specific module definition can be indirectly accessed via the configuration parameter `PduRBswModuleRef` which references the top-level element of the concrete configuration of the CDD (i.e., EcucModuleConfigurationValues element) which references the CDD's vendor specific module definition (EcucModuleDef element).] (SRS_BSW_00310)

7.9 Error classification

For details refer to the chapter 7.2 “Error classification” in *SWS_BSWGeneral*.

Note that the PduR does not report production errors.

[SWS_PduR_00100] [The following errors and exceptions shall be detectable by the PDU Router module depending on its build version (development/production mode):]

Type or error	Relevance	Related error code	Value [hex]
Invalid configuration pointer	Development	PDUR_E_CONFIG_PTR_INVALID	0x00
API service used without module initialization or PduR_Init called in any state other than PDUR_UNINIT	Development	PDUR_E_INVALID_REQUEST	0x01
Invalid PDU identifier	Development	PDUR_E_PDU_ID_INVALID	0x02
TP module rejects a transmit request for a valid PDU identifier	Development	PDUR_E_TP_TX_REQ_REJECTED	0x03
If the routing table is invalid that is given to the PduR_EnableRouting or PduR_DisableRouting functions	Development	PDUR_E_ROUTING_PATH_GROUP_ID_INVALID	0x08
Loss of a PDU instance (FIFO flushed because of an overrun)	Development	PDUR_E_PDU_INSTANCES_LOST	0xa
Pointer parameter is null. Note that specific API calls may disable this error	Development	PDUR_E_NULL_POINTER	0x09

] (SRS_BSW_00337, SRS_BSW_00323, SRS_BSW_00452)

7.10 Error detection

[SWS_PduR_00119] [If the PDU Router module has not been initialized (state PDUR_UNINIT), all functions except PduR_Init and PduR_GetVersionInfo shall report the error PDUR_E_INVALID_REQUEST via the DET when called, when PduRDevErrorDetect is enabled.] (SRS_BSW_00406)

7.11 Error notification

[SWS_PduR_00332] [When development error detection (PduRDevErrorDetect) is enabled and the PDU Router module has detected an error, it shall report the error to DET module, exit the concerned function and return an error if possible (e.g. by returning PDUR_E_NOT_OK in case Std_ReturnType is used).] (SRS_BSW_00338)

When detecting a development error, the PDU Router module shall report the error to DET by using the DET function shown below:

```
Std_ReturnType Det_ReportError(ModuleId, InstanceId, ApiId, ErrorId)
```

ModuleId Module ID of the PDU Router: 51 decimal (see [SWS_PduR_00217](#))
InstanceId 0 (single instance module)
ApiId ID of API which reports an error: Service ID defined in section 8.3
ErrorId ID of detected development error: value according to section 7.9

7.12 API parameter checking

[SWS_PduR_00221] [If development error detection is enabled, a PDU identifier is not within the specified range, and the PDU identifier is configured to be used by the PDU Router module, the PDU Router module shall report the error PDUR_E_PDU_ID_INVALID to the DET module, when PduRDevErrorDetect is enabled.] (SRS_PduR_06103, SRS_BSW_00323)

7.13 Debugging

For details refer to the chapter 7.1.17 “Debugging support” in *SWS_BSWGeneral*.

8 API specification

The following paragraphs specify the API of the PDU Router module.

[SWS_PduR_00217] [The Module ID of the PDU Router module shall be 51 (decimal).] (SRS_BSW_00379)

8.1 Imported types

In this chapter all types included from the following files are listed:

[SWS_PduR_00333] [

Module	Imported Type
ComStack_Types	BufReq_ReturnType
	PdulIdType
	PduInfoType
	PduLengthType
	RetryInfoType
	TPParameterType
Std_Types	Std_ReturnType
	Std_VersionInfoType

] (SRS_BSW_00301)

8.2 Type definitions

The following PDU Router types are specified and shall be defined in `PduR_Types.h`:

8.2.1 PduR_PBConfigType

The post-build-time configuration fulfills two functionalities:

- Post-build selectable, where more than one configuration is located in the ECU, and one is selected at init of the PDU Router module
- Post-build loadable, where one configuration is located in the ECU. This configuration may be reprogrammed after compile-time

Basically there is no restriction to mix both selectable and loadable. Typically the post-build loadable is located in its own flash sector where it can be reprogrammed without affecting other modules/applications.

[SWS_PduR_00743] [

Name:	PduR_PBConfigType
Type:	Structure
Range:	-- implementation specific
Description:	Data structure containing post-build-time configuration data of the PDU Router.

] (SRS_BSW_00400, SRS_BSW_00438, SRS_BSW_00404, SRS_BSW_00305)

[SWS_PduR_00241] [The type PduR_PBConfigType is an external data structure containing post-build-time configuration data of the PDU Router module which shall be implemented in PduR_PBcfg.c (see chapter 5.1.1 and 10.2).] (SRS_BSW_00438, SRS_BSW_00404)

8.2.2 PduR_PBConfigIdType

This type is returned by the PduR_GetConfigurationId API.

[SWS_PduR_00771] [

Name:	PduR_PBConfigIdType
Type:	uint16
Description:	Identification of the post-build configuration currently used for routing I-PDUs. An ECU may contain several configurations (post-build selectable), each have unique Id.

] (SRS_BSW_00405, SRS_BSW_00305, SRS_PduR_06097)

8.2.3 PduR_RoutingPathGroupIdType

The routing path group ID is used for identifying a specific group of routing path destinations. The reason is that the destinations of a 1:n routing path typically belong to more than one bus, and it shall be possible to enable/disable routing per bus.

Therefore a routing path group separates 1:n routing paths into 1:1 paths.

[SWS_PduR_00654] [

Name:	PduR_RoutingPathGroupIdType
Type:	uint16
Description:	Identification of a Routing Table

] (SRS_BSW_00305, SRS_PduR_06120)

8.2.4 PduR_StateType

[SWS_PduR_00742] [

Name:	PduR_StateType	
Type:	Enumeration	
Range:	PDUR_UNINIT	PDU Router not initialised
	PDUR_ONLINE	PDU Router initialized successfully
Description:	States of the PDU Router	

] (SRS_BSW_00305, SRS_BSW_00335, SRS_BSW_406)

8.3 Function definitions

8.3.1 General functions provided by the PDU Router

8.3.1.1 PduR_Init

[SWS_PduR_00334] [

Service name:	PduR_Init	
Syntax:	<pre>void PduR_Init(const PduR_PBConfigType* ConfigPtr)</pre>	
Service ID[hex]:	0xf0	
Sync/Async:	Synchronous	
Reentrancy:	Non Reentrant	
Parameters (in):	ConfigPtr	Pointer to post build configuration
Parameters (inout):	None	
Parameters (out):	None	
Return value:	None	
Description:	Initializes the PDU Router	

] (SRS_BSW_00101, SRS_BSW_00358, SRS_BSW_00414, SRS_BSW_00310)

Integration note: To avoid problems calling the PDU Router module uninitialized it is important that the PDU Router module is initialized before interfaced modules.

[SWS_PduR_00709] [After initialization all I-PDU routing groups shall be enabled according enable at start configuration parameter.] (SRS_PduR_06120)

[SWS_PduR_00776] [If the ConfigPtr parameter is null the PDUR_E_NULL_POINTER shall not be sent to the DET module.] (SRS_BSW_00400)

The rationale of above requirement is that if the PduR module is implemented as pre-compile variant the pointer parameter will be null.

8.3.1.2 PduR_GetVersionInfo

[SWS_PduR_00338] [

Service name:	PduR_GetVersionInfo
Syntax:	void PduR_GetVersionInfo(Std_VersionInfoType* versionInfo)
Service ID[hex]:	0xf1
Sync/Async:	Synchronous
Reentrancy:	Reentrant
Parameters (in):	None
Parameters (inout):	None
Parameters (out):	versionInfo Pointer to where to store the version information of this module.
Return value:	None
Description:	Returns the version information of this module.

] (SRS_BSW_00407, SRS_BSW_00411, SRS_BSW_00310)

8.3.1.3 PduR_GetConfigurationId

[SWS_PduR_00341] [

Service name:	PduR_GetConfigurationId
Syntax:	PduR_PBConfigIdType PduR_GetConfigurationId(void)
Service ID[hex]:	0xf2
Sync/Async:	Synchronous
Reentrancy:	Reentrant
Parameters (in):	None
Parameters (inout):	None
Parameters (out):	None
Return value:	PduR_PBConfigIdType Identifier of the post-build time configuration
Description:	Returns the unique identifier of the post-build time configuration of the PDU Router

] (SRS_PduR_06097, SRS_BSW_00310)

[SWS_PduR_00280] [The function PduR_GetConfigurationId shall return the unique identifier of the post-build time configuration of the PDU Router module.] (SRS_PduR_06097)

8.3.1.4 PduR_EnableRouting

[SWS_PduR_00615] [

Service name:	PduR_EnableRouting
Syntax:	void PduR_EnableRouting(PduR_RoutingPathGroupIdType id)
Service ID[hex]:	0xf3
Sync/Async:	Synchronous
Reentrancy:	Reentrant

Parameters (in):	id	Identification of the routing path group. Routing path groups are defined in the PDU router configuration.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	None	
Description:	Enables a routing path table.	

」 (SRS_PduR_06120, SRS_BSW_00310)

[SWS_PduR_00647] 「If the routing path group id does not exist, then the PDU Router module shall return with no action. 」 (SRS_PduR_06120, SRS_BSW_00323)

[SWS_PduR_00648] 「If the routing path group id does not exist and the PduRDevErrorDetect is enabled, the PDU Router module shall report

PDUR_E_ROUTING_PATH_GROUP_ID_INVALID. 」 (SRS_PduR_06120, SRS_BSW_00323)

8.3.1.5 PduR_DisableRouting

[SWS_PduR_00617] 「

Service name:	PduR_DisableRouting
Syntax:	void PduR_DisableRouting(PduR_RoutingPathGroupIdType id)
Service ID[hex]:	0xf4
Sync/Async:	Synchronous
Reentrancy:	Reentrant
Parameters (in):	id Identification of the routing path group. Routing path groups are defined in the PDU router configuration.
Parameters (inout):	None
Parameters (out):	None
Return value:	None
Description:	Disables a routing path table.

」 (SRS_PduR_06120, SRS_BSW_00310)

[SWS_PduR_00716] 「If the routing path group id does not exist, then the PDU Router module shall return with no action. 」 (SRS_PduR_06120, SRS_BSW_00323)

[SWS_PduR_00649] 「If the routing path table id does not exist and the PduRDevErrorDetect is enabled, the PDU Router module shall report

PDUR_E_ROUTING_PATH_GROUP_ID_INVALID. 」 (SRS_PduR_06120, SRS_BSW_00323)

8.4 Scheduled functions

As any PDU Router operation is triggered by an adjacent communication module the PDU Router does not require scheduled functions.

8.5 Expected Interfaces

In this chapter all interfaces required from other modules are listed.

The PDU router module is modeled as a generic module that can interface to different upper and lower modules. The approach taken to model this generic approach is to have a virtual module called GenericComServices. This virtual module contains a set of APIs that the PDU router will call in upper layer or lower layer modules. These APIs are generic in the way that they contain a tag <Lo>, <Up> and <LoTp> that is replaced with the interfaced module. The tag is set by the configuration in the PduRBSWModules container using the PduRBswModuleRef reference parameter.

8.5.1 Mandatory Interfaces

The Pdu Router does not require mandatory interfaces. The required API functions depend on the configuration.

8.5.2 Optional Interfaces

This chapter defines all interfaces which are required to fulfill an optional functionality of the module.

[SWS_PduR_00424] ↗

API function	Description
<Provider:Lo>_CancelTransmit	Requests cancellation of an ongoing transmission of an I-PDU in a lower layer communication interface module.
<Provider:Lo>_Transmit	Requests transmission of an I-PDU.
<Provider:LoTp>_CancelReceive	Requests cancellation of an ongoing reception of an I-PDU in a lower layer transport protocol module.
<Provider:LoTp>_CancelTransmit	Requests cancellation of an ongoing transmission of an I-PDU in a lower layer transport protocol module.
<Provider:LoTp>_ChangeParameter	Request to change a specific transport protocol parameter (e.g. block size).
<Provider:LoTp>_Transmit	Requests transmission of an N-SDU.
<Provider:Up>_RxIndication	Indication of a received I-PDU from a lower layer communication interface module.
<Provider:Up>_TriggerTransmit	Within this API, the upper layer module (called module) shall copy its data into the buffer provided by PduInfoPtr->SduDataPtr and update the length of the actual copied data in PduInfoPtr->SduLength.
<Provider:Up>_TxConfirmation	The lower layer communication interface module confirms the

	transmission of an I-PDU.
<Provider:UpTp>_CopyRxData	This function is called to provide the received data of an I-PDU segment (N-PDU) to the upper layer. Each call to this function provides the next part of the I-PDU data. The size of the remaining data is written to the position indicated by bufferSizePtr.
<Provider:UpTp>_CopyTxData	This function is called to acquire the transmit data of an I-PDU segment (N-PDU). Each call to this function provides the next part of the I-PDU data unless retry->TpDataState is TP_DATARETRY. In this case the function restarts to copy the data beginning at the offset from the current position indicated by retry->TxTpDataCnt. The size of the remaining data is written to the position indicated by availableDataPtr.
<Provider:UpTp>_StartOfReception	This function is called at the start of receiving an N-SDU. The N-SDU might be fragmented into multiple N-PDUs (FF with one or more following CFs) or might consist of a single N-PDU (SF).
<Provider:UpTp>_TpRxIndication	Called after an I-PDU has been received via the TP API, the result indicates whether the transmission was successful or not.
<Provider:UpTp>_TpTxConfirmation	This function is called after the I-PDU has been transmitted via the TP API, the result indicates whether the transmission was successful or not.
Det_ReportError	Service to report development errors.

] (SRS_BSW_00384)

8.5.3 Configurable interfaces definitions for interaction with upper layer module

Since the API description now has a generic approach, the service ids of the upper layer API functions are generic as well. The generic service id of an upper layer API function consists of an upper layer module id and a service base id.

[SWS_PduR_00780] [For the generic service Ids of the interfaces defined for interaction with upper layer modules, the following upper layer module id <UpModId> shall be used:

Upper layer module	<UpModId>
Com	0x8
Dcm	0x9
Ipdum	0xa
Dbg	0xb
CDD for interface interaction	0xc
CDD for transport protocol interaction	0xd
J1939Rm	0xe
J1939Dcm	0xf

] (SRS_PduR_06114, SRS_PduR_06115, SRS_PduR_06116)

Example: The service id of PduR_ComTransmit is 0x89.

8.5.3.1 PduR_<User:Up>Transmit

[SWS_PduR_00406] [

Service name:	PduR_<User:Up>Transmit	
Syntax:	Std_ReturnType PduR_<User:Up>Transmit(PduIdType id, const PduInfoType* info)	
Service ID[hex]:	0x<UpModId>9	
Sync/Async:	Asynchronous	
Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the I-PDU.
	info	Length and pointer to the buffer of the I-PDU.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	Std_ReturnType E_OK - request is accepted by the destination module; transmission is continued. E_NOT_OK - request is not accepted by the destination module; transmission is aborted.	
Description:	Requests transmission of an I-PDU.	

] (SRS_PduR_06012, SRS_PduR_06026, SRS_PduR_06114, SRS_PduR_06115,
SRS_PduR_06116, SRS_BSW_00310)

8.5.3.2 PduR_<User:Up>CancelTransmit

[SWS_PduR_00769] [

Service name:	PduR_<User:Up>CancelTransmit	
Syntax:	Std_ReturnType PduR_<User:Up>CancelTransmit(PduIdType id)	
Service ID[hex]:	0x<UpModId>a	
Sync/Async:	Synchronous	
Reentrancy:	Non Reentrant	
Parameters (in):	id	Identification of the I-PDU to be cancelled.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	Std_ReturnType	E_OK - Cancellation was executed successfully by the destination module. E_NOT_OK - Cancellation was rejected by the destination module.
Description:	Requests cancellation of an ongoing transmission of an I-PDU in a lower layer communication interface or transport protocol module.	

] (SRS_PduR_06122, SRS_PduR_06114, SRS_PduR_06115, SRS_PduR_06116,
SRS_BSW_00310)

8.5.3.3 PduR_<User:Up>ChangeParameter

[SWS_PduR_00482] [

Service name:	PduR_<User:Up>ChangeParameter	
Syntax:	Std_ReturnType PduR_<User:Up>ChangeParameter(PduIdType id,	

	TPParameterType parameter, uint16 value)	
Service ID[hex]:	0x<UpModId>b	
Sync/Async:	Synchronous	
Reentrancy:	Non Reentrant	
Parameters (in):	id	Identification of the I-PDU which the parameter change shall affect.
	parameter	The parameter that shall change.
	value	The new value of the parameter
Parameters (inout):	None	
Parameters (out):	None	
Return value:	Std_ReturnType	E_OK: The parameter was changed successfully. E_NOT_OK: The parameter change was rejected.
Description:	Request to change a specific transport protocol parameter (e.g. block size).	

」 (SRS_PduR_06026, SRS_PduR_06114, SRS_PduR_06115, SRS_PduR_06116, SRS_BSW_00310)

8.5.3.4 PduR_<User:Up>CancelReceive

[SWS_PduR_00767] 〔

Service name:	PduR_<User:Up>CancelReceive	
Syntax:	Std_ReturnType PduR_<User:Up>CancelReceive(PduIdType id)	
Service ID[hex]:	0x<UpModId>c	
Sync/Async:	Synchronous	
Reentrancy:	Non Reentrant	
Parameters (in):	id	Identification of the I-PDU to be cancelled.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	Std_ReturnType	E_OK: Cancellation was executed successfully by the destination module. E_NOT_OK: Cancellation was rejected by the destination module.
Description:	Requests cancellation of an ongoing reception of an I-PDU in a lower layer transport protocol module.	

」 (SRS_PduR_06026, SRS_PduR_06114, SRS_PduR_06115, SRS_PduR_06116, SRS_BSW_00310)

8.5.4 Configurable interfaces definitions for lower layer communication interface module interaction

Since the API description now has a generic approach, the service ids of the lower layer communication interface API functions are generic as well. The generic service id of lower layer communication interface API function consists of lower layer interface module id and a service base id.

[SWS_PduR_00781] 「For the generic service Ids of the interfaces defined for interaction with lower layer communication interface modules, the following lower layer interface module id <LoIfModId> shall be used:

Lower layer communication interface module	<LoIfModId>
CanIf/TTCanIf	0x0
CanNm	0x1
IpduM	0x2
Frlf	0x3
FrNm	0x4
LinIf	0x5
SoAdlf	0x6
CDD If	0x7

」 (SRS_PduR_06116, SRS_PduR_06117, SRS_PduR_06123, SRS_BSW_00310)

Example: The service id of PduR_FrlfRxIndication is 0x31.

8.5.4.1 PduR_<User:Lo>RxIndication

[SWS_PduR_00362] 「

Service name:	PduR_<User:Lo>RxIndication
Syntax:	void PduR_<User:Lo>RxIndication(PduIdType RxPduId, const PduInfoType* PduInfoPtr)
Service ID[hex]:	0x<LoModId>1
Sync/Async:	Synchronous
Reentrancy:	Reentrant for different Pdulds. Non reentrant for the same Pduld.
Parameters (in):	RxPduId ID of the received I-PDU. PduInfoPtr Contains the length (SduLength) of the received I-PDU and a pointer to a buffer (SduDataPtr) containing the I-PDU.
Parameters (inout):	None
Parameters (out):	None
Return value:	None
Description:	Indication of a received I-PDU from a lower layer communication interface module.

」 (SRS_PduR_06012, SRS_PduR_06116, SRS_PduR_06117, SRS_PduR_06123, SRS_BSW_00310)

8.5.4.2 PduR_<User:Lo>TxConfirmation

[SWS_PduR_00365] 「

Service name:	PduR_<User:Lo>TxConfirmation
Syntax:	void PduR_<User:Lo>TxConfirmation(PduIdType TxPduId)
Service ID[hex]:	0x<LoModId>2
Sync/Async:	Synchronous
Reentrancy:	Reentrant for different Pdulds. Non reentrant for the same Pduld.
Parameters (in):	TxPduId ID of the I-PDU that has been transmitted.
Parameters	None

(inout):	
Parameters (out):	None
Return value:	None
Description:	The lower layer communication interface module confirms the transmission of an I-PDU.

」 (SRS_PduR_06012, SRS_PduR_06116, SRS_PduR_06117, SRS_PduR_06123, SRS_BSW_00310)

8.5.4.3 PduR_<User:Lo>TriggerTransmit

[SWS_PduR_00369] 」

Service name:	PduR_<User:Lo>TriggerTransmit	
Syntax:	Std_ReturnType PduR_<User:Lo>TriggerTransmit(PduIdType TxPduId, PduInfoType* PduInfoPtr)	
Service ID[hex]:	0x<LoModId>3	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant for different Pdulds. Non reentrant for the same Pduld.	
Parameters (in):	TxPduld	ID of the SDU that is requested to be transmitted.
	PduInfoPtr	Contains a pointer to a buffer (SduDataPtr) to where the SDU data shall be copied. On return, the service will indicate the length of the copied SDU data in SduLength.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	Std_ReturnType	E_OK: SDU has been copied and SduLength indicates the number of copied bytes. E_NOT_OK: No SDU data has been copied. PduInfoPtr must not be used since it may contain a NULL pointer or point to invalid data.
Description:	Within this API, the upper layer module (called module) shall copy its data into the buffer provided by PduInfoPtr->SduDataPtr and update the length of the actual copied data in PduInfoPtr->SduLength.	

」 (SRS_PduR_06012, SRS_PduR_06032, SRS_PduR_06116, SRS_PduR_06117, SRS_PduR_06123, SRS_BSW_00310)

8.5.5 Configurable interfaces definitions for lower layer transport protocol module interaction

Since the API description now has a generic approach, the service ids of the lower layer transport protocol API functions are generic as well. The generic service id of lower layer transport protocol API function consists of lower layer transport protocol module id and a service base id.

[SWS_PduR_00782] 」For the generic service Ids of the interfaces defined for interaction with lower layer transport protocol modules, the following lower layer transport protocol module id <LoTpModId> shall be used:

Lower layer transport protocol module	<LoTpModId>
CanTp	0x0
J1939Tp	0x1

FrTp/FrArTp	0x3
LinTp	0x5
SoAdTp	0x6
CDD Tp	0x7

] (SRS_PduR_06121, SRS_BSW_00310)

Example: The service id of PduR_FrTpRxIndication is 0x35.

8.5.5.1 PduR_<User:LoTp>CopyRxData

[SWS_PduR_00512] [

Service name:	PduR_<User:LoTp>CopyRxData	
Syntax:	<pre>BufReq_ReturnType PduR_<User:LoTp>CopyRxData(PduIdType id, const PduInfoType* info, PduLengthType* bufferSizePtr)</pre>	
Service ID[hex]:	0x<LoTpModId>4	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the received I-PDU.
	info	Pointer to the buffer (SduDataPtr) and its length (SduLength) containing the data to be copied by the upper layer module.
Parameters (inout):	None	
Parameters (out):	bufferSizePtr	Available receive buffer after data has been copied.
Return value:	BufReq_ReturnType	BUFREQ_OK: Data copied successfully BUFREQ_E_NOT_OK: Data was not copied because an error occurred.
Description:	<p>This function is called to provide the received data of an I-PDU segment (N-PDU) to the upper layer. Each call to this function provides the next part of the I-PDU data. The size of the remaining data is written to the position indicated by bufferSizePtr.</p>	

] (SRS_PduR_06026, SRS_PduR_06121, SRS_BSW_00310)

8.5.5.2 PduR_<User:LoTp>RxIndication

[SWS_PduR_00375] [

Service name:	PduR_<User:LoTp>RxIndication	
Syntax:	<pre>void PduR_<User:LoTp>RxIndication(PduIdType id, Std_ReturnType result)</pre>	
Service ID[hex]:	0x<LoTpModId>5	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the received I-PDU.
	result	Result of the reception.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	None	
Description:	Called after an I-PDU has been received via the TP API, the result indicates whether the transmission was successful or not.	

」 (SRS_PduR_06026, SRS_PduR_06121, SRS_BSW_00310)

8.5.5.3 PduR_<User:LoTp>StartOfReception

[SWS_PduR_00507] 「

Service name:	PduR_<User:LoTp>StartOfReception	
Syntax:	<pre>BufReq_ReturnType PduR_<User:LoTp>StartOfReception (PduIdType id, const PduInfoType* info, PduLengthType TpSduLength, PduLengthType* bufferSizePtr)</pre>	
Service ID[hex]:	0x<LoTpModId>6	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the I-PDU.
	info	Pointer to a PduInfoType structure containing the payload data (without protocol information) and payload length of the first frame or single frame of a transport protocol I-PDU reception. Depending on the global parameter MetaDataLength, additional bytes containing MetaData (e.g. the CAN ID) are appended after the payload data.
	TpSduLength	Total length of the N-SDU to be received.
Parameters (inout):	None	
Parameters (out):	bufferSizePtr	Available receive buffer in the receiving module. This parameter will be used to compute the Block Size (BS) in the transport protocol module.
Return value:	<p>BufReq_ReturnType</p> <p>BUFREQ_OK: Connection has been accepted. bufferSizePtr indicates the available receive buffer; reception is continued. If no buffer of the requested size is available, a receive buffer size of 0 shall be indicated by bufferSizePtr.</p> <p>BUFREQ_E_NOT_OK: Connection has been rejected; reception is aborted. bufferSizePtr remains unchanged.</p> <p>BUFREQ_E_OVFL: No buffer of the required length can be provided; reception is aborted. bufferSizePtr remains unchanged.</p>	
Description:	This function is called at the start of receiving an N-SDU. The N-SDU might be fragmented into multiple N-PDUs (FF with one or more following CFs) or might consist of a single N-PDU (SF).	

」 (SRS_PduR_06026, SRS_PduR_06121, SRS_BSW_00310)

8.5.5.4 PduR_<User:LoTp>CopyTxData

[SWS_PduR_00518] 「

Service name:	PduR_<User:LoTp>CopyTxData	
Syntax:	<pre>BufReq_ReturnType PduR_<User:LoTp>CopyTxData (PduIdType id, const PduInfoType* info, RetryInfoType* retry, PduLengthType* availableDataPtr)</pre>	
Service ID[hex]:	0x<LoTpModId>5	
Sync/Async:	Synchronous	
Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the transmitted I-PDU.

	info	Provides the destination buffer and the number of bytes to be copied. If not enough transmit data is available, no data is copied. The transport protocol module may retry. A copy size of 0 can be used to indicate state changes in the retry parameter or to query currently available data.
	retry	This parameter is used to acknowledge transmitted data or to retransmit data after transmission problems. If the retry parameter is a NULL_PTR, it indicates that the transmit data can be removed from the buffer immediately after it has been copied. Otherwise, the retry parameter must point to a valid RetryInfoType element. If TpDataState indicates TP_CONFPENDING, the previously copied data must remain in the TP buffer to be available for error recovery. TP_DATACONF indicates that all data that has been copied before this call is confirmed and can be removed from the TP buffer. Data copied by this API call is excluded and will be confirmed later. TP_DATARETRY indicates that this API call shall copy previously copied data in order to recover from an error. In this case TxTpDataCnt specifies the offset in bytes from the current data copy position.
Parameters (inout):	None	
Parameters (out):	availableDataPtr	Indicates the remaining number of bytes that are available in the upper layer module's Tx buffer. availableDataPtr can be used by TP modules that support dynamic payload lengths (e.g. FrlsoTp) to determine the size of the following CFs.
Return value:	BufReq_ReturnType	BUFREQ_OK: Data has been copied to the transmit buffer completely as requested. BUFREQ_E_BUSY: Request could not be fulfilled, because the required amount of Tx data is not available. The lower layer module may retry this call later on. No data has been copied. BUFREQ_E_NOT_OK: Data has not been copied. Request failed.
Description:	This function is called to acquire the transmit data of an I-PDU segment (N-PDU). Each call to this function provides the next part of the I-PDU data unless retry->TpDataState is TP_DATARETRY. In this case the function restarts to copy the data beginning at the offset from the current position indicated by retry->TxTpDataCnt. The size of the remaining data is written to the position indicated by availableDataPtr.	

↳ (SRS_PduR_06026, SRS_PduR_06121, SRS_BSW_00310)

8.5.5.5 PduR_<User:LoTp>TxConfirmation

[SWS_PduR_00381] ↳

Service name:	PduR_<User:LoTp>TxConfirmation
Syntax:	void PduR_<User:LoTp>TxConfirmation(PduIdType id, Std_ReturnType result)
Service ID[hex]:	0x<LoTpModId>8
Sync/Async:	Synchronous

Reentrancy:	Reentrant	
Parameters (in):	id	Identification of the transmitted I-PDU.
	result	Result of the transmission.
Parameters (inout):	None	
Parameters (out):	None	
Return value:	None	
Description:	This function is called after the I-PDU has been transmitted via the TP API, the result indicates whether the transmission was successful or not.	

」 (SRS_PduR_06026, SRS_PduR_06121, SRS_BSW_00310)

9 Sequence diagrams

The goal of this chapter is to make the understanding of the PDU Router easier. For this purpose sequence diagrams which show different communication scenarios are used. Please consider that the sequence diagrams are not exhaustive and are only used to support the functional specification (chapter 7) and API specification (chapter 8).

Focus of the sequence diagrams is the PDU Router and therefore interactions between other modules (e.g. between an interface and its driver) are not shown.

Note: The sequence diagrams of the I-PDU Multiplexer are shown in [7]. Depending on the interaction scenario the IpduM has to be considered as an upper layer or a lower layer module of the PDU Router.

Note: The diagrams in this chapter are to show specific use-cases. They are not requirements for an implementation of the PDU Router module.

9.1 I-PDU Reception

The reception of an I-PDU received from a communication interface module or from transport protocol module and forwarded to the COM module.

Note that the PDU Router is not the only customer for the communication interface modules and I-PDUs. Other modules such as NM and TP modules receive PDUs directly from the communication interface modules.

9.1.1 CanIf module I-PDU reception

Following Figure 5 shows reception of I-PDU from the CanIf module to the COM module.




Figure 5: - CanIf I-PDU reception

9.1.2 FrIf module I-PDU reception

Following Figure 6 shows reception of I-PDU from the FrIf module to the COM module.




Figure 6: - FrIf I-PDU reception

9.1.3 LinIf module reception of I-PDU

Following Figure 7 shows reception of I-PDU from the LinIf module to the COM module.




Figure 7: - LinIf I-PDU reception

9.1.4 CanTp module reception of I-PDU

Following




Figure 8 shows reception of I-PDU from the CanTp module to the DCM module. The reception is made using the transport protocol APIs.




Figure 8 - CanTp I-PDU reception

9.2 I-PDU transmission

The transmission of an I-PDU transmitted from the COM module to a communication interface module or a transport protocol module.

9.2.1 CanIf module transmission of I-PDU

Following





Figure 9 shows transmission of I-PDU from the COM module to the CanIf module.


Figure 9: - CanIf I-PDU transmission

9.2.2 FrIf module transmission of I-PDU

Following





Figure 10 shows transmission of I-PDU from the COM module to the FrIf module using trigger transmit.


Figure 10: - Frif I-PDU transmission

9.2.3 LinIf module transmission of I-PDU

Following





Figure 11 shows transmission of I-PDU from the COM module to the LinIf module using transmit and later trigger transmit functions. In this case the I-PDU is a LIN sporadic frame.


Figure 11: - LinIf I-PDU transmission (LIN sporadic frame)

Following




Figure 12 shows transmission of I-PDU from the COM module to the LinIf module using trigger transmit. In this case the I-PDU is all other types except LIN sporadic frame.




Figure 12: - LinIf I-PDU transmission (non LIN sporadic frame)

9.2.4 CanTp module transmission of I-PDU

Following





Figure 13 shows transmission of I-PDU from the DCM module to the CanTp module using the transport protocol API.


Figure 13: – CanTp I-PDU transmission

9.2.5 Multicast transmission of I-PDU on transport protocol modules

Following




Figure 14 shows transmission of I-PDU from the DCM module to the CanTp, FrTp and LinIf (LinIf includes the transport protocol module) module using the transport protocol API.




Figure 14 – I-PDU transmission on transport protocol on CAN, FlexRay and LIN

9.3 Gateway of I-PDU

Following use-cases shows how the PDU Router modules will gateway I-PDUs.

9.3.1 Gateway between two Canlfs

Following Figure 15 shows how an I-PDU is gatewayed between two CAN networks (CAN1 and CAN2) using Canlf.




Figure 15: – Gateway of I-PDU from CAN1 to CAN2

9.3.2 Gateway from CAN to FlexRay

Following




Figure 16 shows how an I-PDU is gatewayed between CAN and FlexRay, using trigger transmit (with buffering and without buffering).




Figure 16: – Gateway of I-PDU from CAN to FlexRay

9.3.3 Gateway from CAN to LIN

Following




Figure 17 shows how an I-PDU is gatewayed from CAN to LIN, using trigger transmit (LIN sporadic frame and all other LIN frame types).




Figure 17: – Gateway of I-PDU from CAN to LIN

9.3.4 Gateway from CAN to CAN and received by the COM module

Following




Figure 18 shows how an I-PDU is gatewayed from CAN1 to CAN2 and also received locally by the COM module.




Figure 18: – Gateway of I-PDU from CAN to CAN and Com

9.3.5 Gateway I-PDU using transport protocol modules

Following




Figure 19 shows how an (multi N-PDU) I-PDU is gatewayed between two CAN networks, using transport protocol module.




Figure 19: – Gateway of I-PDU (multi N-PDU) between two CAN networks

9.3.6 Gateway I-PDU from CAN1 to DCM and CAN2

The following use-case,




Figure 20, shows an I-PDU (contained in a SF) received from CAN1 transport protocol and gatewayed to DCM (internal) and gatewayed to CAN2 transport protocol.

The I-PDU must be buffered in the PDU Router since the DCM module is not aware of that it will be gatewayed to CAN2. Such gatewaying is controlled by the configuration and cannot be processed by the DCM.




figure 20: – Gateway of I-PDU to DCM and CAN

10 Configuration specification

In general, this chapter defines configuration parameters and their clustering into containers. In order to support the specification Chapter 10.1 describes fundamentals. It also specifies a template (table) you shall use for the parameter specification. We intend to leave chapter 10.1 in the specification to guarantee comprehension.

Chapter 10.2 specifies the structure (containers) and the parameters of the module PDU Router.

Chapter 10.3 specifies published information of the module PDU Router.

10.1 How to read this chapter

For details refer to the chapter 10.1 “Introduction to configuration specification” in *SWS_BSWGeneral*.

10.1.1 Variants

[SWS_PduR_00295] [The PDU Router module shall support the update of the routing configuration (i.e. the PDU Router routing tables) at post build-time if this variant is supported.] (SRS_PduR_06002, SRS_BSW_00404)

Support of post-build update of the routing table is not always desired. Therefore post-build update of the routing table is only supported in the variant post-build of the PDU Router module, see further section 10.1.1.

The post-build comes in two flavors: Selectable and Loadable, there is no restriction on using any of them in the PDU Router module or even a combination of them.

[SWS_PduR_00296] [If the variant post-build is supported, the update of the routing tables shall only be possible when the PDU Router module is uninitialized.] (SRS_PduR_06001, SRS_BSW_00404)

Remark: The process how the update of the routing tables is performed is not restricted. Most likely a reflashing of the memory segment that holds the table will be done by the bootloader - a separate program which may be loaded after a reboot to update the ECU.

[SWS_PduR_00281] [The post-build time configuration of the PDU Router module shall be identifiable by the unique configuration identifier: PduRConfigurationId.]
(SRS_PduR_06097, SRS_BSW_00404)

Remark: The unique configuration identifier is not used to select one of multiple post-build configuration sets of the PDU Router module, but for unique identification of the current PDU Router module post-build configuration, e.g. for Diagnostics or for checking at runtime that the post-build configurations of related communication modules match. The configuration identifier can be read via the API PduR_GetConfigurationId, see section 8.3.1.3.

10.2 Containers and configuration parameters

The following chapters summarize all configuration parameters. The detailed meanings of the parameters are described in chapter 7 and chapter 8. An overview of the top-level PDU Router configuration container PduR is shown in Figure 21.

10.2.1 Variants

There are three configuration parameter sets defined for the PDU Router. If the configuration class of a configuration parameter is the same for all configuration parameter sets, the term “all Variants” is used instead of listing all possible variants.

[SWS_PduR_00425] [VARIANT-PRE-COMPILE: The configuration parameter set for the PDU Router module contains only pre-compile time configuration parameters.] (SRS_BSW_00397)

The zero cost operation is valid only for pre-compile variant.

[SWS_PduR_00427] [VARIANT-POST-BUILD: The configuration parameter set for the PDU Router module contains a mix of pre-compile time, link time and post-build time configuration parameters.] (SRS_BSW_00399)





Figure 21: PDU Router Configuration Overview - PduR

10.2.2 PduR

SWS Item	ECUC_PduR_00293 :
Module Name	PduR
Module Description	Configuration of the PduR (PDU Router) module.

Included Containers		
Container Name	Multiplicity	Scope / Dependency
PduRBswModules	0..*	<p>Each container describes a specific BSW module (upper/CDD/lower/lpduM) that the PDU Router shall interface to.</p> <p>The reason to have it as own configuration container instead of implication of the routing path is to be able to configure CDD:s properly and to force module's to be used in a post-build situation even though no routing is made to/from this module (future configurations may include these modules).</p>
PduRGeneral	1	This container is a subcontainer of PduR and specifies the general configuration parameters of the PDU Router.
PduRRoutingTables	1	Represents one table of routing paths. This routing table allows multiple configurations that can be

		used to create several routing tables in the same configuration. This is mainly used for post-build (e.g. post-build selectable) but can be used by pre-compile and link-time for variant handling.
--	--	---


Figure 22 - PduRBswModules

10.2.3 PduRBswModules

SWS Item	ECUC_PduR_00295 :
Container Name	PduRBswModules
Description	Each container describes a specific BSW module (upper/CDD/lower/IpduM) that the PDU Router shall interface to. The reason to have it as own configuration container instead of implication of the routing path is to be able to configure CDD:s properly and to force module's to be used in a post-build situation even though no routing is made to/from this module (future configurations may include these modules).

	Attributes: postBuildChangeable=false
Configuration Parameters	

SWS Item	ECUC_PduR_00340 :		
Name	PduRCancelReceive		
Description	Specifies if the Transport protocol module supports the CancelReceive API or not. Value true the API is supported.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00297 :		
Name	PduRCancelTransmit		
Description	Specifies if the BSW module supports the CancelTransmit API or not. Value true the API is supported.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00326 :		
Name	PduRChangeParameterApi		
Description	This parameter, if set to true, enables the PduR_<Up>ChangeParameter Api for this Module.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00298 :		
Name	PduRCommunicationInterface		
Description	Specifies if the BSW module supports the Communication Interface APIs or not. Value true the APIs are supported. A module can have both Communication Interface APIs and Transport Protocol APIs (e.g. the COM module).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00307 :		
Name	PduRLowerModule		

Description	The PduRLowerModule will decide who will call the APIs and who will implement the APIs. For example, if the CanIf module is referenced then the PDU Router module will implement the PduR_CanIfRxIndication API. And the PDUR module will call the CanIf_Transmit API. Other APIs are of course also covered. An upper module can also be an lower module (e.g. the IpduM module).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00332 :		
Name	PduRRetransmission		
Description	If set to true this means that the destination transport protocol module will use the retransmission feature. This parameter might be set to false if the retransmission feature is not used, even though the destination transport protocol is supporting it. This parameter is only valid for transport protocol modules and gateway operations. If transmission from a local upper layer module this module will handle the retransmission.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00312 :		
Name	PduRTransportProtocol		
Description	The PDU Router module shall use the API parameters specified for transport protocol interface.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00313 :		
Name	PduRTriggertransmit		
Description	Specifies if the BSW module supports the TriggerTransmit API or not. Value true means that the BSW module supports the TriggerTransmit interface which a lower layer module can call and also that it can call the TriggerTransmit interface of an upper layer module. Value false means that the BSW module does not support the TriggerTransmit interface which a lower layer module can call and also that it shall not call the TriggerTransmit interface of an upper layer module.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants

	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00314 :		
Name	PduRTxConfirmation		
Description	Specifies if the BSW module supports the TxConfirmation API or not. Value true the API is supported.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00338 :		
Name	PduRUpperModule		
Description	The PduRUpperModule will decide who will call the APIs and who will implement the APIs. For example, if the COM module is referenced then the PDU Router module will implement the PduR_Transmit API. And the PDUR module will call the Com_RxIndication API. Other APIs are of course also covered. An upper module can also be an lower module (e.g. the lpdum module).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00319 :		
Name	PduRUseTag		
Description	This parameter, if set to true, enables the usage of the tag (<up>) in the following API calls: <ul style="list-style-type: none"> • PduR_<Up>CancelReceive • PduR_<Up>CancelTransmit • PduR_<Up>ChangeParameter Example: If used by COM and the parameter is enabled the PduR_ComCancelTransmit is used. The background is that upper layer modules differ in usage of this tag (e.g. COM is using the tag, DCM is not).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	<i>Pre-compile time</i>	X	All Variants
	<i>Link time</i>	--	
	<i>Post-build time</i>	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00294 :		
Name	PduRBswModuleRef		
Description	This is a reference to one BSW module's configuration (i.e. not the ECUC		

	parameter definition template). Example, there could be several configurations of LinIf and this reference selects one of them.									
Multiplicity	1									
Type	Foreign reference to [ECUC-MODULE-CONFIGURATION-VALUES]									
ConfigurationClass	<table border="1"> <tr> <td><i>Pre-compile time</i></td> <td>X</td> <td>All Variants</td> </tr> <tr> <td><i>Link time</i></td> <td>--</td> <td></td> </tr> <tr> <td><i>Post-build time</i></td> <td>--</td> <td></td> </tr> </table>	<i>Pre-compile time</i>	X	All Variants	<i>Link time</i>	--		<i>Post-build time</i>	--	
<i>Pre-compile time</i>	X	All Variants								
<i>Link time</i>	--									
<i>Post-build time</i>	--									
Scope / Dependency	scope: local									

No Included Containers




Figure 23 - PduRGeneral

10.2.4 PduRGeneral

SWS Item	ECUC_PduR_00305 :
Container Name	PduRGeneral
Description	This container is a subcontainer of PduR and specifies the general configuration parameters of the PDU Router.
Configuration Parameters	

SWS Item	ECUC_PduR_00302 :
Name	PduRDevErrorDetect {PDUR_DEV_ERROR_DETECT}
Description	If true then PDU Router will enable the error-reporting to the Development

	Error Tracer (DET).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00347 :		
Name	PduRMetaDataTableSupport {PDUR_META_DATA_SUPPORT}		
Description	Enable support for MetaData handling. The size of the MetaData is defined by the configuration parameter MetaDataLength of the global PDU definitions. This feature may be used for efficient CAN-CAN-routing, where the MetaData contains the CAN ID.		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	false		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00316 :		
Name	PduRVersionInfoApi {PDUR_VERSION_INFO_API}		
Description	If true the PduR_GetVersionInfo API is available.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00317 :		
Name	PduRZeroCostOperation {PDUR_ZERO_COST_OPERATION}		
Description	If set the PduR configuration generator will report an error if zero-cost-operation cannot be fulfilled. This parameter shall be seen as an input requirement to the configuration generator.		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.5 PduRRoutingTables

SWS Item	ECUC_PduR_00310 :		
Container Name	PduRRoutingTables [Multi Config Container]		
Description	<p>Represents one table of routing paths.</p> <p>This routing table allows multiple configurations that can be used to create several routing tables in the same configuration. This is mainly used for post-build (e.g. post-build selectable) but can be used by pre-compile and link-time for variant handling.</p>		
Configuration Parameters			

SWS Item	ECUC_PduR_00327 :		
Name	PduRConfigurationId		
Description	Identification of the configuration of the PduR configuration. This identification can be read using the PduR API.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00350 :		
Name	PduRMaxRoutingPathCnt		
Description	Maximum number of RoutingPaths in all RoutingTables. This parameter is needed only in case of post-build loadable implementation using static memory allocation.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00348 :		
Name	PduRMaxRoutingPathGroupCnt		
Description	Maximum number of RoutingPathGroups. This parameter is needed only in case of post-build loadable implementation using static memory allocation.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00349 :		
Name	PduRMaxRoutingTableCnt		
Description	Maximum number of RoutingTables. This parameter is needed only in case of post-build loadable implementation using static memory allocation.		

Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
PduRRoutingPathGroup	0..*	This container groups routing path destinations. Destinations are used instead of routing paths since a routing path can be 1:n. It is desirable to be able to enable/disable a specific bus (i.e. a destination) rather than a routing path. Of course it is possible to create groups that covers specific routing paths as well. Enabling and disabling of routing path groups are made using the PduR API
PduRRoutingTable	0..*	Represents one container of routing paths.
PduRTpBufferTable	0..1	This container will specify the needed buffers for gatewaying using TP. It is not connected to the specific routing path destination to allow a more efficient buffer handling.
PduRTxBufferTable	0..1	This container contains the buffers used for gatewaying via communication interfaces and for single frames of transport protocols.




Figure 24 - PduRRoutingPathGroup

10.2.6 PduRRoutingPathGroup

SWS Item	ECUC_PduR_00308 :
Container Name	PduRRoutingPathGroup
Description	This container groups routing path destinations. Destinations are used

	<p>instead of routing paths since a routing path can be 1:n. It is desirable to be able to enable/disable a specific bus (i.e. a destination) rather than a routing path. Of course it is possible to create groups that covers specific routing paths as well.</p> <p>Enabling and disabling of routing path groups are made using the PduR API</p> <p>Attributes: postBuildChangeable=true</p>
Configuration Parameters	

SWS Item	ECUC_PduR_00329 :		
Name	PduRIsEnabledAtInit		
Description	If set to true this routing path group will be enabled after initializing the PDU Router module (i.e. enabled in the PduR_Init function).		
Multiplicity	1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00309 :		
Name	PduRRoutingPathGroupId		
Description	Identification of the routing group. The identification will be used by the disable/enable API in the PDU Router module API.		
Multiplicity	1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

SWS Item	ECUC_PduR_00301 :		
Name	PduRDestPduRef		
Description	This reference selects one destination of the routing path.		
Multiplicity	1..*		
Type	Reference to [PduRDestPdu]		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers

10.2.7 PduRRoutingTable

SWS Item	ECUC_PduR_00247 :		
-----------------	-------------------	--	--

Container Name	PduRRoutingTable
Description	Represents one container of routing paths.
Attributes:	postBuildChangeable=true
Configuration Parameters	

Included Containers		
Container Name	Multiplicity	Scope / Dependency
PduRRoutingPath	0..*	This container is a subcontainer of PduRRoutingTable and specifies the routing path of a PDU.




Figure 25 - PduRRoutingPath

10.2.8 PduRRoutingPath

SWS Item	ECUC_PduR_00248 :	
Container Name	PduRRoutingPath	
Description	<p>This container is a subcontainer of PduRRoutingTable and specifies the routing path of a PDU.</p> <p>Attributes: postBuildChangeable=true</p>	
Configuration Parameters		

Included Containers		
Container Name	Multiplicity	Scope / Dependency
PduRDestPdu	1..*	This container is a subcontainer of PduRRoutingPath and specifies one destination for the PDU to be routed.
PduRSrcPdu	1	This container is a subcontainer of PduRRoutingPath and specifies the source of the PDU to be routed.

10.2.9 PduRDestPdu

SWS Item	ECUC_PduR_00249 :	
Container Name	PduRDestPdu	
Description	<p>This container is a subcontainer of PduRRoutingPath and specifies one destination for the PDU to be routed.</p> <p>Attributes: postBuildChangeable=true</p>	
Configuration Parameters		

SWS Item	ECUC_PduR_00289 :	
Name	PduRDestPduDataProvision	
Description	Specifies how data are provided: direct (as part of the Transmit call) or via the TriggerTransmit callback function. Only required for non-TP gatewayed I-PDUs.	
Multiplicity	0..1	
Type	EcucEnumerationParamDef	
Range	PDUR_DIRECT	The PDU Router module shall call the transmit function in the destination module and not buffer the I-PDU
	PDUR_TRIGGERTRANSMIT	The PDU Router module shall call the transmit function in the destination module. The destination module will request the I-PDU using the triggerTransmit function. The I-PDU is shall be buffered.
ConfigurationClass	Pre-compile time	X VARIANT-PRE-COMPIL
	Link time	--
	Post-build time	X VARIANT-POST-BUILD
Scope / Dependency	scope: local dependency: In case of PDUR_TRIGGERTRANSMIT the parameter PduRDestTxBufferRef is required.	

SWS Item	ECUC_PduR_00322 :		
Name	PduRDestPduHandleId		
Description	PDU identifier assigned by PDU Router. Used by communication interface and transport protocol modules for confirmation (PduR_<Lo>TxConfirmation) and for TriggerTransmit (PduR_<Lo>TriggerTransmit).		
Multiplicity	0..1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

SWS Item	ECUC_PduR_00320 :		
Name	PduRTpThreshold		
Description	Defines the number of bytes which shall be received before transmission on the destination bus may start. Only required for routing-on-the-fly TP gateway PDUs. The threshold shall not be larger than the length of the related TP Buffer.		
Multiplicity	0..1		
Type	EcucIntegerParamDef		
Range	1 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00339 :		
Name	PduRTransmissionConfirmation (PDUR_TRANSMISSION_CONFIRMATION)		
Description	This parameter is only for communication interfaces. Transport protocol modules will always call the TxConfirmation function. If set the destination communication interface module will call the TxConfirmation. However the TxConfirmation may be not called due to error. So the PduR shall not block until the TxConfirmation is called. One background for this parameter is for the PduR to know when all modules have confirmed a multicast operation.		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00291 :		
Name	PduRDestPduRef		
Description	Destination PDU reference; reference to unique PDU identifier which shall be used by the PDU Router instead of the source PDU ID when calling the related function of the destination module.		
Multiplicity	1		
Type	Reference to [Pdu]		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE

	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00304 :		
Name	PduRDestTxBufferRef		
Description	Reference to a buffer that is allocated in the PduRTxBufferTable. This buffer is required for communication interface gatewaying, and for transport protocol gatewaying for single frame routing.		
Multiplicity	0..1		
Type	Reference to [PduRTxBuffer]		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPIL
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

Included Containers			
Container Name	Multiplicity	Scope / Dependency	
PduRDefaultValue	0..1	Specifies the default value of the I-PDU. Only required for gateway operation and if at least one PDU specified by PduRDestPdu uses TriggerTransmit Data provision. Represented as an array of IntegerParamDef.	

10.2.10 PduRSrcPdu

SWS Item	ECUC_PduR_00288 :		
Container Name	PduRSrcPdu		
Description	This container is a subcontainer of PduRRoutingPath and specifies the source of the PDU to be routed.		
Configuration Parameters			

SWS Item	ECUC_PduR_00311 :		
Name	PduRSourcePduHandleId		
Description	PDU identifier assigned by PDU Router.		
Multiplicity	1		
Type	EcucIntegerParamDef (Symbolic Name generated for this parameter)		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPIL
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

SWS Item	ECUC_PduR_00351 :		
Name	PduRSrcPduUpTxConf		
Description	When enabled, the TxConfirmation will be forwarded to the upper layer. Prerequisites: Lower layer and upper layer support TxConfirmation.		
Multiplicity	0..1		
Type	EcucBooleanParamDef		
Default value	true		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPIL

	<i>Link time</i>	--	
	<i>Post-build time</i>	X	VARIANT-POST-BUILD
Scope / Dependency	scope: ECU		

SWS Item	ECUC_PduR_00318 :		
Name	PduRSrcPduRef		
Description	Source PDU reference; reference to unique PDU identifier which shall be used for the requested PDU Router operation.		
Multiplicity	1		
Type	Reference to [Pdu]		
ConfigurationClass	<i>Pre-compile time</i>	X	VARIANT-PRE-COMPIL
	<i>Link time</i>	--	
	<i>Post-build time</i>	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers

10.2.11 PduRDefaultValue

SWS Item	ECUC_PduR_00299 :		
Container Name	PduRDefaultValue		
Description	Specifies the default value of the I-PDU. Only required for gateway operation and if at least one PDU specified by PduRDestPdu uses TriggerTransmit Data provision. Represented as an array of IntegerParamDef.		
Configuration Parameters			

Included Containers

Container Name	Multiplicity	Scope / Dependency
PduRDefaultValueElement	0..*	Each value element is represented by the element and the position in an array.

10.2.12 PduRDefaultValueElement

SWS Item	ECUC_PduR_00300 :		
Container Name	PduRDefaultValueElement		
Description	Each value element is represented by the element and the position in an array. Attributes: postBuildChangeable=true		
Configuration Parameters			

SWS Item	ECUC_PduR_00290 :		
Name	PduRDefaultValueElement		
Description	The default value consists of a number of elements. Each element is one byte long and the number of elements is specified by SduLength. The position of this parameter in the container is specified by the		

	PduRElementBytePosition parameter.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 255		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

SWS Item	ECUC_PduR_00292 :		
Name	PduRDefaultValueElementBytePosition		
Description	This parameter specifies the byte position of the element within the default value		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 255		
Default value	--		
ConfigurationClass	Pre-compile time	X	VARIANT-PRE-COMPILE
	Link time	--	
	Post-build time	X	VARIANT-POST-BUILD
Scope / Dependency	scope: local		

No Included Containers

10.2.13 PduRTpBufferTable

SWS Item	ECUC_PduR_00335 :		
Container Name	PduRTpBufferTable		
Description	This container will specify the needed buffers for gatewaying using TP. It is not connected to the specific routing path destination to allow a more efficient buffer handling.		
Configuration Parameters			

SWS Item	ECUC_PduR_00330 : (Obsolete)		
Name	PduRMaxTpBufferNumber		
Description	maximum number of TP buffers. This parameter is obsolete and will be removed in future. Tags: atp.Status=obsolete atp.StatusRevisionBegin=4.1.3		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

Included Containers

Container Name	Multiplicity	Scope / Dependency
----------------	--------------	--------------------

PduRTpBuffer	0..*	Specifies a buffer used for gatewaying through TP.
--------------	------	--

10.2.14 PduRTpBuffer

SWS Item	ECUC_PduR_00334 :		
Container Name	PduRTpBuffer		
Description	Specifies a buffer used for gatewaying through TP.		
Attributes:	postBuildChangeable=false		

Configuration Parameters

SWS Item	ECUC_PduR_00325 :		
Name	PduRTpBufferLength		
Description	Length of the TP buffer in number of bytes		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.2.15 PduRTxBufferTable

SWS Item	ECUC_PduR_00337 :		
Container Name	PduRTxBufferTable		
Description	This container contains the buffers used for gatewaying via communication interfaces and for single frames of transport protocols.		
Configuration Parameters			

SWS Item	ECUC_PduR_00331 : (Obsolete)		
Name	PduRMaxTxBufferSize		
Description	maximum number of Tx buffers. This parameter is set to obsolete and will be removed in future. Tags: atp.Status=obsolete atp.StatusRevisionBegin=4.1.3		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	0 .. 65535		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	

Scope / Dependency	scope: local
---------------------------	--------------

Included Containers		
----------------------------	--	--

Container Name	Multiplicity	Scope / Dependency
PduRTxBuffer	0..*	Specifies a buffer used for gatewaying via communication interfaces or for single frames of transport protocols.

10.2.16 PduRTxBuffer

SWS Item	ECUC_PduR_00336 :		
Container Name	PduRTxBuffer		
Description	Specifies a buffer used for gatewaying via communication interfaces or for single frames of transport protocols.		
Attributes:	postBuildChangeable=false		
Configuration Parameters			

SWS Item	ECUC_PduR_00324 :		
Name	PduRPduMaxLength		
Description	Length of the Tx buffer in bytes. This parameter limits the size of buffered routed PDUs.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 255		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local dependency: When this buffer is used for TP routing path the PduRPduMaxLength has to be large enough to contain the largest possible single frame of the source network.		

SWS Item	ECUC_PduR_00323 :		
Name	PduRTxBufferDepth		
Description	Number of Pdus that can be stored in the buffer. If the value is 1, the buffer semantic is "last is best". If the value is greater than 1, the buffer semantic is a FiFo. For TP single frames, the depth is always 1.		
Multiplicity	1		
Type	EcucIntegerParamDef		
Range	1 .. 255		
Default value	--		
ConfigurationClass	Pre-compile time	X	All Variants
	Link time	--	
	Post-build time	--	
Scope / Dependency	scope: local		

No Included Containers

10.3 Published Information

For details refer to the chapter 10.3 “Published Information” in *SWS_BSWGeneral*.

11 PDU Router module design notes

This chapter collects a set of notes that describes features of this document.

11.1 Backwards compatibility

The APIs for the Transport Protocol modules was redesigned in AUTOSAR release 4.0. Therefore the APIs are not directly backwards compatible with AUTOSAR release 3.1 and older releases. To be able to use modules from different AUTOSAR releases then a compatible layer is needed. This chapter will describe how such layer may be designed.

The basic idea of the new TP API is that the copying of data is moved from the TP modules to the PDU Router module (in case of gateway) or upper layer receiver/transmitter module.

The background for the change was to solve two issues:

- Gatewaying-on-the-fly could not be implemented efficiently.
- The retransmission needed by specific busses (e.g. FlexRay).


Following sections describe a possible solution for using either an AUTOSAR 3.1 (or older) upper layer, or an AUTOSAR 3.1 (or older) lower layer.

The upper layer module may be a PDU Router module, COM, DCM or other upper layer module that operates the TP API.


11.1.1 AUTOSAR 4.0 upper layer and AUTOSAR 3.1 (or older) TP

Following two figures shows where an AUTOSAR 4.0 upper layer is used together with a lower layer 3.1 TP.

The Figure 26 shows a use-case where the upper layer is receiving the I-PDU. Note that the <Up>_StartOfReception API requires a parameter of type PduInfoType that is not provided by the PduR_<Lo>ProvideRxBuffer API. When using a compatibility layer like described in Figure 26, an empty PduInfoType parameter with SduDataPtr = NULL and SduLength = 0 can be used.


Figure 26 - Reception-Lower3.1-Upper4.0

The Figure 27 shows a use-case where the upper layer is transmitting the I-PDU.


Figure 27 - Transmission-Upper4.0-Lower3.1

11.1.2 AUTOSAR 3.1 upper layer and AUTOSAR 4.0 TP

Following two figures show where an AUTOSAR 3.1 upper layer is used together with a lower layer 4.0 TP.

The Figure 28 shows a use-case where the upper layer is receiving the I-PDU.





Figure 28 - Reception-Lower4.0-Upper3.1

The Figure 29 shows a use-case where the upper layer is transmitting the I-PDU.


Figure 29 - Transmission-Upper3.1-Lower4.0

11.2 Configuration parameter considerations

The configuration parameters listed in chapter 10 contain restrictions for the parameters themselves. But no restrictions are set that affects more than one parameter. The intention of this section is to list some of these to better understand the configuration parameters and also to allow a simpler configuration generator tool for the PDU Router module.

The buffers needed for gatewaying (communication interface and transport protocol) are specified per destination in the configuration. Since no specific traffic shaping can be specified it is assumed that worst case where all I-PDUs are gatewayed at the same time. It is possible to extend the configuration with parameters that allow more efficient usage of buffers.

11.3 Generic interfaces concept

The provided and used APIs of the PDU Router module are not connected to specific busses. The API names in chapter 8.3 have a generic part (<Up>, <Lo>, etc) that will be exchanged with the name of the module using or implementing the API.

The way to identify the name is using the reference to an ECUC description, see Figure 30. The short-name will be used in the referenced ECUC description.




Figure 30 - Generic interface configuration

The `PduRBswModules` container contains parameters that describe the supported functionality (if it is communication interface, transport layer, upper layer, lower layer, etc.) of the BSW module.

[SWS_PduR_00800] [In case the lower layer module supports both TP and IF, the infixes Tp and If shall be added to the function names directly in front of the function, e.g. <Lo>_[Tp]Transmit, PduR_<Lo>[If]TxConfirmation.] (SRS_PduR_06117, SRS_PduR_06121, SRS_BSW_00310)

The connection between the generic interface configuration of a BSW module and the I-PDUs are made using the routing paths and the I-PDU configuration in the ECUC module.

11.4 Example structure of Routing tables

This chapter shows example structures of routing tables that contain the properties of each I-PDU. It does not specify the internals of the PDU Router but shall rather serve as example for better understanding of APIs and I-PDUs.

The IpduM is not considered by these examples.

Note: This chapter is by no means the recommended implementation way. The chapter focuses more on understandability than optimizing implementation.

11.4.1 Transmission and multicast via communication interface modules

Routing table used by PduR_ComTransmit for I-PDUs transmitted by COM:

PduR_ComTransmit (PdulIdType id, const PduInfoType* info)			
<i>id</i>	<i>TargetFctPtr</i>	<i>TargetPdulId</i>	<i>Description</i>
0	CanIf_Transmit	0	Transmission on CanIf
1	Frlf_Transmit	0	Transmission on Frlf
2	CanIf_Transmit	1	Transmission on CanIf
3	CanIf_Transmit CanIf_Transmit	0 2	Multicast using CanIf on two CAN busses
4	LinIf_Transmit CanIf_Transmit	2 3	Multicast using CanIf and LinIf. Note that for LinIf this is a sporadic frame (will later be a TriggerTransmit call).

The first three entries represent normal PDU transmit operations from Com via CanIf or Frlf respectively, the remaining two entries are related to multicast PDU transmit operations from COM module to two different CAN busses and COM module to LinIf and CanIf. For the latter an internal PDU Router function (Multilf_Transmit) and an additional routing table is used.

The destination module will confirm the transmission of the I-PDU using the configured I-PDU id, and it might not be the same as in the transmit call.

11.4.2 Reception and gateway via communication interface modules

Routing table used by PduR_<Lo>RxIndication for receiving I-PDUs received from the lower layer communication interfaces:

PduR_<Lo>RxIndication (PduldType id, const PduInfoType* info)			
<i>id</i>	<i>TargetFctPtr1</i>	<i>TargetPduld</i>	<i>Description</i>
0	Com_RxIndication	0	Routed to COM module
1	Com_RxIndication CanIf_TxTransmit	0 1	Routed to COM and gatewayed to CanIf
2	CanIf_TxTransmit LIN	1 2	Gatewayed to CanIf and to LinIf. In the LinIf case the LinIf will later call TriggerTransmit. The PDU Router will not call LinIf_TxTransmit

11.5 Configuration generator

The PDU Router configuration generator will take the ECU configuration description XML file containing the PDU Router configuration as input. And the generator will produce .c and .h files containing the configuration.

One aim of the configuration generator is to allow the generator to produce an efficient PDU Router module implementation. Since the PDU Router module is a central module it is important that the final executable including configuration is efficient as possible:

[SWS_PduR_00764] [The PDU Router module generator shall be able to optimize away features based on if they are used or not. At least following features shall be considered:

- Transport protocol
- Communication interfaces
- Gateway
- FIFO queue handling

One part of the job made by the generator is to lookup all routing paths and produces the correct look-up tables and the correct APIs to be used. Here are some examples how the generator may handle the routing paths.] (SRS_PduR_06020)

11.5.1 CanIf and COM routing path example

This is an example that shows how an I-PDU received by the CanIf module and forwarded by the COM module is handled.

In Figure 31 the configuration of CanIf, COM and PDU Router is shown. The PDU Router has a routing path with a source I-PDU (SrcPduRef) and destination I-PDU (DestPduRef). When following the I-PDU SrcPduRef it is found that the CanIf PduldRef is pointing at the same I-PDU in the ECUC. The DestPduRef is followed and it is found that COM PduldRef is pointing at the same I-PDU in the ECUC.




Figure 31: PDU Router, CanIf and COM configuration example

The CanIfCanRxPduld reveals the I-PDU ID for the source I-PDU and the ComIPduHandleId reveals the I-PDU ID for the destination I-PDU.

The shortname of the CanIf module and the COM module (and that the I-PDU is transported on a communication interface module) will generate the routing table and APIs to be used:

PduR_<user>IfRxIndication (PduldType id, const PduInfoType* info)			
<i>id</i>	<i>Source</i>	<i>TargetPduld</i>	<i>Destination</i>
12	CanIf_RxIndication	13	Com_RxIndication

PduR_COM.h

void PduR_ComRxIndication(PduldType id, PduInfoType* info);

PduR_CanIf.h

```
void PduR_CanIfRxIndication(PduldType id, const PduInfoType* info);
```

If the zero-cost-operation is enabled and the CanId module is only forwarding (through PDU Router module) to the COM module, the generator may generate the optimization (if source code is used):

```
#define PduR_CanIfRxIndication PduR_ComRxIndication
```

11.6 Post-build considerations

This section describes some important behavior when using the post-build variant of the PDU Router. It contains no requirements, just important issues that need to be considered.

NVRAM and RAM memory size can potentially grow if a new post-build configuration is downloaded into the ECU. Estimation at design time must be done to allow such grow so other areas are not overwritten (in case of RAM) or memory borders are not crossed.

It is not possible to configure restrictions/locations/etc of memory in the PDUR module configuration since this is implementation specific and relatively difficult to implement (pre-compile and link-time does not really need this). It is recommended for implementations of PDUR module generators to extend the configuration with specific memory constraints if needed.

12 Not applicable requirements

[SWS_PduR_00777] [These requirements are not applicable to this specification.]

(SRS_BSW_00170, SRS_BSW_00375, SRS_BSW_00416, SRS_BSW_00437, SRS_BSW_00168, SRS_BSW_00425, SRS_BSW_00432, SRS_BSW_00336, SRS_BSW_00417, SRS_BSW_00386, SRS_BSW_00161, SRS_BSW_00162, SRS_BSW_00005, SRS_BSW_00164, SRS_BSW_00343, SRS_BSW_00160, SRS_BSW_00413, SRS_BSW_00335, SRS_BSW_00447, SRS_BSW_00353, SRS_BSW_00361, SRS_BSW_00439, SRS_BSW_00449, SRS_BSW_00357, SRS_BSW_00376, SRS_BSW_00172, SRS_BSW_00341, SRS_BSW_00334, SRS_PduR_06055, SRS_PduR_06056, SRS_PduR_06061, SRS_PduR_06098, SRS_PduR_06099, SRS_PduR_06077, SRS_PduR_06064, SRS_PduR_06089)