

| | |
|-----------------------------------|--|
| Document Title | RS_DiagnosticExtractTemplate: Specification Changes contributing to this Requirement Document 4.3.0 - 4.3.1 |
| Document Owner | AUTOSAR |
| Document Responsibility | AUTOSAR |
| Document Identification No | 695 |

| | |
|---------------------------------|------------------|
| Document Status | Final |
| Part of AUTOSAR Standard | Classic Platform |
| Part of Standard Release | 4.3.1 |

Table of Contents

| | | |
|-----|---|---|
| 1 | Requirement Item RS_DEXT_00054 | 3 |
| 1.1 | Specification Item TPS_DEXT_01087 | 3 |

1 Requirement Item RS_DEXT_00054

Operation cycles

Specification Items contributing to this requirement that have changed:

1.1 Specification Item TPS_DEXT_01087

Trace References:

RS_DEXT_00054

Content:

Different types of DiagnosticOperationCycles are supported and defined by the Diagnostic OperationCycle.type attribute, e.g. **time between powering up and powering down the ECU or the time** between ignition on and ignition off.

Contribution paths:

- RS_DEXT_00054 ← TPS_DEXT_01087

ITs affecting this spec item between releases 4.3.0 and 4.3.1:

- IT #77633: [RfC # 76710] Clarify DiagnosticOperationCycleTypeEnum