

Document Title	SRS_CryptoStack: Complete Change Documentation 4.3.0 - 4.3.1
Document Owner	AUTOSAR
Document Responsibility	AUTOSAR
Document Identification No	695

Document Status	Final
Part of AUTOSAR Standard	Classic Platform
Part of Standard Release	4.3.1

Table of Contents

1	SRS_CryptoStack	3
1.1	Specification Item SRS_CryptoStack_00087	3

1 SRS_CryptoStack

1.1 Specification Item SRS_CryptoStack_00087

Trace References:

RS_BRF_02168, RS_BRF_02272

Content:

Type:	
Description:	The CSM module shall report detected development errors to the Development Default Error Tracer
Rationale:	Basic functionality
Applies to:	
Use Case:	–
Supporting Material:	–

RfCs affecting this spec item between releases 4.3.0 and 4.3.1:

- RfC #76932: default error detection -> development error detection

Problem description:

replace "default error detection" with "development error detection"
 –Last change on issue 76932 comment 2–

Agreed solution:

SWS_Crylf:
 replace "default error" detection with "development error detection" in requirement:
 [SWS_Crylf_00016]
 [SWS_Crylf_00017]
 [SWS_Crylf_00027]
 [SWS_Crylf_00028]
 [SWS_Crylf_00029]
 [SWS_Crylf_00129]
 [SWS_Crylf_00130]
 [SWS_Crylf_00131]
 [SWS_Crylf_00049]
 [SWS_Crylf_00050]
 [SWS_Crylf_00052]
 [SWS_Crylf_00053]
 [SWS_Crylf_00056]
 [SWS_Crylf_00057]

[SWS_Crylf_00059]
[SWS_Crylf_00060]
[SWS_Crylf_00062]
[SWS_Crylf_00063]
[SWS_Crylf_00064]
[SWS_Crylf_00110]
[SWS_Crylf_00111]
[SWS_Crylf_00112]
[SWS_Crylf_00116]
[SWS_Crylf_00117]
[SWS_Crylf_00118]
[SWS_Crylf_00068]
[SWS_Crylf_00069]
[SWS_Crylf_00070]
[SWS_Crylf_00071]
[SWS_Crylf_00073]
[SWS_Crylf_00074]
[SWS_Crylf_00076]
[SWS_Crylf_00077]
[SWS_Crylf_00122]
[SWS_Crylf_00122]
[SWS_Crylf_00082]
[SWS_Crylf_00083]
[SWS_Crylf_00084]
[SWS_Crylf_00085]
[SWS_Crylf_00086]
[SWS_Crylf_00090]
[SWS_Crylf_00091]
[SWS_Crylf_00092]
[SWS_Crylf_00093]
[SWS_Crylf_00094]
[SWS_Crylf_00098]
[SWS_Crylf_00099]
[SWS_Crylf_00123]
[SWS_Crylf_00124]
[SWS_Crylf_00125]
[SWS_Crylf_00126]
[SWS_Crylf_00127]
[SWS_Crylf_00107]
[SWS_Crylf_00108]

SWS_Crypto:

replace "default error" detection with "development error detection" in requirement:

[SWS_Crypto_00047]
[SWS_Crypto_00057]
[SWS_Crypto_00058]
[SWS_Crypto_00059]
[SWS_Crypto_00064]
[SWS_Crypto_00067]
[SWS_Crypto_00070]
[SWS_Crypto_00142]
[SWS_Crypto_00136]
[SWS_Crypto_00137]
[SWS_Crypto_00141]
[SWS_Crypto_00123]
[SWS_Crypto_00124]
[SWS_Crypto_00125]
[SWS_Crypto_00075]
[SWS_Crypto_00076]
[SWS_Crypto_00077]
[SWS_Crypto_00078]
[SWS_Crypto_00079]
[SWS_Crypto_00082]
[SWS_Crypto_00083]
[SWS_Crypto_00140]
[SWS_Crypto_00138]
[SWS_Crypto_00085]
[SWS_Crypto_00086]
[SWS_Crypto_00087]
[SWS_Crypto_00088]
[SWS_Crypto_00089]
[SWS_Crypto_00090]
[SWS_Crypto_00093]
[SWS_Crypto_00149]
[SWS_Crypto_00150]
[SWS_Crypto_00151]
[SWS_Crypto_00152]
[SWS_Crypto_00153]
[SWS_Crypto_00156]
[SWS_Crypto_00157]
[SWS_Crypto_00158]
[SWS_Crypto_00161]
[SWS_Crypto_00162]
[SWS_Crypto_00163]
[SWS_Crypto_00164]
[SWS_Crypto_00128]

- [SWS_Crypto_00129]
- [SWS_Crypto_00130]
- [SWS_Crypto_00131]
- [SWS_Crypto_00094]
- [SWS_Crypto_00095]
- [SWS_Crypto_00097]
- [SWS_Crypto_00098]
- [SWS_Crypto_00103]
- [SWS_Crypto_00104]
- [SWS_Crypto_00105]
- [SWS_Crypto_00106]
- [SWS_Crypto_00107]
- [SWS_Crypto_00110]
- [SWS_Crypto_00111]
- [SWS_Crypto_00112]
- [SWS_Crypto_00113]
- [SWS_Crypto_00115]
- [SWS_Crypto_00168]
- [SWS_Crypto_00169]
- [SWS_Crypto_00172]
- [SWS_Crypto_00173]
- [SWS_Crypto_00174]
- [SWS_Crypto_00175]

SRS_Crypto:

[SRS_CryptoStack_00087] The CSM module shall report detected development errors to the Development Error Tracer
 ->Default Error Tracer
 -Last change on issue 76932 comment 2-

BW-C-Level:

Application	Specification	Bus
1	1	1